

Trading name:	BIOFIX HD				
Product code:	BFHD-X**	Revision date:	23.05.2019.	Version:	3

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING		
1.1.	Product identifier	
	Trading name:	BIOFIX HD
	Chemical name:	-
	Catalogue number:	BFHD-X**
1.2.	Relevant identified uses of the substance or mixture and uses advised against	
	Uses:	Fixative that enables fast fixation and better visualization of lymph nodes.
	Uses advised against:	Only the identified uses are advised.
	Reason why uses advised against:	The product is intended for use only as an <i>in vitro</i> diagnostic medical device and there is no reason to use it for other purposes.
1.3.	Details of the supplier of the safety data sheet	
	Supplier:	BioGnost Ltd.
	Address:	Medjugorska 59, Zagreb
	Telephone number:	+385 1 2409997
	Fax no.:	+385 1 2404039
	e-mail of competent person:	msds@biognost.hr
	National contact:	-
1.4.	Emergency telephone number	
	National Protection and Rescue Directorate:	112
	Medical information:	+385 1 2348 342
	Other information:	-

SECTION 2 HAZARDS INFORMATION		
2.1.	Classification of the substance or mixture	
2.1.1.	Classification according to (EC) Regulation No. 1272/2008 (CLP)	
	Hazard class and category code:	Hazard statements*:
	Flam. Liq. 2	H225
	Skin Corr. 1B	H314
	Skin Irrit. 2	H315
	Skin. Sens. 1	H317
	Eye Irrit. 2	H319
	Muta. 2	H341
2.1.2.	Additional information	
	-	
*For full text of Hazard- and EU Hazard-statements: see Section 16		
2.2.	Label 1272/2008 (CLP)	

Trading name:	BIOFIX HD				
Product code:	BFHD-X**	Revision date:	23.05.2019.	Version:	3

Product identification:	BIOFIX HD				
Identification number:	-				
Authorization no.:	-				
Hazard pictograms:	 GHS02  GHS05  GHS07  GHS08				
Signal word:	Danger				
Hazard statements:	H225 Highly flammable liquid and vapor. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction H319 Causes serious eye irritation. H341 Suspected of causing genetic defects.				
Precautionary statements:	P210 Keep away from heat/sparks/open flames/hot surfaces. Do not smoke. P280 Wear protective gloves/protective clothing/eye/protection/face protection. P302+P352 IF ON SKIN: Wash with plenty of water and soap. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.				
Further information:	-				
2.3.	Other hazards				
	-				

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

CAS/ EC/ Index no.	REACH Registration No	Mass %	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)
64-17-5/ 200-578-6/ 603-002-00-5	-	≤ 40%	ethanol	Flam. Liq. 2; H225

Trading name:	BIOFIX HD				
Product code:	BFHD-X**	Revision date:	23.05.2019.	Version:	3

50-00-0/ 200-001-8/ 605-001-00-5	-	15-30%	formaldehyde, 37%	Carc. 1B, H350 Muta. 2, H341 Acute Tox. 3, H331 Acute Tox. 3, H311 Acute Tox. 3, H301 Skin. Corr. 1B; H314 Skin. Sens. 1, H317
64-19-7/ 200-580-7/- 607-002-00-6	-	< 10%	Acetic acid, 99%	Flam. Liq. 3; H226 Skin. Corr. 1B; H314

SECTION 4 FIRST AID MEASURES		
4.1.	Description of first aid measures	
	General notes:	If the suggested first aid measures do not prove sufficient, seek medical attention.
	Following inhalation:	Remove person to fresh air. If breathing stops, immediately apply artificial respiration. If breathing difficulties occur, use emergency breathing apparatus. If the symptoms persist, immediately consult a physician.
	Following skin contact:	Take off immediately all contaminated clothing. Immediately wash with plenty of water and soap for at least 20 minutes. Seek medical assistance if the symptoms of irritation remain.
	Following eye contact:	Rinse out with plenty of water with the eyelid held wide open for at least 15 minutes. If the symptoms remain, immediately call in ophthalmologist.
	Following ingestion:	If the afflicted person is vomiting, there may be risk of aspiration. Keep the airways open. Respiratory failure may occur immediately after aspiration of vomited content. Immediately consult a physician and show the container or label. In case of swallowing large quantities, transport the afflicted person to the hospital.
	Self-protection of the first aider:	-
4.2.	Most important symptoms and effects, both acute and delayed	
	Following inhalation:	Depending on concentration and exposure time, irritation of the mucous membrane of the nose/throat may occur (burning sensation, urge to sneeze, and runny nose). Very high concentration may cause difficult breathing, shortness of breath, coughing fits, chest tightness, headache, vertigo, and narcosis.
	Following skin contact:	Depending on concentration and exposure time, it may lead to redness, rough and cracked skin.
	Following eye contact:	Depending on concentration and exposure time, mucosa stinging, lacrimation, redness and pain may occur, as well as bleeding, delayed onset of inflammations and permanent eyesight damage.

Trading name:	BIOFIX HD				
Product code:	BFHD-X**	Revision date:	23.05.2019.	Version:	3

	Following ingestion:	Depending on concentration and exposure time, it may lead to stinging and digestive mucus damage, abdominal pain, nausea, vomiting, vertigo, headache.
4.3.	Indication of any immediate medical attention and special treatment needed	
	-	

SECTION 5 Firefighting measures		
5.1.	Extinguishing media	
	Suitable extinguishing media:	Small fire - water spray, dry powder, CO ₂ Large fire - water spray or alcohol-resistant foam
	Unsuitable extinguishing media:	No information available
5.2.	Special hazards arising from the substance or mixture	
	Hazardous combustion products:	No information available
5.3.	Advice for firefighters	
	Use a self-contained open-circuit compressed air breathing apparatus and fireproof clothing. Cool closed containers exposed to fire with water spray, in order to prevent explosion.	
5.4.	Additional information	
	Remove sources of heat and ignition. Do not contaminate the environment with extinguishing media.	

SECTION 6 ACCIDENTAL RELEASE MEASURES		
6.1.	Personal precautions, protective equipment and emergency procedures	
6.1.1.	For non-emergency personnel	
	Protective equipment:	Use personal protective equipment (see Section 8).
	Accident prevention methods:	Evacuate members of all non-essential personnel and those members without protective equipment. Avoid breathing vapors and avoid contact with skin and eyes. Remove all sources of sparks and ignition. Do not smoke.
	Emergency procedures:	Mark the area using proper signs.
6.1.2.	For emergency responders:	
	Use protective equipment; in case of inadequate ventilation use adequate airways protective equipment (see Section 8).	
6.2.	Environmental precautions:	
	Do not dispose of in sewage, drainage system and waterways. In case of large spillage contact National Protection and Rescue Directorate (NPRD) on 112.	
6.3.	Methods and material for containment and cleaning up	
6.3.1.	For creating barriers, covering and sealing:	Sand or clay barriers.

Trading name:	BIOFIX HD				
Product code:	BFHD-X**	Revision date:	23.05.2019.	Version:	3

6.3.2.	Cleaning up:	Where possible, the substance can be absorbed by using inflammable material (sand, diatomaceous earth, vermiculite). Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and involved materials with water.
6.3.3.	Other information:	Do not use incompatible materials (see Section 10).
6.4.	Reference to other sections	
	See Section 7 for information about secure handling. See Section 8 for information about personal protective equipment. See Section 13 for information about containment.	

SECTION 7 HANDLING AN STORAGE		
7.1.	Precautions for safe handling	
7.1.1.	Protection measures	
	Measures to prevent fire:	Use in well ventilated storage rooms. Keep away from sources of heat and ignition. Carry out measures for preventing static electricity.
	Measures to prevent aerosol and dust generation:	Secure proper ventilation.
	Measures to protect the environment:	Prevent spilling into the sewage system and waterways.
	Other measures:	-
7.1.2.	Advice on general occupational hygiene:	
	Do not eat, drink or smoke in the workspace. Thoroughly wash hands after work and before eating.	
7.2.	Conditions for safe storage, including any incompatibilities	
	Technical measures and storage conditions:	Keep in tightly closed and upright set containers in a well ventilated storage rooms at temperatures ranging from 15 to 25 °C.
	Packaging materials:	Manufacturer's original packaging.
	Requirements for storage rooms and vessels:	Keep away from food and drink. Keep the containers tightly closed.
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.
	Further information on storage conditions:	Do not place the unused material in the storage room and do not use empty containers for storing other chemicals. Do not store with incompatible materials (see Section 10).
7.3.	Specific end use(s)	
	Recommendations:	-

Trading name:	BIOFIX HD				
Product code:	BFHD-X**	Revision date:	23.05.2019.	Version:	3

Industrial sector specific solutions:	-
---------------------------------------	---

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION				
8.1.	Control parameters			
Substance	CAS No	Occupational exposure limit values/short term values		Biological limit values
		ppm	mg/m ³	
Ethanol	64-17-5	1000/-	1900/-	-
Formaldehyde	50-00-0	2/-	2.5/-	
Acetic acid, glacial	64-19-7	10/-	25/-	
Substance name:	-			
EC No:	-	CAS No:	-	
DNEL				
Industrial				
Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	-
Inhalation	-	-	-	-
Dermal	-	-	-	-
Critical physical parameters: solubility, flammability, corrosivity:			-	
Consumer				
Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	-
Inhalation	-	-	-	-
Dermal	-	-	-	-
PNEC				
Environmental protection target		PNEC		
Fresh water		No information available		
Freshwater sediments		No information available		
Marine water		No information available		
Marine sediments		No information available		
Food chain		No information available		
Microorganisms in sewage treatment		No information available		
Soil (agricultural)		No information available		

Trading name:	BIOFIX HD				
Product code:	BFHD-X**	Revision date:	23.05.2019.	Version:	3

Air		No information available
8.2.	Exposure controls	
8.2.1.	Appropriate engineering controls	
	Substance/mixture related measures to prevent exposure during identified uses:	Use the product in well ventilated rooms. Use personal protective equipment. Do not eat, drink or smoke in the workspace.
	Structural measures to prevent exposure:	No information available
	Organisational measures to prevent exposure:	Organization of work in order to reduce other worker's influence during work process.
	Technical measures to prevent exposure:	Secure proper workspace ventilation in order to keep concentration levels in air below permitted levels.
8.2.2.	Personal protection equipment	
8.2.2.1.	Eye and face protection:	Safety glasses that stick to face (EN 166) or visor in case of lower levels of concentration in air, protective gas mask that covers the entire face in case of higher levels of concentration in air.
8.2.2.2.	Skin protection	
	Hand protection:	Protective gloves must be according to the Directive EU 2016/425 and standard EN 374. Full contact: Gloves material: Viton Glove thickness: 0.70 mm Time until perforation: >480 min Splashing: Glove material: butyl rubber Glove thickness: 0.70 mm Time until perforation: > 10 min
	Other skin protection:	Wear full protective suit that protects from chemicals (EN 340) and shoes that cover the entire foot. Choose the protective clothes according to concentration and amount of hazardous substances present at workplace.
8.2.2.3.	Respiratory protection:	Full face mask (EN 136) or half mask (EN 140) equipped with a recommended "ABEK" filter (EN 14387) used when concentration levels exceed GVI.
8.2.2.4.	Thermal hazards:	No information available
8.2.3.	Environmental exposure controls	
	Substance/mixture related measures to prevent exposure:	See Section 6
	Structural measures to prevent exposure:	Use modern equipment.
	Organisational measures to prevent exposure:	Adapt the work process to the required working conditions of the workplace.

Trading name:	BIOFIX HD				
Product code:	BFHD-X**	Revision date:	23.05.2019.	Version:	3

Technical measures to prevent exposure:	See Section 6
---	---------------

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES			
9.1.	Information on basic physical and chemical properties		
		Value	Method
	Physical state:	liquid	No information available
	Color:	colourless	No information available
	Odor:	characteristic	No information available
	Odor threshold:	No information available	No information available
	pH:	No information available	No information available
	Melting point / freezing point:	No information available	No information available
	Initial boiling point and boiling range:	No information available	No information available
	Flash point:	28 °C	No information available
	Evaporation rate:	No information available	No information available
	Flammability (solid, gas):	No information available	No information available
	Upper/lower flammability or explosive limits:	No information available	No information available
	Vapor pressure:	No information available	No information available
	Vapor density:	No information available	No information available
	Relative density:	No information available	No information available
	Bulk density:	No information available	No information available
	Solubility(ies):	No information available	No information available
	Partition coefficient: n-octanol/water (log Kow):	No information available	No information available
	Auto-ignition temperature:	No information available	No information available
	Decomposition temperature:	No information available	No information available
	Viscosity:	No information available	No information available
	Explosive properties:	No information available	No information available
	Oxidising properties:	No information available	No information available
9.2.	Other information		
	-		

SECTION 10 STABILITY AND REACTIVITY		
10.1.	Reactivity:	See subsections 10.3 through 10.5.
10.2.	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using (room temperature).

Trading name:	BIOFIX HD				
Product code:	BFHD-X**	Revision date:	23.05.2019.	Version:	3

10.3.	Possibility of hazardous reactions:	No information available.
10.4.	Conditions to avoid:	Heat, sparks, and open flame.
10.5.	Incompatible materials:	Strong oxidizing media.
10.6.	Hazardous decomposition products:	Carbon oxides.

SECTION 11 TOXICOLOGICAL INFORMATION					
11.1.	Information on toxicological effects				
	Acute toxicity:				
Route of exposure:	Method	Species	Dose LD ₅₀ /LC ₅₀ or ATE _{mix}	Exposure time	Results
Oral exposure:	No information available	rat (ethanol)	LD ₅₀	4 h	6200 mg/kg
Dermal exposure:	No information available	rabbit (ethanol)	LD ₅₀	No information available	>20000 mg/kg
Inhalation exposure:	No information available	rat (ethanol)	LC ₅₀	4 h	>8000 mg/kg
	Specific target organ toxicity – single exposure (STOT SE):				
	Specific effects		Target organ		Note
Oral exposure:	No information available		-	-	
Dermal exposure:	No information available		-	-	
Inhalation exposure:	No information available		-	-	
	Aspiration hazard:				
	No information available				
	Irritation and corrosion				
	Exposure time	Species	Evaluation	Method	Note
Skin corrosion/irritation	No information available	-	-	-	Causes skin irritation.
Serious irritation to eyes:	No information available	-	-	-	Eye irritation.
	Sensitization				
Dermal exposure:	May cause skin irritation.				
Inhalation exposure:	Allergic persons may display irritation.				

Trading name:	BIOFIX HD				
Product code:	BFHD-X**	Revision date:	23.05.2019.	Version:	3

Symptoms related to the physical, chemical and toxicological characteristics						
Oral exposure:	Depending on concentration and exposure period, it may lead to kidney and liver disorders.					
Dermal exposure:	Depending on concentration and exposure time, redness accompanied by sensation of stinging and pain may occur, defatting, skin cracking, rash, swelling, burns, blisters and delayed onset of inflammations.					
Inhalation exposure:	Depending on concentration and exposure period, it may cause vertigo, nausea, disorientation.					
Eye exposure:	Depending on concentration and exposure period, it may lead to mucosa stinging, tearing, redness and pain.					
Repeated dose toxicity (subacute, subchronic, chronic)						
	Dose	Exposure time	Species	Method	Evaluation	Note
Subacute oral	No information available	No information available	No information available	No information available	No information available	No information available
Subacute dermal	No information available	No information available	No information available	No information available	No information available	No information available
Subacute inhalation	No information available	No information available	No information available	No information available	No information available	No information available
Subchronic oral	No information available	No information available	No information available	No information available	No information available	No information available
Subchronic dermal	No information available	No information available	No information available	No information available	No information available	No information available
Subchronic inhalation	No information available	No information available	No information available	No information available	No information available	No information available
Chronic oral	No information available	No information available	No information available	No information available	No information available	No information available
Chronic dermal	No information available	No information available	No information available	No information available	No information available	No information available
Chronic inhalation	No information available	No information available	No information available	No information available	No information available	No information available
Specific target organ toxicity – repeated exposure (STOT RE):						

Trading name:	BIOFIX HD				
Product code:	BFHD-X**	Revision date:	23.05.2019.	Version:	3

	Specific effects	Target organ	Note
Subacute oral	No information available	No information available	No information available
Subacute dermal	No information available	No information available	No information available
Subacute inhalation	No information available	No information available	No information available
Subchronic oral	No information available	No information available	No information available
Subchronic dermal	No information available	No information available	No information available
Subchronic inhalation	No information available	No information available	No information available
Chronic oral	No information available	No information available	No information available
Chronic dermal	No information available	No information available	No information available
Chronic inhalation	No information available	No information available	No information available

CMR effects (carcinogenicity; mutagenicity; reproductive toxicity)	
Carcinogenicity:	No information available
Mutagenicity <i>in vitro</i> :	No information available
Genotoxicity:	No information available
Mutagenicity <i>in vivo</i> :	No information available
Germ cell mutagenicity:	No information available
Reproductive toxicity:	No information available
Summary of evaluation of the CMR properties:	No information available

11.2.	Practical experiences:
	Remarks relevant for classification:
	Other remarks:
11.3.	General notes:
	-

SECTION 12 ECOLOGICAL INFORMATION:	
12.1.	Toxicity

Trading name:	BIOFIX HD				
Product code:	BFHD-X**	Revision date:	23.05.2019.	Version:	3

Acute (short-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	-	-	8140 mg/l (ethanol)	-
Crustacea:	EC ₅₀	48 hours	<i>Daphnia magna</i> (water flea)	-	9268-14221 mg/l	-
Algae/aquatic plants	IC ₅₀	72 hours	-	-	65 mg/l (ethanol)	-
Other organisms	-	-	-	-	-	-
Chronic (long-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	-	-	No information available	-
Crustacea:	EC ₅₀	48 hours	-	-	No information available	-
Algae/aquatic plants	IC ₅₀	72 hours	-	-	No information available	-
Other organisms	-	-	-	-	No information available	-

12.2. Persistence and degradability

Abiotic degradation

	Degradation half-lives	Method	Evaluation	Note
Marine water	No information available	No information available	No information available	-
Fresh water	No information available	No information available	No information available	-
Air	No information available	No information available	No information available	-
Soil	No information available	No information available	No information available	-

Biodegradation

% Degradation	Time (days)	Method	Evaluation	Note
No information available	No information available	No information available	No information available	-

12.3. Bioaccumulative potential

Partition coefficient: n-octanol/water (log Kow):

Value	Concentration	pH	°C	Method	Evaluation	Note
No information available	No information available	-	-	No information available	No information available	-

Trading name:	BIOFIX HD				
Product code:	BFHD-X**	Revision date:	23.05.2019.	Version:	3

	Bioconcentration factor (BCF)				
--	-------------------------------	--	--	--	--

Value	Species	Method	Evaluation	Note
No information available	No information available	No information available	No information available	-

	Chronic ecotoxicity				
--	---------------------	--	--	--	--

Value	Dose	Exposure time	Species	Method	Evaluation	Note
Chronic toxicity on fish	LC ₅₀	No information available	No information available	No information available	No information available	-
Chronic toxicity on crustacea (Daphnia)	EC ₅₀	No information available	No information available	No information available	No information available	-

12.4. Mobility in soil					
-------------------------------	--	--	--	--	--

	Known or predicted distribution in environmental compartments:				

	Surface tension:				
--	------------------	--	--	--	--

Value	°C	Concentration	Method	Note
No information available	No information available	No information available	No information available	-

	Adsorption / desorption				
--	-------------------------	--	--	--	--

Transport	A/D coefficient Henry's constant	log Kow	Evaporation rate	Method	Note
Soil-water	No information available	No information available	No information available	No information available	-
Water-air	No information available	No information available	No information available	No information available	-

Trading name:	BIOFIX HD				
Product code:	BFHD-X**	Revision date:	23.05.2019.	Version:	3

Soil-air	No information available	No information available	No information available	No information available	-
----------	--------------------------	--------------------------	--------------------------	--------------------------	---

12.5.	Results of PBT and vPvB assessment
-------	------------------------------------

	No information available
--	--------------------------

12.6.	Other adverse effects
-------	-----------------------

	No information available
--	--------------------------

SECTION 13 DISPOSAL CONSIDERATIONS

13.1.	Waste treatment methods
-------	-------------------------

13.1.1.	Product/Packaging disposal:
---------	-----------------------------

	Submit for disposal to the legal person authorized by the Ministry of Environmental and Nature Protection.
--	--

13.1.2.	Waste codes/waste designations according to Law:
---------	--

	15 01 10*: packaging that contains residual hazardous substances or is contaminated with hazardous substances
--	---

13.1.3.	Waste treatment – relevant information:
---------	---

	No information available
--	--------------------------

13.1.4.	Sewage disposal – relevant information:
---------	---

	Waste must not be disposed of into the sewage system.
--	---

13.1.5.	Other disposal recommendations:
---------	---------------------------------

	Do not dispose of the product's remains into the sewage system. Submit the remains to the collectors authorized by the ministry in charge. Do not dispose of the packaging into the sewage system. Submit the packaging to the collectors authorized by the ministry in charge.
--	---

13.1.6.	Relevant Community provisions:
---------	--------------------------------

	Act on Sustainable Waste Management.
--	--------------------------------------

SECTION 14 TRANSPORT INFORMATION

	Transporting/shipment by road (ADR)
--	-------------------------------------

UN number:	1170
------------	------

UN proper shipping name:	Ethanol solution
--------------------------	------------------

Transport hazard class(es):	3
-----------------------------	---

Trading name:	BIOFIX HD				
Product code:	BFHD-X**	Revision date:	23.05.2019.	Version:	3

Packing group:	III
Environmentally hazardous:	-
Special precautions for user:	-
Transporting/shipment by rail (RID)	
UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	III
Environmentally hazardous:	-
Special precautions for user:	-
Inland waterway transport (ADN)	
UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	III
Environmentally hazardous:	-
Special precautions for user:	-
Transporting/shipment by sea (IMDG)	
UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	III
Environmentally hazardous:	-
Special precautions for user:	-
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:	-
Transporting/shipment by air (ICAO-TI/IATA-DGR)	
UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	III
Environmentally hazardous:	-
Special precautions for user:	-
Further information:	
-	

Trading name:	BIOFIX HD				
Product code:	BFHD-X**	Revision date:	23.05.2019.	Version:	3

SECTION 15 REGULATORY INFORMATION

15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture	
	EU regulations	
	Authorization and/or restrictions of use	
	Authorizations:	-
	Restrictions:	-
	Other EU regulations:	EC Regulation No. 1906/2007 and EC Regulation No. 1272/2008 of the European Parliament and the European Council; The European Commission Regulation No. 453/2006 of 2010 on changes and amendments to the Regulation (EC) No. 1907/2006 of the European Parliament and Council on registration, evaluation, authorization and restriction of chemical substances (REACH); EC Regulation No. 2037/200 of the European Parliament and Council from 29 June 2000 on substances that damage the ozone layer; EC Regulation No. 689/2008 of the European Parliament and Council from 17 June 2008 concerning the export and import of dangerous chemicals; EC Regulation No. 850/2004 of the European Parliament and Council from 29 April 2004 about persistent organic pollutants; Directive 2008/98/EC of the European Parliament and Council of 19 November 2008 on waste and repealing certain Directives
	Information according 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline)	
	National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act
15.2.	Chemical safety assessment	

SECTION 16 Other information

16.1.	Indication of changes:	-	
16.2.	Abbreviations and acronyms:	PBT	Stable, bioaccumulative and toxic
		vPvB	Strongly stable and strongly bioaccumulative.
		LD50	Lethal dose, 50%
		LC50	Lethal concentration, 50%
		STOT - SE	Specific target organ toxicity - single exposure
		STOT - RE	Specific target organ toxicity - repeated exposure
16.3.	Key literature references and source of data:	-	

Trading name:	BIOFIX HD				
Product code:	BFHD-X**	Revision date:	23.05.2019.	Version:	3

16.4.	Classification and procedure used to derive the classification for mixture according to Regulation (EC) 1272/2008 (CLP)		
Classification according to CLP		Classification procedure	
-		-	
16.5.	Relevant H statements (number and full text)		
	H:	225	Highly flammable liquid and vapor.
		226	Flammable liquid and vapor.
		301	Toxic if swallowed.
		311	Toxic in contact with skin.
		314	Causes severe skin burns and eye damage.
		315	Causes skin irritation.
		317	May cause an allergic skin reaction.
		319	Causes serious eye irritation.
		331	Toxic if inhaled.
		341	Suspected of causing genetic defects.
		350	May cause cancer.
16.6.	Training advice:		-
16.7.	Further information:		"X" in the product code marks different volumes (different packagings of the product) We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.

ANNEX:					
EXPOSURE SCENARIO RESULTING TO CHEMICAL SAFETY ASSESSMENT					
-					