

Page 1 of 17

Trade name:	HISTANOL M				
Product code:	HM-X**	Revision date:	30 May 2019	Version:	3

SECTI	ON 1: Identification of the subst	tance/mixture a	nd of the company/undertaking	
1.1.	Product identifier			
	Trade name:	HISTANOL M		
	Chemical name:	-		
	Catalogue number:	HM-X**		
1.2.	Relevant identified uses of the substance or mixture and uses advised against		ture and uses advised against	
	Uses:	Methyl alcoho	ol for use in histology and cytology.	
	Uses advised against:	Only the iden	tified uses are advised.	
	Reason why uses advised against:	device, registe	s intended for use only as an <i>in vitro</i> diagnostic medical ered at the Agency for Medicinal Products and Medical nere is no reason to use it for other purposes.	
1.3.	Details of the supplier of the sa	fety data sheet		
	Supplier:	BioGnost Ltd.	l.	
	Address:	Medjugorska	59, Zagreb	
	Telephone number:	+385 1 24099	97	
	Telefax:	+385 1 24040	39	
	e-mail of competent person:	msds@biogno	ost.hr	
	National contact:			
1.4.	Emergency telephone numbers			
	National Protection and Rescue	e Directorate:	112	
	Medical information:		+385 1 2348 342	
	Other information:		-	

SECTIO	ON 2. Hazards identification				
2.1.	Classification of the substance or mixture				
2.1.1.	Classification according to F	Regulation (EC) No 3	.272/2008 (CLP)		
	Hazard class and ca	ategory code:	Haz	ard statement*:	
	Flam. Liq. 2		H225		
	Acute Tox. 3 H301				
	Acute Tox. 3		H311		
	Acute Tox. 3		H331		
	STOT SE 1		H370		
2.1.2.	Additional information				
	-				
* For fu	ull text of Hazard- and EU Hazard-statements: see SECTION 16				
2.2.	Label elements				
	Product identification:	HISTANOL M			



Page 2 of 17

Trade name:	HISTANOL M				
Product code:	HM-X**	Revision date:	30 May 2019	Version:	3

 Identification number:	-
Authorisation number:	-
Hazard pictograms:	GHS06 GHS08
Signal word:	Danger
Hazard statements:	H225 Highly flammable liquid and vapor. H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled. H370 Causes damage to organs (eyes).
Precautionary statements:	P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280 Wear protective gloves, protective clothing, eye protection, face protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P308+P311 IF exposed or concerned: Call a POISON CENTER or doctor.
Supplemetal hazard information (EU):	-

SECTION 3. Composition/information on ingredients				
CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)



Page 3 of 17

Trade name:	HISTANOL M				
Product code:	HM-X**	Revision date:	30 May 2019	Version:	3

67-56-1/ 200-659-6/ 603-001-00-X	01-2119433307- 44-xxxx	90-100 %	methanol	Flam. Liq. 2, H225 Acute Tox. 3, H331 Acute Tox. 3, H311 Acute Tox. 3, H301 STOT SE 1, H370
--	---------------------------	----------	----------	---

4.1.	Description of first aid m	neasures
	General notes:	First aider needs to protect himself.
	Following inhalation:	Carry the afflicted person out for fresh air, place them in half lying position and calm them down. If breathing stops, immediately apply artificial respiration, if necessary also oxygen. In case of irregular breathing or respiratory arrest provide artificial respiration.
	Following skin contact:	Remove contaminated clothing. Wash with plenty of water and soap for at least 20 minutes. Seek medical assistance if the symptoms of irritation remain.
	Following eye contact:	Rinse out with plenty of water with the eyelid held wide open for at least 20 minutes. If the symptoms remain, immediately call in ophthalmologist.
	Following ingestion:	Rinse with water and expectorate. Make the afflicted person drink one glass (100 ml) of 40% ethanol (adult dose). Call a doctor immediately (mention methanol ingestion). Only in exceptional cases, if no medical care is available within one hour, induce vomiting (only in fully conscious persons) and make victim drink ethanol again (approx. 0.3 ml of a 40% alcoholic beverage/kg body weight/hour). Do not attempt to neutralise.
	Self-protection of the first aider	Avoid direct contact with the chemical; use appropriate protective equipment described in Section 8.
4.2.	Most important sympto	ms and effects, both acute and delayed
	Following inhalation:	Irritation to the airways and possible damage to the lung probably only through very high vapor concentrations, then even absorptive-toxic effects.
	Following skin contact:	Minor/no irritation, degreasing action, following massive contact watch for danger of skin absorption and possibly delayed onset of systemic effects.
	Following eye contact:	Slight through to moderate irritation due to the liquid and concentrated vapors conjunctivitis, later chemosis, apparently minor probability of cornea damage, later occurring visual disturbances are caused not primarily through local contact but are systemically related (following absorption).
	Following ingestion:	Stomach and bowel irritation, feeling unwell, nausea, vomiting, strong abdominal pain. Absorption may cause toxic effects.

SECTION 5. Firefighting measures

5.1. Extinguishing media



Page 4 of 17

Trade name:	HISTANOL M						
Product code:	HM-X**	Revision date:		30 May 2019		Version:	3

	Suitable extinguishing media: Small fire - water spray, foam, dry powder, CO ₂ Large fire - water spray or alcohol-resistant foam			
	Unsuitable extinguishing media:	No information available		
5.2.	Special hazards arising from the substance or mixture			
	Hazardous by products of fire:	During heating or in case of fire poisonous gases are produced.		
5.3.	Advice for firefighters			
	Use a self-contained open-circuit compressed air breathing apparatus and fireproof clothing. Cool closed containers exposed to fire with water spray, in order to prevent explosion.			
5.4.	Additional information			
	Remove sources of heat and ignition. Collect contaminated fire fighting water separately. Do not contaminate the environment with extinguishing media.			

SECTIO	ON 6. Accidental release	measures		
6.1.	Personal precautions, p	protective equipment and emergency procedures		
6.1.1.	For non-emergency pe	rsonnel		
	Protective equipment:	Use personal protective equipment (see Section 8).		
	Accident prevention m	ethods: Evacuate members of all non-essential personnel and those members without protective equipment. Do not breathe in vapor, ensure adequate ventilation and avoid contact with skin and eyes. Remove all sources of sparks and ignition. Do not smoke.		
	Emergency procedures	: Mark the area using proper signs.		
6.1.2.	For emergency responders:			
	Use protective equipment; in case of inadequate ventilation use adequate airways protective equipment (see Section 8).			
6.2.	Environmental precaut	tions:		
		ewage, drainage system and waterways. Risk of explosion.In case of large spillage ction and Rescue Directorate (NPRD) on 112.		
6.3.	Methods and materials	for containment and cleaning up		
6.3.1.	Bunding, covering of drains; capping procedures:	Cover drains. Collect, bind and pump off spills.		
6.3.2.	For cleaning:	Where possible, the substance can be absorbed by using inflammable material (sand, diatomaceous earth, vermiculite). Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and and involved materials with water.		
6.3.3.	Other information:	Do not use tools that may cause sparks.		
6.4.	Reference to other sec	tions		



Page 5 of 17

Trade name:			HISTANOL M	_	
Product code:	HM-X**	Revision date:	30 May 2019	Version:	3

See Section 7 for information on safe handling.
See Section 8 for information on personal protective equipment.
See Section 13 for disposal information.

SECTIO	ON 7. Handling and storage				
7.1.	Precautions for safe handling				
7.1.1.	Protection measures				
	Measures for fire prevention:		Use in well ventilated storage rooms. Keep away from sources of heat and ignition and direct sunlight. Do not smoke. Carry out measures for preventing static electricity.		
	Measures for preventing spray and dust formation	on:	Secure proper ventilation. Prevent formation of aerosols.		
	Environmental precautions:		Prevent spilling into the sewage system and waterways.		
	Other measures:		Protect against electrostatic charges.		
7.1.2.	Advice on general occupational hygiene:				
	Do not eat, drink or smoke in the workspace. The	oroughly	wash hands after work and before eating.		
7.2.	3, 3, 1		S		
	Technical measures and storage conditions:	Keep in tightly closed and upright set containers well ventilated storage rooms, and away from so of heat, sunlight, and other incompatible substar			
	Packaging materials:	Manu	nufacturer's original packaging.		
	Requirements for storage rooms and vessels:		away from food and drink. Keep the containers y closed.		
	Advices for storage equipment:	must drain	torage must be made of hard material; floors be resistant to chemicals. There must be no that directly leads into sewage system. Secure er ventilation.		
	Further information on storage conditions:	and d	ot place the unused material in the storage room lo not use empty containers for storing other icals. Do not store with incompatible materials section 10).		
7.3.	Specific end use(s)				
	Recommendations:	-			
	Industrial sector specific solutions:	-			

SECTIO	ON 8. Exposure controls/personal protection
8.1.	Control parameters



Soil (agricultural)

Air

BIOGNOST® SAFETY DATA SHEET According to Regulation (EC) No. 1907/2006

		Accor		Regu	ilation (L	C) NO. 1907/		Page 6 of 17
Trade name:					HIST	ANOL M		
Product code:	HM-X**	Revis	ion date):		30 May 2019		Version: 3
Substanc	Q	CAS No va			•	exposure limit term values	Biological limit values	
Substanc	C				ppm mg/m³			Jogical milit values
Methanol		67-56-1			200	260	24.7 mmol/mol of creatinine* (7.0 mg/g of creatinine*), end-of-shift urinary excretion	
* For all results pertaining creatinine levels, cre consideration		ls, creatin	nine co	oncentration	on < 0.5 g/l and	d > 3.0 g/	I may not be taken into	
Substance: -		T				<u> </u>		
EC No: - CAS		CAS No:	-					
DNEL								
			_	Ind	lustrial			
Route of	Route of A		Acute Acu		e	Chron	ic	Chronic
exposure:	effe	ect local	effect systemic		effect local		effect systemic	
Oral	-		-			-		-
Inhalation	Inhalation 260 mg/m³ (methanol)		260 mg/m ³ (methanol)		260 mg/m ³ (methanol)		260 mg/m³ (methanol)	
Dermal	-		40 mg/kg (methanol)				40 mg/kg (methanol)	
Critical physical pa	arameters: s	olubility, fla	ımmabilit	y, corı	rosivity:		-	
				Cor	nsumer	<u> </u>		
Route of exposure:		Acute ect local	effe	Acute	rte Chron ystemic effect I			Chronic effect systemic
Oral	-		8 mg/kg	g (met	thanol)	-		8 mg/kg (methanol)
Inhalation	50 mg, (metha			50 mg/m ³ (methanol)		50 mg/m ³ (methanol)		50 mg/m ³ (methanol)
Dermal	-		8 mg/kg	g (met	thanol)			8 mg/kg (methanol)
PNEC								
Environmental protection target				PNEC				
Fresh water			154 mg/l (methanol)					
Freshwater sediments			570.4 mg/kg (methanol)					
Marine water			15.4 mg/l (methanol)					
Marine sediments					No infor	mation availabl	е	
Food chain					No infor	mation availabl	е	
Microorganisms in	sewage tr	eatment			100 mg/l (methanol)			

23.5 mg/kg (methanol) No information available



Page 7 of 17

Trade name:			HISTANOL M		
Product code:	HM-X**	Revision date:	30 May 2019	Version:	3

8.2.	Exposure controls	
8.2.1.	Appropriate engineering measures	
	Substance/mixture related measures to prevent exposure during identified uses:	Use the product in well ventilated rooms. Use personal protective equipment. Do not eat, drink or smoke in the workspace.
	Structural measures to prevent exposure:	No information available
	Organisational measures to prevent exposure:	Organization of work in order to reduce other worker's influence during work process.
	Technical measures to prevent exposure:	Secure proper workspace ventilation in order to keep concentration levels in air below permitted levels.
8.2.2.	Personal protection equipment	
8.2.2.1.	Eye and face protection:	Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as EN 166(EU).
8.2.2.2.	Skin protection:	
	Hand protection:	The protective gloves to be used must comply with the specification of EC Directive 2016/425 and the related standard EN374. Full contact: Glove material: butyl rubber Glove thickness: 0.70 mm Break through time: > 480 min Splash contact: Gloves material: viton (R) Glove thickness: 0.70 mm Break through time: > 120 min
	Other skin protection:	Complete antistatic suit protecting against chemicals (EN 13688). The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace and shoes that cover the entire foot.
8.2.2.3.	Respiratory protection:	Required when vapours/aerosols are generated. Recommended filter type: gas filter AX , colour code brown (EN 371). The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.
8.2.2.4.	Thermal hazards:	No information available
8.2.3.	Environmental exposure controls	
	Substance/mixture related measures to prevent exposure:	See Section 6



Page 8 of 17

Trade name:			HISTANOL M		
Product code:	HM-X**	Revision date:	30 May 2019	Version:	3

Structural measures to prevent exposure:	Use modern equipment. Do not let product enter drains. Risk of explosion.
Organisational measures to prevent exposure:	Adapt the work process to the required working conditions of the workplace.
Technical measures to prevent exposure:	See Section 6

	Information on basic physical and	I chemical properties		
		Value	Method	
	Physical state:	liquid	No information available	
	Colour:	colourless	No information available	
	Odour:	methanol	No information available	
	Odor threshold:	No information available	No information available	
	pH:	6 – 8.5	No information available	
	Melting point/freezing point:	-98 ℃	No information available	
	Initial boiling point and boiling range:	65 °C (at 1.013 hPa)	No information available	
	Flash point:	12 °C	No information available	
Evaporation rate:	No information available	No information available		
	Flammability (solid, gas):	No information available	No information available	
	Upper/lower flammability or explosive limits:	lower: 6 % (V) upper: 36.5 % (V)	No information available	
	Vapour pressure:	128 hPa	No information available	
	Vapour density:	No information available	No information available	
	Relative density	0.79 (20 °C)	No information available	
	Bulk density:	No information available	No information available	
	Solubility(ies):	Soluble in water	No information available	
	Partition coefficient: n-octanol/water (log Kow):	No information available	No information available	
	Auto-ignition temperature:	No information available	No information available	
	Decomposition temperature:	No information available	No information available	
	Viscosity:	No information available	No information available	
	Explosive properties:	Not classified as explosive.	No information available	
	Oxidising properties:	No information available	No information available	
	Other information			



Page 9 of 17

Trade name:	HISTANOL M				
Product code:	HM-X**	Revision date:	30 May 2019	Version:	3

SECTIO	ON 10.: Stability and reactivity	
10.1.	Reactivity:	See subsections 10.3 through 10.5.
10.2.	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using (room temperature).
10.3.	Possibility of hazardous reactions:	Risk of explosion with: Oxidizing agents, alkali metals, nitric acid, sulphuric acid, hydrogen peroxide, permanganic acid, sodium hypochlorite. The substance can react dangerously with: halogens, oxidizing agents, reducing agents, acids, acetyl bromide, alkylaluminium solutions, beryllium hydride, chloroform, chromium(VI)-oxide, cyanuric chloride, alkaline-earth metals, magnesium splinters, phosphorus trioxide, Raneynickel/hydrogenation, acid anhydrides, acid halogenides, tetrachloromethane/light metals.
10.4.	Conditions to avoid:	Sources of heat, sparks, and ignition.
10.5.	Incompatible materials:	Various plastics, magnesium, zinc alloys, aluminium and galvanised iron.
10.6.	Hazardous decomposition products:	No information available.

SECTION 11.	Toxicological information				
11.1. Inform	nation on toxicological effec	cts			
Acute	toxicity:				
Route of exposure:	Method	Species	Effective Dose LD ₅₀ /LC ₅₀ or ATE _{mixture}	Exposure time	Results
Oral:	No information available	rat	LD ₅₀	-	1,187 -2,769 mg/kg (methanol)
Dermal:	No information available	rabbit	LD ₅₀	-	17.100 mg/kg (methanol)
Inhalation:	No information available	rat	LC ₅₀	4 h	131.25 mg/l (methanol)
Speci	fic target organ toxicity - sin	gle exposure (S	STOT-SE):		
	Specific eff	ects	Target o	rgan	Note
Oral:	No information availabl	e	No information available		-
Dermal:	No information availabl	е	No information available		-
Inhalation: No information available		е	No information a	available	-
Aspira	ation hazard:	Irritating	to respiratory syste	m.	



Page 10 of 17

Trade name:		HIS	STANOL M				
Product code:	HM-X**	Revision date:	30 May 2019	Version:	3		

Irritation	and corrosion									
	Exposure	time Speci	es Evaluatio	on Method	Note					
Skin corrosion/irritatio	on -	-	-	-	-					
Serious eye damage/irritation	1	-	-	-	-					
Sensitiza	ntion									
Skin sensitization	: Does not cau	use sensitization.								
Respiratory sensitization:	No informati	No information available								
Symptor	ns related to the ph	nysical, chemical ar	nd toxicological c	haracteristics:						
Oral exposure:	Stomach and bow cause toxic effects		g unwell, vomitin	g, strong abdom	ninal pain. Absorption	on may				
Dermal exposure:		Minimum level of irritation, defatting; prolonged exposure may cause absorption and greater ossibility of delayed systemic effects.								
Inhalation exposure:	Airways irritation and possible lung damage due to high levels of vapor concentration. Absorption may cause toxic effects.									
Eye exposure:		irritation due to v /isual impairments			s, lesser possibility (tion.	of				
Repeate	d dose toxicity (sub	acute, subchronic,	chronic)							
	Dose	Exposure time	Species	Method	Evaluation	Note				
Subacute oral	No information available	No information available	No information available	No information available	No information available	-				
Subacute dermal	No information available	No information available	No information available	No information available	No information available	_				
Subacute inhalation	No information available	No information available	No information available	No information available	No information available	_				
Subchronic oral	No information available	No information available	No information available	No information available	No information available	-				
Subchronic dermal	No information available	No information available	No information available	No information available	No information available	-				
Subchronic inhalation	No information available	No information available	No information available	No information available	No information available	-				



11.2.

Practical experiences:

Other observations:

Classification observations:

SAFETY DATA SHEET According to Regulation (EC) No. 1907/2006

Page 11 of 17

Trade name:			HIST	ANOI	L M			
Product code:	HM-X**	Revision date:		30 May 2019		Versio	n: 3	
Chronic oral	No informatio available	n No information available	No informatio available	on	No information available	No infor		-
Chronic dermal Chronic Chronic inhalation No information No information available		No information available No information available		No information available		No information available		-
		n No information available	No informatio available	on	No information available			-
Subacute oral		Specific effe		No i	Target orga		- N	ote
Subacute oral		No information ava	nation available		No information availal		-	
Subacute dermal		No information available		No information available		lable	-	
Subacute inhalat	ion	No information ava	ilable	No information available		lable	-	
Subchronic oral		No information ava	ilable	No information available		lable	-	
Subchronic derm	al	No information ava	ilable	No information available		lable	-	
Subchronic inhalation		No information ava	ilable	No i	nformation avai	lable	-	
Subchronic innai	Chronic oral		No information available		nformation avai	lable	-	
		NO IIIIOIIIIatioii ava					le -	
		No information ava	ilable	No i	nformation avai	lable	_	

Carcinogenicity:		Current studies on mice and rats did not indica carcinogenic effects.					
Mutagenicity in-vitro:		Current in vitro tests did not indicate mutagenic effects.					
Genotoxicity:		No information available					
Mutagenicity in-vivo:		Current in vivo tests did not indicate mutagenic effects.					
Germ cell mutagenicity :		No information available					
Reproductive toxicity:		No toxicity on reproductive organs was determined in lov concentrations.					
Summary of evaluation of the properties; :	CMR	Current studies indicate that low methanol concentrations do not cause CMR effects. Further detailed tests are required.					

No information available

No information available



Page 12 of 17

Trade name:			HISTANOL M				
Product code:	HM-X**	Revision date:	30 May 2019	Version:	3		

11.3.	General notes:
	-

SECTION 12. Ecologi	ical informa	tion				
12.1. Toxicity						
Acute (short-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	Lepomis macrochirus (Bluegill sunfish)	No information available	No information available	15.400 mg/l (methanol)
Crustacea:	EC ₅₀	48 hours	Daphnia magna	No information available	No information available	>10.0000 mg/l (methanol)
Algae/aquatic plants:	IC ₅₀	8 days	Pseudokirchneri ella subcapitata (green algae)	No information available	No information available	22.000 mg/l (methanol)
Other organisms	-	-	-	-	-	-
Chronic (long-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	No information available	No information available	No information available	-
Crustacea:	EC ₅₀	48 hours	No information available	No information available	No information available	-
Algae/aquatic	IC _{EO}	72 hours	No information	No information	No information	_

12.2. Persistence and degradability

 IC_{50}

72 hours

Abiotic degradation

plants:

Other organisms

	Degradation half-lives	Method	Evaluation	Note
Marine water	No information available	No information available	No information available	-
Fresh water	No information available	No information available	No information available	-
Air	No information available	No information available	No information available	-
Soil	No information available	No information available	No information available	-

available

information information

available

available



Page 13 of 17

Trade name:		HISTANOL M					
Product code: HM-X** Revision date		Revision date:	30 May 2019	Version:	3		

	Bioc	degrad	lation		-					
% De	egradat	tion	Time (d	ays)	١	Method	Evaluation		Note	
99%			30 days		OECD Te 301D	est Guieline	No information available		readily biodegradable (methanol)	
12.3.	Bioa	ıccumı	ulative potent	ial						
			ater partition		ent (log Ko	w)				
Val	ue	Co	ncentration	рН	°C	Method	Evaluat	ion	Not	e
- 0.77 (metha	anol)	No availa	information able	-	-	experimental	No informa available	tion	bioaccumula not expecte	
		oncen	tration Facto							
	Value		Spe			Method	Evaluation		Note	
No information available No information available		cion	No in availa	formation ble	No information available		No information available			
	Chro	onic ed	cotoxicity							
	Chro		cotoxicity	se	Exposure time	Species	Method		Evaluation	Note
Chron		lue	Do	No in	time	Species No information available	Method No information available		Evaluation information ilable	Note
Chron	Va	lue ity on	fish LC ₅₀	No in No	time o formation vailable	No information	No information	ava No	information	Note -
Chron	Va ic toxic ic toxic cea (Da	lue ity on ity on aphnia	fish LC ₅₀	No in No	time o formation vailable o formation	No information available No information	No information available No information	ava No	information ilable information	
Chron	Valic toxic	lue ity on aphnia	fish LC ₅₀	No in av	time o formation railable o formation railable	No information available No information available	No information available No information available	ava No	information ilable information	
Chron	Valic toxicolic toxicolic toxicolocea (Dale Mob	lue ity on aphnia pility ir	fish LC ₅₀	No in average and a second and	time o formation railable o formation railable	No information available No information	No information available No information available	ava No	information ilable information	
Chron	Vaic toxic ic toxic cea (Da Mob	lue ity on aphnia pility ir	fish LC ₅₀ Contact the solution available statement of the solution at the solut	No in average and a second and	time o formation railable o formation railable	No information available No information available	No information available No information available	ava No	information ilable information	



Page 14 of 17

Trade name:						HIS	TANOL M					
Produ	ıct co	et code: HM-X** Revision date: 30 May				30 May 2	2019	Version:	3			
	No ava	infor ilable	mation	No available	information	No ii	No information available		e No informa	ition availab	e -	
	Ads	sorptio	n / deso	rption								
Transp	ort		A/D coef enry's co		log Ko	w	Evapo	ration rate	Method		Note	
Soil-Water		No availa		formation	No inform available	nation	No info	ormation ble	No informati available	on -		
Water-	-Air	No availa		formation	No inform available	nation	No info	ormation ole	No informati available	on -		
Soil-Ai	ir	No availa		formation	No inform available	nation	No information		No informati available	on -	-	
12.6.	Oth	ner adv	erse effe	ects	T/vPvB asses	ssment	was not	conducted	•			
SECTIO	ON 13	B. Disp	osal con	sideratio	ns							
13.1.	٧	√aste tr	eatment	methods								
13.1.1.	P	roduct,	/Packagi	ng dispos	al:							
	m	nix with	other so	orts of wa					d local rules ar rson authorize			
13.1.2.					ations accor	ding to	o Law:					
	IN	io intor	rnation	available								
13.1.3.	V	/aste c	odes/wa	ste desigr	ations accor	ding to	o Low:					
	1)*: packa					s substance	s or is contami	inated with I	nazardous	
13.1.4.	S	ewage	disposal	– relevan	t information	າ:						



Page 15 of 17

Trade name:		HISTANOL M					
Product code:	HM-X**	Revision date:	30 May 2019	Version:	3		

	Waste must not be dispo	sed of into the sewage system.		
	· ·			
13.1.5.	Other disposal recommer	ndations:		
Do not dispose of the product's remains into the sewage system. Submit the remains to the coauthorized by the ministry in charge. Do not dispose of the packaging into the sewage system the packaging to the collectors authorized by the ministry in charge. Do not dispose of in placing ignition may occur.		y in charge. Do not dispose of the packaging into the sewage system. Submit		
13.1.6.	Relevant Community provisions:			
	Disposal must be made according to official regulations.			
SECTION	N 14. Transport information	on		
	Transporting/shipment by i	road (ADR)		
UN num	ber:	1230		
UN prop	er shipping name:	Methanol		
Transpoi	rt hazard class(es):	3 (6.1)		
Packing	group:	II		
Environn	nental hazards:	-		
Special p	precautions for user:	-		
	Transporting/shipment by	rail (RID)		
UN num	ber:	1230		
UN prop	er shipping name:	Methanol		
Transpoi	rt hazard class(es):	3 (6.1)		
Packing	group:	П		
Environmental hazards:		-		
Special p	precautions for user:	-		
	Transporting/shipment by i	nland waterways (ADN)		
UN num	ber:	1230		
UN prop	er shipping name:	Methanol		
Transpoi	rt hazard class(es):	3 (6.1)		
Packing group:		II		
Environmental hazards:		-		
Special precautions for user:		-		
	Transporting/shipment by s	sea (IMDG)		
UN num	ber:	1230		
UN prop	er shipping name:	Methanol		
Transpoi	rt hazard class(es):	3 (6.1)		
Packing group:		П		



Page 16 of 17

Trade name:			HISTANOL M		
Product code:	HM-X**	Revision date:	30 May 2019	Version:	3

Environmental hazards:	-
Special precautions for user:	-
Transport in bulk according to Annex II of MARPOL73/78 and the IBC code:	-
Transporting/shipment by air (ICA	AO-TI/IATA-DGR)
UN number:	1230
UN proper shipping name:	Methanol
Transport hazard class(es):	3 (6.1)
Packing group:	П
Environmental hazards:	-
Special precautions for user:	-
Further information: -	

L5.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture		
	EU regulations		
	Authorisations and/or restrictions on use		
	Authorisations:	-	
	Restrictions:	-	
	Other EU regulations:	EC Regulation No. 1906/2007 and EC Regulation No. 1272/2008 of the European Parliament and the European Council; The European Commission Regulation No. 453/2006 of 2010 on changes and amendments to the Regulation (EC) No. 1907/2006 of the European Parliament and Council on registration, evaluation, authorization and restriction of chemical substances (REACH); EC Regulation No. 2037/200 of the European Parliament and Council of 29 June 2000 on ozone-depleting substances; EC Regulation No. 689/2008 of the European Parliament and Council of 17 June 2008 concerning the export and import of dangerous chemicals; EC Regulation No. 850/2004 of the European Parliament and Council of 29 April 2004 on persistent organic pollutants; Directive 2008/98/EC of the European Parliament and Council of 19 November 2008 on waste and repealing certain Directives	



Page 17 of 17

Trade name:			HISTANOL M	<u> </u>	
Product code:	HM-X**	Revision date:	30 May 2019	Version:	3

	National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act
15.2.	Chemical safety assessment	
	None	

SECTIO	ON 16. Other information			
16.1.	Indication of changes:	-		
16.2.	Abbreviations and acronyms:	PBT Stable, bioaccumulative and toxic vPvB Strongly stable and strongly bioaccumulative. LD ₅₀ Lethal dose, 50% LC ₅₀ Lethal concentration, 50% STOT-SE Specific target organ toxicity – single exposure IMDG International Maritime Dangerous Goods IATA International Air Transport Association GHS Globally Harmonized System of Classification and Labelling of Chemicals		
16.3.	Key literature references and source of data:	-		
16.4.	Classification and procedure used to derive the classification for mixture according to Regulation (EC) 1272/2008 (CLP)			
Classifi	cation	Classification procedure		
-		-		
16.5.	Relevant H statements (nur	nber and full text)		
	H: 225	Highly flammable liquid and vapor.		
	301+311+331	Toxic if swallowed, in contact with skin or if inhaled.		
	370	Causes damage to organs (eyes).		
16.6.	Training advice:	-		
16.7.	Further information:	** "X" in the product code marks different volumes (different packaging of the product) We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.		

ANNEX: Exposure scenario resulting to Chemical safety assessment