

Page 1 of 18

Trading name:	OSTEOFAST 1				
Product code:	OF1-OT-X**	Revision date:	27.05.2019.	Version:	5

		OF THE SU	BSTANCE / N	IXTURE AND OF THE COMPANY / UNDERTAKING	
1.1.	Product identifier				
	Trading name:	OSTEOFA	ST 1		
	Chemical name:	-			
	Catalogue number:	OF1-OT-X	(**		
1.2.	Relevant identified use	s of the sub	stance or mix	ture and uses advised against	
	Identified uses:		Fixative and histology.	decalcifying solution for bone and hard tissue in	
	Uses advised against:		Only the ide	entified uses are advised.	
	Reason why uses advised against:		The product is intended for use only as an <i>in vitro</i> diagnostic medical device, registered at the Agency for Medicinal Products and Medical Devices and there is no reason to use it for other purposes.		
1.3.	Details of the supplier of the safety data sheet				
	Supplier:		BioGnost Ltd.		
	Address:	Address:		Medjugorska 59, Zagreb	
	Telephone number:	Telephone number:		+385 1 2409997	
	Telefax:		+385 1 2404039		
	E-mail of competent p	erson:	msds@biognost.hr		
	National contact:		-		
1.4.	Emergency telephone	Emergency telephone numbers			
	National Protection an	d Rescue D	irectorate:	112	
	Medical information:			+385 1 2348 342	

SECTIO	SECTION 2. HAZARDS IDENTIFICATION				
2.1.	Classification of the substance or mixture				
2.1.1.	Classification according to Regulation (EC) No. 1272/2008 (CLP)				
	Hazard class and category code: Hazard statement*:				
	Acute Tox. 3	H301			
	Acute Tox. 3	H311			
	Acute toxicity 3	H331			
	Skin Corr. 1C	H314			
	STOT SE 3	H335			
	Carc. 2	H351			
2.1.2.	Additional information				
	-				
*For fu	ıll text of Hazard- and EU Hazard-statements: see	e Section 16.			
2.2.	Label elements				



Page 2 of 18

Trading name:	OSTEOFAST 1				
Product code:	OF1-OT-X**	Revision date:	27.05.2019.	Version:	5

cation number: ization number.: pictograms:	- GHS05
	GHS05
pictograms:	
	GHS08
word:	Danger
statement:	 H301 Toxic if swallowed. H311 Toxic in contact with skin. H331 Toxic if inhaled. H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation. H351 Suspected of causing cancer.
	P280 Wear protective gloves/protective clothing/eye/protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a POISON CENTER/physician if you feel unwell. P403 Store in a well-ventilated place.
tionary statement:	
tionary statement: mental hazard ation (EU):	-
	ionary statement:



Page 3 of 18

Trading name:		OSTEO	FAST 1	<u> </u>	
Product code:	OF1-OT-X**	Revision date:	27.05.2019.	Version:	5

SECTION 3. CO	OMPOSITION / INF	ORMATION ON I	NGREDIENTS	
CAS/ EC/ Index no.	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)
7647-01-0/ 231-595-7/ 017-002-00-2	01-2119484862- 27-xxxx	≤ 30	hydrochloric acid, 37%	Skin Corr. 1A; H314 Acute Tox. 3; H331
50-00-0/ 200-001-8/ 605-001-00-5	01-2119488953- 20-xxxx	< 10	formaldehyde, 37%	Carc. 1B, H350 Muta. 2, H341 Acute Tox. 3, H331 Acute Tox. 3, H311 Acute Tox. 3, H301 Skin Corr. 1B; H314 Skin. Sens. 1, H317
67-56-1/ 200-659-6/ 603-001-00-X	01-21194333307- 44-xxxx	< 3	methanol	Flam. Liq. 2; H225 Acute Tox. 3; H301 Acute Tox. 3; H311 Acute Tox. 3; H331 STOT SE 1; H370

SECTI	ON 4. FIRST AID MEASURES	
4.1.	Description of first aid meas	sures
	General notes:	If the suggested first aid measures do not prove sufficient, seek medical attention.
	Following inhalation:	Carry the afflicted person out of the contaminated area into a well-ventilated area or out for fresh air. In case of difficult breathing, provide the afflicted person with oxygen.
	Following skin contact:	Remove all contaminated clothes using sterile gauze. Immediately wash with plenty of water for at least 20 minutes. Seek medical assistance if the symptoms of irritation remain.
	Following eye contact:	Rinse out with plenty of water with the eyelid held wide open for at least 20 minutes. If the symptoms remain, immediately call in ophthalmologist.
	Following ingestion:	Rinse the oral cavity, drink 1-2 glasses of water. Do not induce vomiting. Immediately consult a physician and show the container or label. In case of swallowing large quantities, transport the afflicted person to the hospital.
	Self-protection of the first aider	-
4.2.	Most important symptoms a	and effects, both acute and delayed
	Following inhalation:	Depending on concentration and exposure time, irritation of the mucous membrane of the nose/throat may occur (burning sensation, urge to sneeze, runny nose). High concentration levels may cause difficult breathing, coughing, chest tightness, headache, pneumonia and pulmonary oedema.



Page 4 of 18

Trading name:		OSTEC	DFAST 1		
Product code:	OF1-OT-X**	Revision date:	27.05.2019.	Version:	5

	Following skin contact:	Depending on concentration and exposure time, redness accompanied by sensation of stinging and pain may occur, defatting, skin cracking, rash, swelling, burns, blisters and delayed onset of inflammations.	
	Following eye contact:	Depending on concentration and exposure time, mucosa stinging, lacrimation, redness and pain may occur, as well as bleeding, delayed onset of inflammations and permanent eyesight damage.	
	Following ingestion:	Depending on concentration and exposure time, stinging and possible damage to the mucous membrane of the digestive tract is possible, as well as abdominal pain, nausea, vomiting (bloody vomit is possible), vertigo, headache, eyesight disorders and permanent blindness due to optical nerve damage, loss of consiousness.	
4.3.	Indication of any immediate medical attention and special treatment needed		
	-		

SECTI	ECTION 5. FIREFIGHTING MEASURES				
5.1.	Extinguishing media				
	Suitable extinguishing media:	Small fire - water spray, dry powder, CO ₂ Large fire - water spray or alcohol-resistant foam			
	Unsuitable extinguishing media:	No information available			
5.2.	Special hazards arising from the substance or mixture				
	Hazardous byproducts of fire:	Possible liberation of toxic carbon monoxide and formaldehyde gases due to thermal decomposition (increased temperature). Explosive mixtures of formaldehyde vapors and air also present danger.			
5.3.	Advice for firefighters				
	Use a self-contained open-circuit compressed air breathing apparatus and fireproof clothing. Cool closed containers exposed to fire with water spray, in order to prevent explosion.				
5.4.	Additional information				
	Remove sources of heat and ignition. Do not contaminate the environment with extinguishing media.				

SECTIO	SECTION 6. ACCIDENTAL RELEASE MEASURES				
6.1.	Personal precautions, protective equipment and emergency procedures				
6.1.1.	Advice for non-emergency personnel:				
	Protective equipment:	Use personal protective equipment (see Section 8).			
	Accident prevention methods:	Evacuate members of all non-essential personnel and those members without protective equipment. Avoid breathing vapors and avoid contact with skin and eyes. Remove all sources of sparks and ignition. Do not smoke.			
	Emergency procedures:	Mark the area using proper signs.			



Page 5 of 18

Trading name:		OSTEO	FAST 1		
Product code:	OF1-OT-X**	Revision date:	27.05.2019.	Version:	5

6.1.2.	For emergency respo	onders:				
	Use protective equip (see Section 8).	Use protective equipment; in case of inadequate ventilation use adequate airways protective equipment (see Section 8).				
6.2.	Environmental precau	utions:				
	•	sewage, drainage system and waterways. In case of large spillage contact National le Directorate (NPRD) on 112.				
6.3.	Methods and materia	als for containment and cleaning up				
6.3.1.	Bunding, covering of drains; capping procedures:	Sand or clay barriers.				
6.3.2.	Cleaning up:	Where possible, the substance can be absorbed by using inflammable material (sand, diatomaceous earth, vermiculite). Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and and involved materials with water.				
6.3.3.	Other information:	Do not use sawdust, old cleaning rags, and tools that may cause sparks.				
6.4.	Reference to other se	ections				
	See Section 8 for info	See Section 7 for information about secure handling. See Section 8 for information about personal protective equipment. See Section 13 for information about containment.				

SECTIO	SECTION 7. HANDLING AND STORAGE						
7.1.	Precautions for safe handling						
7.1.1.	Protection measures						
	Measures to prevent fire:	Use in well ventilated storage rooms. Keep away from sources of heat and ignition. Carry out measures for preventing static electricity.					
	Measures to prevent aerosol and dust generatio	n: Secure proper ventilation.					
	Measures to protect the environment:	Prevent spilling into the sewage system and waterways.					
	Other measures:	-					
7.1.2.	Advice on general occupational hygiene:						
	Do not eat, drink or smoke in the workspace. The	proughly wash hands after work and before eating.					
7.2.	Conditions for safe storage, including any incom	patibilities					
	Technical measures and storage conditions:	Keep in tightly closed and upright set containers in a well ventilated storage rooms at temperatures ranging from 15 to 25 °C.					
	Packaging materials:	Manufacturer's original packaging.					



Page 6 of 18

Trading name:		OSTEO	FAST 1		
Product code:	OF1-OT-X**	Revision date:	27.05.2019.	Version:	5

	Requirements for storage and containers:	Keep away from food and drink. Keep the containers tightly closed.
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.
	Further information on storage conditions:	Do not place the unused material in the storage room and do not use empty containers for storing other chemicals. Do not store with incompatible materials (see Section 9).
7.3.	Specific end use(s)	
	Recommendations:	-
	Special decisions for industry sector:	-

SECTION 6	SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION												
8.1. Cc	ntrol para	meters											
Substance		CAS No		Occupational exposure limit values/short term values		Biological limit values							
					ppm mg/m³								
Hydrogen o	hloride		7647-01-	0	5/10	8/15		-					
Formaldehy	⁄de		50-00-0		2/-	2.5/-		-					
Methanol			67-56-1		200/-	260/-	(7.0 mg/	ol/mol of creatinine* g of creatinine*), shift urinary excretion					
* For all res	•	ning cre	eatinine levels,	creatir	nine concentrati	ion < 0.5 g/l an	d > 3.0 g/l	may not be taken into					
Substance:	-												
EC No:	-		CAS No:	_									
DNEL								DNEL					
Route of exposure:					Industrial								
Route of ex	posure:		te effect local		Industrial cute effect systemic	Chronic o		Chronic effect systemic					
Route of ex	posure:				cute effect								
	posure:		local		cute effect	loca		systemic					
Oral	posure:	-	local -		cute effect	loca		systemic -					
Oral Inhalation Dermal		- -	local -	9	cute effect systemic	loca		systemic - -					
Oral Inhalation Dermal		- -	local	9	cute effect systemic	loca		systemic - -					



Page 7 of 18

							Page / of	10	
Trading n	ame:				OSTEOFAST 1				
Product co	ode:	OF1-OT-X**		Revisio	n date:	27.05.2019.	Version:	5	
		1				T	T		
Oral		-	-			-	-		
Inhalation		-	-			-	-		
Dermal		-	-			-	-		
PNEC									
Environme	ntal pro	tection target			PNEC				
Fresh wate	r				No infor	mation available			
Freshwater	sedime	nts			No infor	mation available			
Marine wat	ter				No infor	mation available			
Marine sed	iments				No infor	mation available			
Food chain					No infor	mation available			
Microorgan	nisms in	sewage treatment			No information available				
Soil (agricu	ltural)				No information available				
Air					No information available				
	1								
8.2.	Expos	ure controls							
8.2.1.	Appro	priate engineering	controls						
	meası	ance/mixture related ures to prevent expo g identified uses:			•		ooms. Use personal poke in the workspace.		
	Struct expos	ural measures to pr ure:	event	No info	ormation	available			
		nisational measures nt exposure:	to	_	Organization of work in order to reduce other worker's influence during work process.				
	Techn expos	ical measures to pro ure:	event	Secure proper workspace ventilation in order to keep concentration levels in air below permitted levels.					
8.2.2.	Perso	nal protection equip	ment						
8.2.2.1.	Eye ar	nd face protection:		Safety glasses that stick to face (EN 166) or visor in case of levels of concentration in air; protective gas mask that covernite face (EN 136) in case of higher levels of concentration air.			vers the		
8.2.2.2.	Skin p	rotection							



Page 8 of 18

Trading name:	OSTEOFAST 1				
Product code:	OF1-OT-X**	Revision date:	27.05.2019.	Version:	5

	Hand protection:	The protective gloves have to satisfy the specification of Regulation (EU) 2016/425 and the related standard EN374. Full contact: Glove material: nitrile rubber Glove thickness: 0.40 mm Time until perforation: > 480 min Splash contact: Gloves material: nitrile rubber Glove thickness: 0.11 mm Time until perforation: > 240 min			
	Other skin protection:	Wear antistatic clothing made of natural fibers (such as cotton) with long sleeves (EN ISO 13688), and shoes (EN 13832) that cover the entire foot.			
8.2.2.3.	Respiratory protection:	Suitable mask or half mask (EN 140) equipped with a combined "A-K" filter (EN 14387) and used when concentration levels exceed GVI.			
8.2.2.4.	Thermal hazards:	No information available			
8.2.3.	Environmental exposure controls				
	Substance/mixture related measures to prevent exposure:	See Section 6			
	Structural measures to prevent exposure:	Use modern equipment.			
	Organisational measures to prevent exposure:	Adapt the work process to the required working conditions of the workplace.			
	Technical measures to prevent exposure:	See Section 6			

SECTIO	SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES						
9.1.	Information on basic physical and chemical properties						
		Value	Method				
	Physical state:	liquid	No information available				
	Color:	light blue	No information available				
	Odour:	sharp	No information available				
	Odour threshold:	No information available	No information available				
	рН:	<0	No information available				
	Melting point/freezing point:	No information available	No information available				
	Initial boiling point and boiling range:	No information available	No information available				
	Flash point:	No information available	No information available				
	Evaporation rate:	No information available	No information available				



Page 9 of 18

Trading name:	OSTEOFAST 1				
Product code:	OF1-OT-X**	Revision date:	27.05.2019.	Version:	5

	Flammability (solid, gas):	No information available	No information available
	Upper/lower flammability or explosive limits:	No information available	No information available
	Vapor pressure:	No information available	No information available
	Vapor density:	No information available	No information available
	Relative density:	No information available	No information available
	Bulk density:	No information available	No information available
	Solubility (ies):	No information available	No information available
	Partition coefficient: n-octanol/water (log Kow):	No information available	No information available
	Auto-ignition temperature:	No information available	No information available
	Decomposition temperature:	No information available	No information available
	Viscosity:	No information available	No information available
	Explosive properties:	No information available	No information available
	Oxidizing properties:	No information available	No information available
9.2.	Other information		
	-		

SECTIO	SECTION 10. STABILITY AND REACTIVITY						
10.1.	Reactivity:	See subsections 10.3 through 10.5.					
10.2.	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using (room temperature).					
10.3.	Possibility of hazardous reactions:	Formaldehyde vapors and air can cause explosive mixtures.					
10.4.	Conditions to avoid:	Sources of heat, sparks, ignition, and low temperature.					
10.5.	Incompatible materials:	Alkali metals, oxidants, acids and alkalis, hydrogen peroxide, phenols, iodine, iron, copper and silver compounds.					
10.6.	Hazardous decomposition products:	Carbon monoxide and formaldehyde					

SECTION 11. TOXI	SECTION 11. TOXICOLOGICAL INFORMATION										
11.1. Information on toxicological effects											
Acute toxi	Acute toxicity:										
Route of exposure:	Method	Species	Effective Dose LD ₅₀ /LC ₅₀ or ATE _{mixture}	Exposure time	Results						
Oral:	No information available	No information available	LD ₅₀	No information available	No information available						



Page 10 of 18

Trading name:	OSTEOFAST 1						
Product code:	OF1-OT-X**	Revision date:	27.05.2019.	Version:	5		

Dermal:	No information available	No informat available	ion	LD ₅₀	No infor		No information available
Inhalation:	nhalation: No information rat (hydrochloric available acid)		oric	LC ₅₀	4.74 4 h (hydro		4.74 mg/l (hydrochloric acid)
Specific t	arget organ toxicity	- single exposure	(STOT-SF):				
	1	fic effects		Target org	an		Note
Oral:	No information av		No inf	formation av		_	
Dermal:	No information av			formation av		-	
Inhalation:	No information av	vailable	No inf	ormation av	vailable	-	
	:		1			1	
Aspiration	n hazard:	No inf	ormation ava	ilable.			
Irritation	and corrosion						
	Exposure time	Species	Evaluation	Method		No	te
Skin corrosion/irritation	- n:	-	-	-	Causes skin irritation.		
Serious eye damaç irritation:	ge/ _	-	-	-	Causes serious eye irritation.		
Sensitizat	ion						
Skin sensitization:		an allergic skin re	action.				
Respiratory sensitization:	Allergic per	sons may display	irritation.				
Symptom	ns related to the phys	sical chemical an	d toxicologic	al character	istics		
Oral exposure:	Depending on co mucous membrar vomiting (bloody blindness due to	ncentration and entering of the digestive vomit is possible	exposure time e tract is poss), vertigo, hea	e, stinging a sible, as wel adache, eye:	nd possibl I as abdon sight disor	ninal pair	ı, nausea,
Dermal exposure:	Depending on co stinging and pain delayed onset of	ncentration and e may occur, defat	exposure time	e, redness a	ccompanie	-	
Inhalation exposure:	Depending on co nose/throat may levels may cause delayed pulmona	occur (burning se difficult breathing	ensation, urge g, coughing, c	e to sneeze, chest tightn	runny nos	e). High o	concentration



Page 11 of 18

Trading name:	OSTEOFAST 1					
Product code:	OF1-OT-X**	Revision date:	27.05.2019.	Version:	5	

Eye exposure:		n concentration an ur, as well as bleed	•		_	_		
Repeate	ed dose toxicity (s	ubacute, subchroni	ic, chronic)					
· ·	Dose	Exposure time	Species	Meth	nod	Evaluati	on	Note
Subacute oral	No informatio available	No information available	No informati available	No on infor avail	mation able	No informa availabl		-
Subacute dermal	No informatio available	n information available	No informati available	No on infor avail	mation able	No informa availabl		-
Subacute inhalation	No informatio available	n No information available	No informati available	No on infor avail	mation able	No informa availabl		-
Subchronic oral	No informatio available	n No information available	No informati available	No on infor avail	mation able	No informa availabl		-
Subchronic dermal	No informatio available	n No information available	No informati available	No on infor avail	mation able	No informa availabl		-
Subchronic inhalation	No informatio available	n information available	No informati available	No on infor avail	mation able	No informa availabl		-
Chronic oral	No informatio available	n No information available	No informati available	No on infor avail	mation able	No informa availabl		-
Chronic dermal	No informatio available	n information available	No informati available	No on infor avail	mation able	No informa availabl		-
Chronic inhalation			No informati available	No on infor avail	mation able	No informa availabl		-
Specific	target organ toxi	city - repeated exp						
		Specific effect			get orgar			Note
Subacute oral		No information ava		No informa			-	
Subacute dermal		No information ava				-		
Subacute inhalati		No information ava		No information available -				
Subchronic oral Subchronic derm		No information ava		No information available - No information available -		-		



Page 12 of 18

				- 9		
Trading name:	OSTEOFAST 1					
Product code:	OF1-OT-X**	Revision date:	27.05.2019.	Version:	5	

Subchr	onic inhalation	No information	available	No information available	-		
Chroni	c oral	No information	available	No information available	-		
Chroni	c dermal	No information	available	No information available	-		
Chroni	Chronic inhalation No information a		available	No information available	-		
	CMR effects (carcinog	enicity, mutagenici	ty, reproduc	tive toxicity)			
	Carcinogenicity:		Suspected of causing cancer. If the employee observes to personal hygienic rules and use personal protective equipments specified in the exposure scenario, then these hazards are not exist.				
	Mutagenicity in-vitro:		No information available				
	Genotoxicity:		No information available				
	Mutagenicity in-vivo:		No information available				
	Germ cell mutagenicit	ry:	No information available No information available				
	Reproductive toxicity:						
	Summary of evaluat properties; :	ion of the CMR	No inform	ation available			
11.2.	Practical experiences:						
	Remarks relevant for o	classification:	No inform	ation available			
	Other remarks:		No inform	ation available			
11.3.	General notes:						
	-						

l	SECTION 12. ECOLOGICAL INFORMATION

12.1. Toxicity Acute (short-term) Exposure Dose **Species** Method Evaluation Note toxicity time No information 24.1 - 41 mg/l **Pimephales** Fish $LC_{50} \\$ 96 hours available promelas (formaldehyde) No information water flea 2 mg/l available Crustacea: EC_{50} 48 hours (Daphnia (formaldehyde) magna) No information 2.5 mg/l Algae/aquatic plants IC_{50} 8 days algae available (formaldehyde) Other organisms



Page 13 of 18

Trading name:		FAST 1	<u> </u>		
Product code:	OF1-OT-X**	Revision date:	27.05.2019.	Version:	5

Product code:	()F1-01-X		Revision date	27.05.201	9. version:	5
Chronic (long-toxicity	erm)	Dose	Exposure time	Species	Method	Evaluation	Note
Fish		LC ₅₀	96 hours	No information available	No information available	No information available	-
Crustacea:		EC ₅₀	48 hours	No information available	No information available	No information available	-
Algae/aquatic p	olants	IC ₅₀	72 hours	No information available	No information available	No information available	-
Other organism	ıS	-	_	-	-	-	-
12.2. Persiste	ence a	nd degrad	lability				
Abiotic	degra	adation					
Degradation half-lives		Meth	nod	Evaluation	Note		
Marine water No information available		No information	n available N	lo information available	-		

	Degradation half-lives	Method	Evaluation	Note
Marine water	No information available	No information available	No information available	-
Fresh water	No information available	No information available	No information available	-
Air	No information available	No information available	No information available	-
Soil	No information available	No information available	No information available	-

Biodegra	adation			
% Degradation	Time (days)	Method	Evaluation	Note
No information available				

12.3. Bioaccui	mulative potential								
Octanol-water partition coefficient (log Kow)									
Value Concentration pH °C Method Evaluation Note									
No information available	No information available			No information available	No information available	No information available			
Bioconc	entration Factor (BC	F)		Method	Evalu	uation	Note		



Tradin	g name:						OSTEOF#	AST 1	•		
Produc	ct code:	OF1-0	OT-X**		Revisi	on d	ate: 2	27.05.	2019.	Version:	5
	No information No information available		ation	No information available		No information available		-			
	Chronic e	cotoxicit	:V								
	Value		Dose		posure eriod	0	rganism		Method	Evaluation	Note
Chronic	c toxicity or	n fish	LC ₅₀	No	No mation in		oformation info		ormation ilable	No information available	-
	c toxicity or ea (Daphni		EC ₅₀	No infor availa	mation able	1	ormation ilable	1	ormation ilable	No information available	-
12.4	N 4 = la : l : 4 :	:1									
12.4.	Mobility i		ed distribut	ion in a	environme	ant:					
	No inform			1011 111 1	environinie	511 L.					
	Surface to		, anabic								
	Valu		°C		Concentration			Method	Note		
	No info available	rmation	No infor	rmation No information		tion available No infor		rmation available	-		
	Adsorption	on / deso	orption								
Transpo	ort i	A/D coef lenry's co			log Pow		Evapo	oration	n rate	Method	Note
Soil-wa	nter No avai	ir able	nformation	No availa	informa able	tion	No inforr available	matio	า	No information available	-
Water-	air No avai		nformation	No availa	informa able	tion	No inforr available		า	No information available	-
Soil-air No available			information No e availab		information No informati able available		matio	า	No information available	-	
12.5.	Results of	f PBT and	d vPvB asses	ssment							
	No inforn	nation av	vailable								



Page 15 of 18

Trading name:	OSTEOFAST 1				
Product code:	OF1-OT-X**	Revision date:	27.05.2019.	Version:	5

	No information available				
	13. DISPOSAL CONSIDERA	TIONS			
13.1.	Waste treatment methods				
13.1.1.	Product/Packaging disposal				
		posed of according to the national and local rules and regulations. Do not te. Submit for disposal to the legal person authorized by the Ministry of Protection.			
13.1.2.	Waste codes/waste designa	ations according to Law:			
	15 01 10*: packaging that cosubstances	ontains residual hazardous substances or is contaminated with hazardous			
13.1.3.	Waste treatment – relevant	information:			
	No information available				
13.1.4.	Sewage disposal – relevant information:				
	Waste must not be dispose	d of into the sewage system.			
13.1.5.	Other disposal recommend	ations:			
	authorized by the ministry i	uct's remains into the sewage system. Submit the remains to the collectors n charge. Do not dispose of the packaging into the sewage system. Submit tors authorized by the ministry in charge.			
13.1.6.	Relevant Community provis	ions:			
	-				
SECTION	14. TRANSPORT INFORMA	ATION			
l	and transport (ADR)				
UN numb	per:	3264			
UN prope	er shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID SOLUTION)			
Transport	: hazard class(es):	8			
Packing g	roup:	П			
Environm	entally hazardous:	-			
Special p	recautions for user:	-			
l	and transport by rail (RID)				
UN numb	er:	3264			



Page 16 of 18

Trading name:	OSTEOFAST 1					
Product code:	OF1-OT-X**	Revision date:	27.05.2019.	Version:	5	

UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID SOLUTION)
Transport hazard class(es):	8
Packing group:	П
Environmentally hazardous:	-
Special precautions for user:	-
Inland waterway transport (ADN)	
UN number:	3264
UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID SOLUTION)
Transport hazard class(es):	8
Packing group:	П
Environmentally hazardous:	-
Special precautions for user:	-
Sea transport (IMDG)	
UN number:	3264
UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID SOLUTION)
Transport hazard class(es):	8
Packing group:	П
Environmentally hazardous:	-
Special precautions for user:	-
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:	-
Air transport (ICAO-TI/IATA-DGR	3)
UN number:	3264
UN proper shipping name:	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID SOLUTION)
Transport hazard class(es):	8
Packing group:	П
Environmentally hazardous:	-
Special precautions for user:	-

SECTIO	SECTION 15. REGULATORY INFORMATION				
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture				
	EU regulations				



Page 17 of 18

Trading name:	OSTEOFAST 1					
Product code:	OF1-OT-X**	Revision date:	27.05.2019.	Version:	5	

	Authorization and/or restr	ctions of use
	Authorizations:	-
	Restrictions:	-
	Other EU regulations:	EC Regulation No. 1906/2007 and EC Regulation No. 1272/2008 of the European Parliament and the European Council; The European Commission Regulation No. 453/2006 of 2010 on changes and amendments to the Regulation (EC) No. 1907/2006 of the European Parliament and Council on registration, evaluation, authorization and restriction of chemical substances (REACH); EC Regulation No. 2037/200 of the European Parliament and Council of 29 June 2000 on ozone-depleting substances; EC Regulation No. 689/2008 of the European Parliament and Council of 17 June 2008 concerning the export and import of dangerous chemicals; EC Regulation No. 850/2004 of the European Parliament and Council of 29 April 2004 on persistent organic pollutants; Directive 2008/98/EC of the European Parliament and Council of 19 November 2008 on waste and repealing certain Directives
	Information according 199 guideline)	9/13/EC about limitation of emissions of volatile organic compounds (VOC-
	National regulation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act
15.2.	Chemical safety assessmer	nt
	None	

SECTIO	N 16. OTHER INFORMATION	l			
16.1.	Indication of changes:	-			
16.2.	Abbreviations and acronyms:	PBT Stable, bioaccumulative and toxic vPvB Strongly stable and strongly bioaccumulative LD ₅₀ Lethal dose, 50% LC ₅₀ Lethal concentration, 50% STOT-SE Specific target organ toxicity - single exposure			
16.3.	Key literature references and source of data:	-			
16.4. Classification and procedure 1272/2008 (CLP)		used to derive the classification for mixture according to Regulation (EC)			
Classific	cation	Classification procedure			
_		-			



Page 18 of 18

Trading name:	OSTEOFAST 1				
Product code:	OF1-OT-X**	Revision date:	27.05.2019.	Version:	5

16.5.	Relevant H statements (number and full text)		
	H:	H225	Highly flammable liquid and vapor.
		H301+H311+H331	Toxic if swallowed, in contact with skin or if inhaled.
		H314	Causes severe skin burns and eye damage.
		H317	May cause an allergic skin reaction.
		H335	May cause respiratory irritation.
		H341	Susptected of casusing genetic defects.
		H350	May cause cancer.
		H351	Suspected of causing cancer.
		H370	Causes damage to organs.
16.6.	Training advice:		-
	Further information:		** "X" in the product code marks different volumes (different packaging of the product)
16.7.			We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.

ANNEX: Exposure scenario resulting to Chemical safety assessment