

Page 1 of 16

Trading name:		ACID SOLUTION				
Product code:	KOT-OT-X**	Date of compilation:	26 June 2019	Version:	3	

SECTI	ON 1: Identification of t	he substance	e/mixture	and of the company/undertaking			
1.1	Product identifier						
	Trading name:	ACID SOLU	TION				
	Chemical name:	-					
	Catalogue number:	KOT-OT-X*	*				
1.2	Relevant identified use	Relevant identified uses of the substance or mixture and uses advised against					
	Uses:		For preparation of impregnation solution with Warthin Starry kit				
	Uses advised against:		Only the identified uses are advised. The product is intended for use only as an <i>in vitro</i> diagnosti				
	Reason why uses advis	sed against:					
1.3	Details of the supplier	of the safety	data shee	t			
	Supplier:		BioGnos	t Ltd.			
	Address:		Medjugo	orska 59, Zagreb			
	Telephone number:		+385 1 2	2409997			
	Telefax.:		+385 1 2	2404039			
	e-mail of competent p	erson:	msds@b	oiognost.hr			
	National contact:		-				
1.4	Emergency telephone	number					
	National Protection an	National Protection and Rescue Directorate: 112					
	Medical information:			+385 1 2348 342			
	Other information:			-			

SECTIO	SECTION 2. Hazards identification					
2.1	Classification of the substance or mixture					
2.1.1	Classification according to Reg	lation (EC) No 1272/2008 (CLP)				
	Hazard class and categ	ry code: Haz	ard statements*:			
	Not identified as hazardous su	stance				
2.1.2.	Additional information					
	-					
*For fu	ll text of Hazard- and EU Hazard-	tatements: see SECTION 16				
2.2	Label elements					
	Product identification:	ACID SOLUTION				
	Identification number: -					
	Authorization number:	-				
	Hazard pictograms:	-				



Page 2 of 16

Trading name:	ACID SOLUTION				
Product code:	KOT-OT-X**	Date of compilation:	26 June 2019	Version:	3

	Signal word:	-
	Hazard statements:	-
	Precautionary statements:	-
	Supplemetal hazard information (EU):	-
2.3	Other hazards	
	-	

SECTION 3. Co	SECTION 3. Composition/information on ingredients							
CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)				
-	-	-	Contains no hazardous substances	-				

SECTI	ON 4. First aid measures	
4.1	Description of first aid measures	
	General notes:	If the suggested first aid measures do not prove sufficient, seek medical attention.
	Following inhalation:	Carry the afflicted person out of the contaminated area into a well-ventilated area or out for fresh air. In case of difficult breathing, provide the afflicted person with oxygen.
	Following skin contact:	Remove contaminated clothing. Immediately wash with plenty of water for at least 20 minutes. Seek medical assistance if the symptoms of irritation remain.
	Following eye contact:	Rinse out with plenty of water with the eyelid held wide open for at least 20 minutes. If the symptoms remain, immediately call in ophthalmologist.
	Following ingestion:	Rinse the mouth thoroughly with 1-2 glasses of water. Immediately consult a physician and show the container or label. In case of swallowing large quantities, transport the afflicted person to the hospital.
	Self-protection of the first aider:	-
4.2	Most important symptoms and eff	fects, both acute and delayed
	Following inhalation:	Depending on concentration and exposure time, it may lead to mucosa irritation, cough, and dyspnea.
	Following skin contact:	Depending on concentration and exposure time, it may lead to irritation, rash, skin drying and skin cracking.
	Following eye contact:	Depending on concentration and exposure time, it may lead to irritation, tearing, redness and pain.



Page 3 of 16

Trading name:	ACID SOLUTION				
Product code:	KOT-OT-X**	Date of compilation:	26 June 2019	Version:	3

	Following ingestion:	Depending on concentration and exposure time, it may lead to stinging and digestive mucus damage, abdominal pain, nausea, vomiting.
4.3	Indication of any immediate medi	cal attention and special treatment needed
	-	

SECTI	SECTION 5. Firefighting measures					
5.1	Extinguishing media	Extinguishing media				
	Suitable extinguishing media: water spray, dry powder, CO ₂ or alcohol resistant f	oam				
	Unsuitable extinguishing media: Water with full jet					
5.2	Special hazards arising from the substance or mixture	Special hazards arising from the substance or mixture				
	Hazardous combustion products: no information available	Hazardous combustion products: no information available				
5.3	Advice for firefighters					
	Use a self-contained open-circuit compressed air breathing apparatus and fireproof cl	Use a self-contained open-circuit compressed air breathing apparatus and fireproof clothing.				
5.4	Additional information	Additional information				
	Cool endangered receptacles with water spray. Collect contaminated fire fighting water contaminate the environment with extinguishing media.	er separately. Do not				

CECTI	SECTION 6. Accidental release measures				
2FC110	ION 6. Accidental release measures				
6.1	Personal precautions, protective	ve equipment and emergency procedures			
6.1.1.	For non-emergency personnel				
	Protective equipment:	Use personal protective equipment (see Section 8).			
	Accident prevention methods: Evacuate members of all non-essential personnel and those member without protective equipment. Avoid breathing vapors and avoic contact with skin and eyes. Do not smoke. Keep away from ignition sources.				
	Emergency procedures:	Mark the area using proper signs.			
6.1.2.	For emergency responders:				
	Use protective equipment; in c (see Section 8).	ase of inadequate ventilation use adequate airways protective equipment			
6.2	Environmental precautions:				
	Do not dispose of in sewage, drainage system and waterways. In case of large spillage contact National Protection and Rescue Directorate (NPRD) on 112.				
6.3	Methods and material for containment and cleaning up				
6.3.1.	Bunding, covering of drains; capping procedures: Sand protective barrier or barriers made of similar materials.				



Page 4 of 16

Trading name:		ACID SOLUTION				
Product code:	KOT-OT-X**	Date of compilation:	26 June 2019	Version:	3	

6.3.2.	Cleaning up:	Where possible, the substance can be absorbed by using absorbing material. Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and and involved materials with water.				
6.3.3.	Other information:	Secure proper ventilation. Do not use incompatible materials (see Section 10).				
6.4	Reference to other sections					
	See Section 8 for information	ee Section 7 for information on safe handling. ee Section 8 for information on personal protection equipment. ee Section 13 for disposal information.				

SECTIO	ON 7. Handling and storage					
7.1	Precautions for safe handling					
7.1.1.	Protection measures					
	Measures to prevent fire:		Use in well ventilated storage rooms. Keep away from sources of ignition and heat. Do not use tools that cause sparks. Do not smoke.			
	Measures to prevent aerosol and dust generation	on:	Secure proper ventilation.			
	Measures to protect the environment:	res to protect the environment:				
	Other measures:	Protect against electrostatic charge				
7.1.2.	Advice on general occupational hygiene:					
	Do not eat, drink or smoke in the workspace. Thoroughly wash hands after work and before eating.					
7.2	Conditions for safe storage, including any incompatibilities					
	Technical measures and storage conditions:	Keep in tightly closed and upright set container well ventilated storage rooms at temperatures r from 15 to 25 °C. Protect from heat and direct s				
	Packaging materials:	Manufactu	rer's original packaging.			
	Requirements for storage rooms and vessels:	Keep away tightly clos	from food and drink. Keep the containers sed.			
	Advices for storage equipment:	must be re	e must be made of hard material; floors sistant to chemicals. There must be no drain ly leads into sewage system. Secure proper .			
	Further information on storage conditions:	and do no	ce the unused material in the storage room t use empty containers for storing other Do not store with incompatible materials on 10).			



Air

SAFETY DATA SHEET BIOGNOST® According to Regulation (EC) No. 1907/2006

										Page 5 of 10	6	
Tradi	ing name:					ACID S	SOLUT	ION				
Prod	uct code:	KOT-O	Г-Х**	D	ate of	f compila	tion:	26 Jun	e 2019	Version:	3	
	:										•	
7.3	Specific e	nd use(s)										
	Recomme	endations:				-						
	Industrial	sector spe	cific solut	tions:		-						
SECT	ION 8. Expos	ure contr	ols/perso	nal protec	tion							
8.1	Control p	arameters										
						ipational (•					
	Substance	9	CAS No V			ues/short			Biolo	gical limit values	5	
					þ	opm	mg/					
-				-		-		-				
	tance name:	-	1				l					
EC No		-	CAS No):								
DNEL	_											
		1		T		ustrial						
Route							Chro			Chronic		
expo	sure:		effect local		effect systemic		effect local			effect systemic		
Oral Inhala	ation	-		-					-			
Derm		_		_								
	al physical pa	rameters:	solubility	l flammabili	ty corr	osivity.						
Circie	ar priyorear pa	Tarriccio.	Joid Siney 7			nsumer	<u> </u>					
Route	e of	A	cute	Acu			Chro	nic		Chronic		
expo			ct local	effect sy				ect local		effect systemic		
Oral		-		-		-			-	·		
Inhala	ation	-		-		-			-			
Derm	al	-		-		-			-			
PNEC												
Enviro	Environmental protection target				PNEC							
Fresh	Fresh water				no information available							
Fresh	Freshwater sediments					no information available						
Marin	Marine water					no information available						
Marin	ne sediments					no information available						
Food	chain					no inform	nation a	vailable				
Micro	organisms in	sewage tr	eatment			no inform	nation a	vailable				
Soil (a	agricultural)					no inform	nation a	vailable				

no information available



Page 6 of 16

Trading name:	ACID SOLUTION				
Product code:	KOT-OT-X**	Date of compilation:	26 June 2019	Version:	3

	·					
8.2	Exposure controls					
8.2.1.	Appropriate engineering controls	S				
	Substance/mixture related measure prevent exposure during identified		Use the product in well ventilated rooms. Use personal protective equipment. Do not eat, drink or smoke in the workspace.			
	Structural measures to prevent exposure:		In accordance with Section 7.			
	Organisational measures to preve exposure:	ent	Organization of work in order to reduce other worker's influence during work process.			
	Technical measures to prevent ex	kposure:	Secure proper workspace ventilation in order to keep concentration levels in air below permitted levels. Secure stations for rinsing eyes and showering.			
8.2.2.	Personal protection equipment					
8.2.2.1.	Eye and face protection:	Safety glasses that stick to face (EN 166) or visor in case of low levels of concentration in air; protective gas mask that covers entire face in case of higher levels of concentration in air.				
8.2.2.2.	Skin protection					
	Hand protection:		The protective gloves have to satisfy the specification of Regulation (EU) 2016/425 and the related standard EN 374. Glove material: nitrile rubber Glove thickness: 0.40 mm Time until perforation: > 480 min			
	Other skin protection:	footwe entire imperr	everyday work use cotton clothing (EN 340) and suitable ear, such as rubber boots (EN 20345) or shoes that cover the foot. In case of spilling hazard, use clothing made of meable material suitable for protection from liquid chemicals PVC, himex) and footwear made from the same material.			
8.2.2.3.	Respiratory protection:	with a	tive full face mask (EN 136) or half mask (EN 140) equipped filter for organic vapors, type "A" (boiling point >65°C) ng to EN 14387) used when concentration levels exceed GVI.			
8.2.2.4.	Thermal hazards:	No info	ormation available			
8.2.3.	Environmental exposure controls					
	Substance/mixture related measures to prevent exposure:	See Se	ection 6			
	Structural measures to prevent exposure:	Use mo	nodern equipment.			
	Organisational measures to prevent exposure:	Adapt workpl	the work process to the required working conditions of the lace.			



Page 7 of 16

Trading name:	ACID SOLUTION				
Product code:	KOT-OT-X**	Date of compilation:	26 June 2019	Version:	3

Technical measures to prevent	See Section 6
exposure:	See Section 0

Information on basic physical and	chemical properties	
	Value	Method
Physical state:	liquid	No information available
Colour:	colourless	No information available
Odour:	No information available	No information available
Odor threshold:	No information available	No information available
рН:	No information available	No information available
Melting point / freezing point;	No information available	No information available
Initial boiling point and boiling range:	No information available	No information available
Flash point:	No information available	No information available
Evaporation rate:	No information available	No information available
Flammability (solid, gas):	No information available	No information available
Upper/lower flammability or explosive limits:	No information available	No information available
Vapour pressure:	No information available	No information available
Vapour density:	No information available	No information available
Relative density:	No information available	No information available
Bulk density:	No information available	No information available
Solubility(ies):	No information available	No information available
Partition coefficient: n-octanol/water (log Kow):	No information available	No information available
Auto-ignition temperature:	No information available	No information available
Decomposition temperature:	No information available	No information available
Viscosity:	No information available	No information available
Explosive properties:	No information available	No information available
Oxidising properties:	No information available	No information available

SECTI	ON 10. Stability and reactivity	
10.1	Reactivity:	See subsections 10.3 through 10.5.



Page 8 of 16

Trading name:	ACID SOLUTION				
Product code:	KOT-OT-X**	Date of compilation:	26 June 2019	Version:	3

10.2	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using (room temperature).
10.3	Possibility of hazardous reactions:	No dangerous reactions known.
10.4	Conditions to avoid:	Avoid heat, sparks, open flames and other ignition sources.
10.5	Incompatible materials:	No further relevant information available.
10.6	Hazardous decomposition products:	No dangerous decompostion products known.

SECTIO	ON 11. Toxico	ological info	ormation							
11.1	Information	on toxicolo	gical effects							
	Acute toxici	ity:								
Route of exposure:		Method	d Species		Dose LD ₅₀ /LC ₅₀ or ATE _{mix}		Exposure time		Results	
Oral: -		-	-		-		-		-	
Dermal: -		-	-		-		-		-	
Inhalation: -		-		-		-		-		
	Specific targ	get organ to	xicity – single exp	posure (S	TOT SE):				
	Specific effects					Target org	an		Note	
Oral:	Oral: No information available				No inf	ormation ava	ilable	-		
Dermal: No information available			tion available		No information available					
Inhalati	Inhalation: No information available			No information available -						
	Aspiration h	nazard:		No information available.						
	Irritation an	d corrosion								
		Exp	osure time	Spec	ies	Evaluation	Method		Note	
Skin corrosi	on/irritation:	–		-		-	–	-		
Serious damag	s eye e/irritation	-		-	-		_	-		
	Sensitizatio	n								
Skin sensitization: No information a			o information ava	available.						
Respiratory sensitization: No information as			o information ava	ıvailable.						
		į								
	Symptoms	related to th	e physical, chem	ical and t	oxicolo	gical characte	eristics			
						9				



Page 9 of 16

Trading name:	•	ACID SOLUT	ION		
Product code:	KOT-OT-X**	Date of compilation:	26 June 2019	Version:	3

Dermal exposure	:	No informati	on available.				
Inhalation expos	ure:	No informati	on available.				
Eye exposure:		No informati	on available.				
Repeate	ed dose	toxicity (sub	acute, subchro	onic, chronic)	ì		
		Dose	Exposure time	Species	Method	Evaluation	Note
Subacute oral	No availa	information able	No information available	No information available	No information available	No information available	-
Subacute dermal	No availa	information able	No information available	No information available	No information available	No information available	-
Subacute inhalation	No availa	information able	No information available	No information available	No information available	No information available	-
Subchronic oral	No availa	information able	No information available	No information available	No information available	No information available	-
Subchronic dermal	No availa	information able	No information available	No information available	No information available	No information available	-
Subchronic inhalation	No availa	information able	No information available	No information available	No information available	No information available	-
Chronic oral	No availa	information able	No information available	No information available	No information available	No information available	-
Chronic dermal	No availa	information able	No information available	No information available	No information available	No information available	-
Chronic inhalation	No availa	information able	No information available	No information available	No information available	No information available	-
Specific	target	organ toxicit	<u> </u>	xposure (STOT	RE):		
			Specific effec	cts	Target o		Note
Subacute oral			ition available		No information		
Subacute derma			ition available		No information		
	ion						
Subacute inhalat Subchronic oral	ion		tion available		No information		



Page 10 of 16

Trading name:		ACID SOLUT	ION		
Product code:	KOT-OT-X**	Date of compilation:	26 June 2019	Version:	3

Subchronic dermal	No information available		No information available	-			
Subchronic inhalation	n No information available		No information available	-			
Chronic oral	No information available		No information available -				
Chronic dermal	No information available		No information available	-			
Chronic inhalation	No information available		No information available	-			
CMR effect	s (carcinogenicity; mutagenicit	v: reproductive	e toxicity)				
Carcinoger		· ·	ilable data, the classification o	criteria are not met.			
Mutagenic	ty in vitro:	Based on ava	ilable data, the classification c	criteria are not met.			
Genotoxici	ty:	Based on available data, the classification criteria are not met.					
Mutagenic	ty in vivo:	Based on ava	ilable data, the classification c	criteria are not met.			
Germ cell r	nutagenicity:	Based on ava	ilable data, the classification c	criteria are not met.			
Reproduct	ve toxicity:	Based on ava	ilable data, the classification o	criteria are not met.			
Summary properties:	of evaluation of the CN	MR Based or met.	available data, the classifica	ation criteria are not			
11.2 Practical ex	neriences:						
	on observations:	No inform	mation available				
Other obse	rvations:	No inforr	nation available				
11.3 General no	tes:						
-							

SECTION 12. Ecologi	cal informat	ion				
12.1 Toxicity						
Acute (short-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	No information available	No information available	No information available	-
Crustacea:	EC ₅₀	48 hours	No information available	No information available	No information available	-
Algae/aquatic plants	IC ₅₀	4 days	No information available	No information available	No information available	-
Other organisms	-	-	-	_	-	-



Page 11 of 16

Trading name:		ACID SOLUT	ION	•	
Product code:	KOT-OT-X**	Date of compilation:	26 June 2019	Version:	3

Product code.		.O1-O1-X		Date of compila	11011. 26 Ju	ine 2019	versic)n.
Chronic (long-t	erm)	Dose	Exposure time	Species	Method	Evalua	ation	Note
Fish		LC ₅₀	96 hours	No information available	No information available	No informat available		
Crustacea:		EC ₅₀	48 hours	No information available	No information available	No informat available		
Algae/aquatic p	olants	IC ₅₀	72 hours	No information available	No information available	No informat available		
Other organism	าร	-	-	-	-	-	-	
	tence a	nd degradab	ility					
	De	gradation ha	ılf-lives	Method	Evaluatio	on	No	ote
Marine water	No ir	nformation a	vailable	No information available	No information	on -		
Fresh water	No ir	nformation a	vailable	No information available	No information	on -		
Air	No ir	nformation a	vailable	No information available	No information	on -		
Soil	No ir	nformation a	vailable	No information	No information	on _		

Fresh water No information available No information No information	Marine water	No information available	No information available	No information available	-
Air No information available available available - No information No information	Fresh water	No information available			-
Soil No information available No information -	Air	No information available			-
available available	Soil	No information available			-

Biodegrada	tion			
% Degradation	Time (days)	Method	Evaluation	Note
No information available				

12.3	Bioaccumulative potenti	al				
	Octanol-water partition	coefficien	t (log Ko	w)		
Value	Concentration	рН	°C	Method	Evaluation	Note
-	-	_	-	-	-	-
	·	-	-	-	i .	



Page 12 of 16

				- 3 -	
Trading name:		ACID SOLUTION	ON		
Product code:	KOT-OT-X**	Date of compilation:	26 June 2019	Version:	3

Vá	alue		Species		١	∕lethod	l	E۱	aluatio	on		Note
No infor available		No availa	inform ible	ation				No information available		-		
	Chronic e	cotoxic	ity									
i	Value		Dose		osure ime	Spe	ecies	Meth	od	Eva	aluation	Note
Chronic	toxicity on	ı fish	LC ₅₀	No infor availa	mation able	No inforr availa	nation ible	No informa availab		No infoi avail	rmation able	-
Chronic toxicity on crustacea (<i>Daphnia</i>)		EC ₅₀	No infor availa	mation able	No inforr availa	mation ible	No informa availab		No infoi avail	rmation able	-	
	Known or	predict	od distributi	on in c	nuironm							
	No inform	nation a		OHIHE	environini	ental c	ompart	ments:				
	No inform	nation a	vailable				ompart		d			Note
	No inform	nation a ension: N	vailable °C	C No	oncentra informa ilable	tion		Metho			_	Note
	No inform Surface te Value No information	nation a ension: N	°C o formation	C No	oncentra informa	tion	No inf	Metho			-	Note
	No inform Surface te Value No informatic available Adsorption	nation a ension: N on in av	°C o formation vailable orption	C No	oncentra informa	tion	No inf	Metho			-	Note
Transpo	No inform Surface te Value No informatio available Adsorptio	ension: Non in average A/D coe	°C o formation vailable orption	No ava	oncentra informa	tion	No inf	Metho formation ole	1	Metho		Note
Transpo Soil-wat	No inform Surface te Value No informatio available Adsorptio	ension: Non in average A/D coelenry's coele	°C o formation vailable orption	No ava	oncentra informa ilable og Kow	tion tion Ev	No inf availal	Methodological Method	1	nforma	od	
•	No inform Surface te Value No informatio available Adsorption ort H No avail	on / des A/D coe Henry's o	°C oformation vailable orption efficient constant	No ava	oncentra informa ilable og Kow nformation able	tion tion Eventon No aventon No	No inf availal vaporati	Methodological Method	No ir avail:	nforma able nforma	od ation	



Page 13 of 16

Trading name:			ACID SOLUTION				
Product code: KOT-OT-X**		KOT-OT-X**	Date of compilation:	26 June 2019	Version: 3		
	Not applic	able.					
12.6		erse effects					
	No further	relevant information	available.				
		osal considerations					
13.1	Waste tr	eatment methods					
4044							
13.1.1.		Packaging disposal:					
	Submit f	,	al person authorized by the Min	istry of Environment	al and Nature		
	1.0000						
13.1.2.	Waste co	odes/waste designation	ons according to Law:				
	15 01 10	*: Packaging that cor	itains residual hazardous substai	nces or is contamina	ted with hazardous		
	substand						
13.1.3.	Waste tr	eatment – relevant in	formation:				
	No infor	mation available					
13.1.4.	Sewage	disposal – relevant in	formation:				
	Waste must not be disposed of into the sewage system.						
	5						
13.1.5.	Other di	sposal recommendat	ons:				
			t's remains into the sewage syste				
		,	charge. Do not dispose of the pa rs authorized by the ministry in o	5 5	wage system. Submit		
13.1.6.		Community provisio	<u> </u>	ge.			
13.1.0.			ding to official regulations.				
			anig to omeiar regulations.				
SECTIO	N 14 TRAN	SPORT INFORMATI	ON				
		ng/shipment by road					
UN nur			Not subject to transport regu	lations			
UN pro	per shipping	name:					
······	ort hazard cl		_				
•	g group:		-				
·····	mentally ha	zardous:	-				
Special	precautions	for user:	-				



Page 14 of 16

Trading name:		ACID SOLUTION	ON		
Product code:	KOT-OT-X**	Date of compilation:	26 June 2019	Version:	3

Transporting/shipment by rail (RI	D)
UN number:	Not subject to transport regulations
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-
Inland waterway transport (ADN)	
UN number:	Not subject to transport regulations
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-
Transporting/shipment by sea (IN	/IDG)
UN number:	Not subject to transport regulations
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:	-
Transporting/shipment by air (ICA	AO-TI/IATA-DGR)
UN number:	Not subject to transport regulations
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-
Further information: -	

SECTI	SECTION 15. Regulatory information		
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture		
	EU regulations		



Page 15 of 16

Trading name:	ACID SOLUTION				
Product code: KOT-OT-X**		Date of compilation:	26 June 2019	Version:	3

	Authorizations:	
	Authorizations:	-
	Restrictions:	-
		EC Regulation No. 1906/2007 and EC Regulation No. 1272/2008 of the European Parliament and the European Council; Regulation (EC) No. 1907/2006 of the European Parliament and Council or
		registration, evaluation, authorization and restriction of chemical substance (REACH);
	Other EU regulations:	EC Regulation No. 2037/200 of the European Parliament and Council from 29 June 2000 on substances that damage the ozone layer;
		EC Regulation No. 689/2008 of the European Parliament and Council from 17 June 2008 concerning the export and import of dangerous chemicals;
		EC Regulation No. 850/2004 of the European Parliament and Council from 29 April 2004 about persistent organic pollutants;
		Directive 2008/98/EC of the European Parliament and Council of 19 November 2008 on waste and repealing certain Directives
	Information according 19 guideline)	99/13/EC about limitation of emissions of volatile organic compounds (VOC-
	National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste,
		Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act
.2	Chemical safety assessme	ent

SECTIO	ON 16. Other information		
16.1	Indication of changes:	-	
		PBT	Stable, bioaccumulative and toxic
		vPvB	Strongly stable and strongly bioaccumulative.
16.2	Abbreviations and acronyms:	LD ₅₀	Lethal dose, 50%
		LC ₅₀	Lethal concentration, 50%
		TCOJ	Specific target organ toxicity - single exposure
16.3.	Key literature references and source of data:	-	
16.4. Classification and procedure us 1272/2008 (CLP)		sed to derive th	e classification for mixture according to Regulation (EC)
Classification		Classification pr	ocedure
-	-		
16.5. Relevant H statements (numl		r and full text)	



Page 16 of 16

Trading name: ACID SOLUTION		ION				
	Product code:	KOT-OT-X**	Date of compilation:	26 June 2019	Version:	3

	H: -	-
16.6.	Training advice:	-
16.7.	Further information:	** "X" in the product code marks different volumes (different packagings of the product) We are not responsible for consequences in case of failure to comply with
10.7.	ruttiei iiiioiiiatioii.	instructions for use or improper use of the product described in this material safety data sheet.

ANNEX: Exposure scenario resulting to chemical safety assessment
-