

Page 1 of 17

Trade name:	BIO-DIFF 1 REAGENT			-	
Product code:	BD1-OT-X**	Date of compilation:	06 June 2019	Version:	4

SECTI	ON 1: Identification of the subst	tance/mixture a	nd of the company/undertaking		
1.1.	Product identifier				
	Trade name:	BIO-DIFF 1 RE	AGENT		
	Chemical name:	-			
	Catalogue number:	BD1-OT-X**			
1.2.	Relevant identified uses of the	substance or mix	ture and uses advised against		
	Uses: Fixative agent, component of Bio-Diff kit.				
	Uses advised against:	Only the iden	Only the identified uses are advised.		
	Reason why uses advised against:	The product is intended for use only as an <i>in vitro</i> diagnost device, registered at the Agency for Medicinal Products and Devices and there is no reason to use it for other purposes.			
1.3.	Details of the supplier of the sa	fety data sheet			
	Supplier:	BioGnost Ltd.			
	Address:	Medjugorska	59, Zagreb		
	Telephone number:	+385 1 2409997			
	Telefax:	+385 1 24040	39		
	e-mail of competent person:	msds@biogno	ost.hr		
	National contact:				
1.4.	Emergency telephone numbers				
	National Protection and Rescue	e Directorate:	112		
	Medical information:		+385 1 2348 342		
	Other information:		-		

SECTIO	SECTION 2. Hazards identification					
2.1.	Classification of the substance or mixture					
2.1.1.	Classification according to Regulation (EC) No	1272/2008 (CLP)				
	Hazard class and category code:	Hazard statement*:				
	Flam. Liq. 2 H225					
	Acute Tox. 3 H301					
	Acute Tox. 3 H311					
	Acute Tox. 3	H331				
	STOT SE 1	H370				
2.1.2.	Additional information	Additional information				
	-					
* For fu	r full text of Hazard- and EU Hazard-statements: see SECTION 16					
2.2.	Label elements					
	Product identification: BIO-DIFF 1 REAG	FENT				



Page 2 of 17

Trade name:	BIO-DIFF 1 REAGENT				
Product code:	BD1-OT-X**	Date of compilation:	06 June 2019	Version:	4

	Identification number:	-
	Authorisation number:	-
	Hazard pictograms:	GHS02 GHS06 GHS08
	Signal word:	Danger
	Hazard statements:	H225 Highly flammable liquid and vapor. H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled. H370 Causes damage to organs (eyes).
	Precautionary statements:	P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280 Wear protective gloves, protective clothing, eye protection, face protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P308+P311 IF exposed or concerned: Call a POISON CENTER or doctor.
	Supplemetal hazard information (EU):	-
2.3.	Other hazards	
	-	

SECTION 3. Composition/information on ingredients						
CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)		



Page 3 of 17

Trade name:	BIO-DIFF 1 REAGE			BIO-DIFF 1 REAGENT	
Product code:	BD1-OT-X**	Date of compilation:	06 June 2019	Version: 4	-

67-56-1/ 200-659-6/ 603-001-00-X	01-2119433307- 44-xxxx	90-100 %	methanol	Flam. Liq. 2, H225 Acute Tox. 3, H331 Acute Tox. 3, H311 Acute Tox. 3, H301 STOT SE 1, H370
--	---------------------------	----------	----------	---

4.1.	Description of first aid m	neasures
	General notes:	First aider needs to protect himself.
	Following inhalation:	Carry the afflicted person out for fresh air, place them in half lying position and calm them down. If breathing stops, immediately apply artificial respiration, if necessary also oxygen. In case of irregular breathing or respiratory arrest provide artificial respiration.
	Following skin contact:	Remove contaminated clothing. Wash with plenty of water and soap for at least 20 minutes. Seek medical assistance if the symptoms of irritation remain.
	Following eye contact:	Rinse out with plenty of water with the eyelid held wide open for at least 20 minutes. If the symptoms remain, immediately call in ophthalmologist.
	Following ingestion:	Rinse with water and expectorate. Make the afflicted person drink one glass (100 ml) of 40% ethanol (adult dose). Call a doctor immediately (mention methanol ingestion). Only in exceptional cases, if no medical care is available within one hour, induce vomiting (only in fully conscious persons) and make victim drink ethanol again (approx. 0.3 ml of a 40% alcoholic beverage/kg body weight/hour). Do not attempt to neutralise.
	Self-protection of the first aider	Avoid direct contact with the chemical; use appropriate protective equipment described in Section 8.
4.2.	Most important sympto	ms and effects, both acute and delayed
	Following inhalation:	Irritation to the airways and possible damage to the lung probably only through very high vapor concentrations, then even absorptive-toxic effects.
	Following skin contact:	Minor/no irritation, degreasing action, following massive contact watch for danger of skin absorption and possibly delayed onset of systemic effects.
	Following eye contact:	Slight through to moderate irritation due to the liquid and concentrated vapors conjunctivitis, later chemosis, apparently minor probability of cornea damage, later occurring visual disturbances are caused not primarily through local contact but are systemically related (following absorption).
	Following ingestion:	Stomach and bowel irritation, feeling unwell, nausea, vomiting, strong abdominal pain. Absorption may cause toxic effects.

SECTION 5. Firefighting measures

5.1. Extinguishing media



Page 4 of 17

Trade name:		BIO-DIF	F 1 REAGENT		
Product code:	BD1-OT-X**	Date of compilation:	06 June 2019	Version:	4

	Suitable extinguishing media: Small fire - water spray, foam, dry powder, CO ₂ Large fire - water spray or alcohol-resistant foam			
	Unsuitable extinguishing media:	No information available		
5.2.	Special hazards arising from the sub	stance or mixture		
	Hazardous by products of fire:	During heating or in case of fire poisonous gases are produced.		
5.3.	Advice for firefighters			
	Use a self-contained open-circuit compressed air breathing apparatus and fireproof clothing. Cool closed containers exposed to fire with water spray, in order to prevent explosion.			
5.4.	Additional information			
	Remove sources of heat and ignition. Collect contaminated fire fighting water separately. Do not contaminate the environment with extinguishing media.			

SECTIO	ON 6. Accidental release	measures		
6.1.	Personal precautions, protective equipment and emergency procedures			
6.1.1.	For non-emergency personnel			
	Protective equipment:	Use personal protective equipment (see Section 8).		
	Accident prevention m	ethods: Evacuate members of all non-essential personnel and those members without protective equipment. Do not breathe in vapor, ensure adequate ventilation and avoid contact with skin and eyes. Remove all sources of sparks and ignition. Do not smoke.		
	Emergency procedures	: Mark the area using proper signs.		
6.1.2.	For emergency respond	ders:		
	Use protective equipm (see Section 8).	ment; in case of inadequate ventilation use adequate airways protective equipment		
6.2.	Environmental precaut	ions:		
		wage, drainage system and waterways. Risk of explosion.In case of large spillage ction and Rescue Directorate (NPRD) on 112.		
6.3.	Methods and materials	for containment and cleaning up		
6.3.1.	Bunding, covering of drains; capping procedures:	Cover drains. Collect, bind and pump off spills.		
6.3.2.	For cleaning:	Where possible, the substance can be absorbed by using inflammable material (sand, diatomaceous earth, vermiculite). Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and and involved materials with water.		
6.3.3.	Other information:	Do not use tools that may cause sparks.		
6.4.	Reference to other sections			



Page 5 of 17

Trade name:		BIO-DII	FF 1 REAGENT		
Product code:	BD1-OT-X**	Date of compilation:	06 June 2019	Version:	4

See Section 7 for information on safe handling. See Section 8 for information on personal protective equipment. See Section 13 for disposal information.

SECTIO	ON 7. Handling and storage				
7.1.	Precautions for safe handling				
7.1.1.	Protection measures				
	Measures for fire prevention:		Use in well ventilated storage rooms. Keep away from sources of heat and ignition and direct sunlight. Do not smoke. Carry out measures for preventing static electricity.		
	Measures for preventing spray and dust formation	on:	Secure proper ventilation. Prevent formation of aerosols.		
	Environmental precautions:		Prevent spilling into the sewage system and waterways.		
	Other measures:		Protect against electrostatic charges.		
7.1.2.	Advice on general occupational hygiene:				
	Do not eat, drink or smoke in the workspace. Thoroughly wash hands after work and before ea		wash hands after work and before eating.		
7.2.	Conditions for safe storage, including any incompatibilities				
	Technical measures and storage conditions:	well v	in tightly closed and upright set containers in a entilated storage rooms, and away from sources at, sunlight, and other incompatible substances.		
	Packaging materials:	Manu	facturer's original packaging.		
	Requirements for storage rooms and vessels:	eep away from food and drink. Keep the containers ghtly closed.			
	Advices for storage equipment:	dvices for storage equipment: The storage must be made of hard materia must be resistant to chemicals. There must drain that directly leads into sewage system proper ventilation.			
	Further information on storage conditions:	and d	ot place the unused material in the storage room o not use empty containers for storing other icals. Do not store with incompatible materials section 10).		
7.3.	Specific end use(s)				
	Recommendations:	-			
	Industrial sector specific solutions:	-			

SECT	ION 8. Exposure controls/personal protection
8.1.	Control parameters



Page 6 of 17

						rage 0 01 17
Trade name:				BIO-DI	F 1 REAGENT	
Product code: BD1		-X**	Date of o	compilation:	06 June 2019	Version: 4
Substanc	e	C	AS No		exposure limit t term values	Biological limit values
				ppm	mg/m³	
Methanol		67	7-56-1	200	260	24.7 mmol/mol of creatinine* (7.0 mg/g of creatinine*), end-of-shift urinary excretion
* For all results pe consideration	rtaining cre	atinine l	evels, creatii	nine concentrat	ion < 0.5 g/l and	I > 3.0 g/l may not be taken into
Substance: -						

CAS No: EC No: -**DNEL**

Industrial

Industrial				
Route of	Acute	Acute	Chronic	Chronic
exposure:	effect local	effect systemic	effect local	effect systemic
Oral	-	-	-	-
Inhalation	260 mg/m³ (methanol)	260 mg/m ³ (methanol)	260 mg/m³ (methanol)	260 mg/m³ (methanol)
Dermal	-	40 mg/kg (methanol)		40 mg/kg (methanol)
Cuiti and unlayering language		and the second second second		

Critical physical parameters: solubility, flammability, corrosivity:

Consumer

Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	8 mg/kg (methanol)	-	8 mg/kg (methanol)
Inhalation	50 mg/m ³ (methanol)	50 mg/m ³ (methanol)	50 mg/m ³ (methanol)	50 mg/m ³ (methanol)
Dermal	-	8 mg/kg (methanol)		8 mg/kg (methanol)

PNEC

Environmental protection target	PNEC
Fresh water	154 mg/l (methanol)
Freshwater sediments	570.4 mg/kg (methanol)
Marine water	15.4 mg/l (methanol)
Marine sediments	No information available
Food chain	No information available
Microorganisms in sewage treatment	100 mg/l (methanol)
Soil (agricultural)	23.5 mg/kg (methanol)
Air	No information available



Page 7 of 17

Trade name:	BIO-DIFF 1 REAGENT				
Product code:	BD1-OT-X**	Date of compilation:	06 June 2019	Version:	4

8.2.	Exposure controls					
8.2.1.	Appropriate engineering measures					
	Substance/mixture related measures to prevent exposure during identified uses:	Use the product in well ventilated rooms. Use personal protective equipment. Do not eat, drink or smoke in the workspace.				
	Structural measures to prevent exposure:	No information available				
	Organisational measures to prevent exposure:	Organization of work in order to reduce other worker's influence during work process.				
	Technical measures to prevent exposure:	Secure proper workspace ventilation in order to keep concentration levels in air below permitted levels.				
8.2.2.	Personal protection equipment					
8.2.2.1.	Eye and face protection:	Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as EN 166(EU).				
8.2.2.2.	Skin protection:					
	Hand protection:	The protective gloves to be used must comply with the specification of EC Directive 2016/425 and the related standard EN374. Full contact: Glove material: butyl rubber Glove thickness: 0.70 mm Break through time: > 480 min Splash contact: Gloves material: viton (R) Glove thickness: 0.70 mm Break through time: > 120 min				
	Other skin protection:	Complete antistatic suit protecting against chemicals (EN 13688). The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace and shoes that cover the entire foot.				
8.2.2.3.	Respiratory protection:	Required when vapours/aerosols are generated. Recommended filter type: gas filter AX , colour code brown (EN 371). The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.				
8.2.2.4.	Thermal hazards:	No information available				
8.2.3.	Environmental exposure controls					
	Substance/mixture related measures to prevent exposure:	See Section 6				



Page 8 of 17

Trade name:	BIO-DIFF 1 REAGENT				
Product code:	BD1-OT-X**	Date of compilation:	06 June 2019	Version:	4

Structural measures to prevent exposure:	Use modern equipment. Do not let product enter drains. Risk of explosion.
Organisational measures to prevent exposure:	Adapt the work process to the required working conditions of the workplace.
Technical measures to prevent exposure:	See Section 6

 Information on basic physical and	d chemical properties	
	Value	Method
Physical state:	liquid	No information available
Colour:	colourless	No information available
Odour:	methanol	No information available
Odor threshold:	No information available	No information available
pH:	No information available	No information available
Melting point/freezing point:	-98 °C	No information available
Initial boiling point and boiling range:	65 °C (at 1.013 hPa)	No information available
Flash point:	12 ℃	No information available
Evaporation rate:	No information available	No information available
Flammability (solid, gas):	No information available	No information available
Upper/lower flammability or explosive limits:	lower: 6 % (V) upper: 36.5 % (V)	No information available
Vapour pressure:	128 hPa	No information available
Vapour density:	No information available	No information available
Relative density	0.79 (20 °C)	No information available
Bulk density:	No information available	No information available
Solubility(ies):	Soluble in water	No information available
Partition coefficient: n-octanol/water (log Kow):	No information available	No information available
Auto-ignition temperature:	No information available	No information available
Decomposition temperature:	No information available	No information available
Viscosity:	No information available	No information available
Explosive properties:	Not classified as explosive.	No information available
 Oxidising properties:	No information available	No information available
Other information		



Page 9 of 17

Trade name:	BIO-DIFF 1 REAGENT					
Product code:	BD1-OT-X**	Date of compilation:	06 June 2019	Version:	4	

SECTIO	ON 10.: Stability and reactivity	
10.1.	Reactivity:	See subsections 10.3 through 10.5.
10.2.	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using (room temperature).
10.3.	Possibility of hazardous reactions:	Risk of explosion with: Oxidizing agents, alkali metals, nitric acid, sulphuric acid, hydrogen peroxide, permanganic acid, sodium hypochlorite. The substance can react dangerously with: halogens, oxidizing agents, reducing agents, acids, acetyl bromide, alkylaluminium solutions, beryllium hydride, chloroform, chromium(VI)-oxide, cyanuric chloride, alkaline-earth metals, magnesium splinters, phosphorus trioxide, Raneynickel/hydrogenation, acid anhydrides, acid halogenides, tetrachloromethane/light metals.
10.4.	Conditions to avoid:	Sources of heat, sparks, and ignition.
10.5.	Incompatible materials:	Various plastics, magnesium, zinc alloys, aluminium and galvanised iron.
10.6.	Hazardous decomposition products:	No information available.

11.1. Inforr	mation on toxicological effec	cts				
Acute	e toxicity:					
Route of exposure:	Method	Species	Effective Dose LD_{50}/LC_{50} or $ATE_{mixture}$	Exposure time	Results	
Oral:	No information available	rat	LD ₅₀	-	1,187 -2,769 mg/kg (methanol)	
Dermal:	No information available	rabbit	LD ₅₀	-	17.100 mg/kg (methanol)	
Inhalation:	No information available	rat	LC ₅₀	4 h	131.25 mg/l (methanol)	
Speci	fic target organ toxicity - sin	iale evnosure (9	TOT-SEV			
эресі	Specific effe	<u> </u>	Target or	rgan	Note	
Oral:	No information availabl		No information available		-	
Dermal:	No information availabl	e	No information available		-	
Inhalation: No information available		е	No information available		-	
Aspira	ation hazard:	Irritating	Irritating to respiratory system.			



Page 10 of 17

Trade name:	BIO-DIFF 1 REAGENT					
Product code:	BD1-OT-X**	Date of compilation:	06 June 2019	Version:	4	

Irritation	and corrosion							
	Exposure	time Speci	es Evaluatio	n Method	Note			
Skin corrosion/irritatic	on -	-	-	-	-			
Serious eye - damage/irritation			-	-	-			
Sensitiza	ation							
Skin sensitization	: Does not cau	use sensitization.						
Respiratory sensitization:	No information available							
Symptor	ms related to the ph	nysical, chemical a	nd toxicological ch	naracteristics:				
Oral exposure:	Stomach and bow cause toxic effect		g unwell, vomiting	g, strong abdom	ninal pain. Absorption	on may		
Dermal exposure:		inimum level of irritation, defatting; prolonged exposure may cause absorption and greater ossibility of delayed systemic effects.						
Inhalation exposure:	-	and possible lung ause toxic effects.	damage due to hi	gh levels of vap	or concentration.			
Eye exposure:		irritation due to v /isual impairments	•		s, lesser possibility tion.	of		
	:							
Repeate	d dose toxicity (sub	acute, subchronic,	chronic)			-		
	Dose	Exposure time	Species	Method	Evaluation	Note		
Subacute oral	No information available	No information available	No information available	No information available	No information available	-		
Subacute dermal	No information available	No information available	No information available	No information available	No information available	-		
Subacute inhalation	No information available	No information available	No information available	No information available	No information available	-		
Subchronic oral	No information available	No information available	No information available	No information available	No information available	-		
Subchronic dermal	No information available	No information available	No information available	No information available	No information available	-		
Subchronic inhalation	No information available	No information available	No information available	No information available	No information available	-		



Classification observations:

Other observations:

BIOGNOST ® SAFETY DATA SHEET According to Regulation (EC) No. 1907/2006

Trade name:			BIO-DII	F 1 RE	AGENT			
Product code:	BD1-OT-X**	Date of comp	oilation:	06 Ju	ne 2019	Versio	n: 4	
Chronic oral	No information available	No information available	No information available		No information available	No infor		-
Chronic dermal	No information available	No information available	No informa		No information available	No infor		_
Chronic inhalation	No information available	No information available	No		No information available	No information available		-
Specific	target organ toxic	ity - repeated expos	sure (STO	T-RE):				
<u> </u>	-	Specific effe	ects		Target orga	n	N	ote
Subacute oral		No information ava	ilable	No i	nformation avai	lable	-	
Subacute derma	I	No information ava	lo information available		No information available		-	
Subacute inhalat	tion	No information ava	No information available		nformation avai	lable	_	
Subchronic oral		No information ava	No information available		No information available -		-	
Subchronic dermal		No information ava	No information available		No information available -		-	
Subchronic inhal	lation	No information available		No information available -		-		
Chronic oral		No information ava	No information available		nformation avai	lable	-	
Chronic dermal		No information available		No i	nformation avai	lable	-	
Chronic inhalation	on	No information ava	available No ii		nformation avai	lable	-	
CMR ef	fects (carcinogenic	ity, mutagenicity, re	productiv	e toxicit	cy)			
Carcino	genicity:		Current carcinog		on mice an ects.	d rats di	d not	indica
Mutage	enicity <i>in-vitro</i> :		Current i	<i>n vitro</i> t	ests did not ind	icate muta	genic eff	ects.
Genoto	xicity:		No information available					
Mutage	enicity <i>in-vivo</i> :		Current in vivo tests did not indicate mutagenic effects.					ects.
Germ co	ell mutagenicity :		No information available					
Reprod	Reproductive toxicity:			No toxicity on reproductive organs was determined in lo concentrations.				
	Summary of evaluation of the CMR properties; :				indicate that lo CMR effects. I			
11 2	l avacriar							
11.2. Practica	ll experiences:							

No information available No information available



Page 12 of 17

Trada name		BIO DII	T 1 DEACENIT	<u>J</u>			
Trade name:		BIO-DIFF 1 REAGENT					
Product code:	BD1-OT-X**	Date of compilation:	06 June 2019	Version:	4		

11.3.	General notes:
	-

SECTIO	N 12. Ecological information
12.1.	Toxicity

Acute (short-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	Lepomis macrochirus (Bluegill sunfish)	No information available	No information available	15.400 mg/l (methanol)
Crustacea:	EC ₅₀	48 hours	Daphnia magna	No information available	No information available	>10.0000 mg/l (methanol)
Algae/aquatic plants:	IC ₅₀	8 days	Pseudokirchneri ella subcapitata (green algae)	No information available	No information available	22.000 mg/l (methanol)
Other organisms	-	-	-	-	-	-
Chronic (long-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	No information available	No information available	No information available	-
Crustacea:	EC ₅₀	48 hours	No information available	No information available	No information available	-
Algae/aquatic plants:	IC ₅₀	72 hours	No information available	No information available	No information available	-
Other organisms	-	-	-	-	-	-

12.2. Persistence and degradability

Abiotic degradation

	Degradation half-lives	Method	Evaluation	Note
Marine water	No information available	No information available	No information available	-
Fresh water	No information available	No information available	No information available	-
Air	No information available	No information available	No information available	-
Soil	No information available	No information available	No information available	-



Page 13 of 17

Trade name:	BIO-DIFF 1 REAGENT						
Product code:	BD1-OT-X**	Date of compilation:	06 June 2019	Version:	4		

	Biod	legrad	ation							
% De	egradat	ion	Time (d	ays)	N	Лethod	Evaluation		Note	
99%		30 days		OECD Te 301D	est Guieline	No information available		readily biodeg (methanol)	radable	
12.3.	Bioa	ccumı	ulative potent	ial						
			ater partition		nt (log Kov	w)				
Val	ue	Coi	ncentration	рН	°C	Method	Evaluat	on	Not	e
- 0.77 (metha	anol)	No availa	information able	-	-	experimental	No informa available	tion	bioaccumula not expecte	
		oncen	tration Factor							
	Value		Spec			Method	Evaluation		Note	
No information available		No informat available			formation ble	No information available		No information available		
	Chrc	onic ed	cotoxicity							
	Chro		cotoxicity	se E	xposure time	Species	Method		Evaluation	Note
Chron	1	ue	Do	No info	•	Species No information available	Method No information available		Evaluation information ilable	Note
Chroni	Val	ity on	fish LC ₅₀	No info	time	No information	No information	ava No	information	
Chroni	Val ic toxic ic toxic cea (Da	ity on ity on aphnia	fish LC ₅₀	No info	time ormation ilable ormation	No information available No information	No information available No information	ava No	information ilable information	
Chroni	Val ic toxic ic toxic cea (Da	ity on aphnia	fish LC ₅₀	No info	time ormation ilable ormation ilable	No information available No information	No information available No information available	ava No	information ilable information	
Chroni	Val ic toxic ic toxic cea (Da Mob	ity on ity on aphnia bility ir	fish LC ₅₀	No info ava info ava	time ormation ilable ormation ilable	No information available No information available	No information available No information available	ava No	information ilable information	
Chroni	Val ic toxic ic toxic cea (Da Mob Know	ity on ity on aphnia bility ir	fish LC ₅₀) EC ₅₀ n soil predicted disation available	No info ava info ava	time ormation ilable ormation ilable	No information available No information available	No information available No information available	ava No	information ilable information	



Page 14 of 17

Trade name:		BIO-DIFF 1 REAGENT									
Produc	ct co	de:	BD1-OT-X** Date of compilation: 06 June 2019 Version: 4						4		
	No ava	infor ilable	mation	No i available	nformation	No ir	nformati	ion available	e No informa	ation availab	ole -
	Ads	orptio	n / deso	rption							
Transpo	ort		v/D coef enry's co		log Ko	w	Evapo	ration rate	Method		Note
Soil-Wa	ater	No availa		formation	No inform available	nation	No inf availat	ormation ole	No informat available	ion -	
Water-	Air	No availa		formation	No inform available	nation	No inf availat	ormation ole	No informat available	ion -	
Soil-Air		No availa		formation	No inform available	nation	No inf availat	ormation ole	No informat available	ion -	
12.6.	No	inform	erse effe ation av	ailable							
				sideration	is .						
13.1.	V\	aste tr	eatment	methods							
13.1.1.	Pı	roduct,	/Packagi	ng disposa	ıl:						
	m	nix with	other so	orts of was					nd local rules a rson authorize		
13.1.2.	W	Waste codes/waste designations according to Law:									
				available							
13.1.3.	١٨	laste co	ndes/wa	ste designa	ations accor	dina ta	o Low.				
13.1.3.	1.)*: packa					s substance	s or is contam	inated with	hazardo
12.5.1											
13.1.4.	S	ewage	aisposal	 relevant 	information	1:					



Page 15 of 17

Trade name:	BIO-DIFF 1 REAGENT				
Product code:	BD1-OT-X**	Date of compilation:	06 June 2019	Version:	4

	Waste must not be dispo	sed of into the sewage system.			
	· ·				
13.1.5.	Other disposal recommer	ndations:			
	Do not dispose of the product's remains into the sewage system. Submit the remains to the collectors authorized by the ministry in charge. Do not dispose of the packaging into the sewage system. Submit the packaging to the collectors authorized by the ministry in charge. Do not dispose of in places where ignition may occur.				
13.1.6.	Relevant Community prov	visions:			
	Disposal must be made a	ccording to official regulations.			
SECTION	N 14. Transport information	on			
	Transporting/shipment by I	road (ADR)			
UN num	ber:	1230			
UN prop	er shipping name:	Methanol			
Transpoi	rt hazard class(es):	3 (6.1)			
Packing	group:	п			
Environn	nental hazards:	-			
Special p	precautions for user:	-			
	Transporting/shipment by	rail (RID)			
UN num	ber:	1230			
UN prop	er shipping name:	Methanol			
Transpoi	rt hazard class(es):	3 (6.1)			
Packing	group:	II			
Environn	nental hazards:	-			
Special p	precautions for user:	-			
	Transporting/shipment by i	nland waterways (ADN)			
UN num	ber:	1230			
UN prop	er shipping name:	Methanol			
Transpoi	rt hazard class(es):	3 (6.1)			
Packing	group:	II			
Environn	nental hazards:	-			
Special precautions for user:		-			
	Transporting/shipment by s	sea (IMDG)			
UN num	ber:	1230			
UN prop	er shipping name:	Methanol			
Transpoi	rt hazard class(es):	3 (6.1)			
Packing group:		II			



Page 16 of 17

				. a.ge = e e : = :	
Trade name:	BIO-DIFF 1 REAGENT				
Product code:	BD1-OT-X**	Date of compilation:	06 June 2019	Version: 4	

Environmental hazards:	-
Special precautions for user:	-
Transport in bulk according to Annex II of MARPOL73/78 and the IBC code:	-
Transporting/shipment by air (IC	AO-TI/IATA-DGR)
UN number:	1230
UN proper shipping name:	Methanol
Transport hazard class(es):	3 (6.1)
Packing group:	П
Environmental hazards:	-
Special precautions for user:	-
Further information: -	

15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture				
	EU regulations				
	Authorisations and/or res	strictions on use			
	Authorisations:	-			
	Restrictions:	-			
	Other EU regulations:	EC Regulation No. 1906/2007 and EC Regulation No. 1272/2008 of the European Parliament and the European Council; The European Commission Regulation No. 453/2006 of 2010 on changes and amendments to the Regulation (EC) No. 1907/2006 of the European Parliament and Council on registration, evaluation, authorization and restriction of chemical substances (REACH); EC Regulation No. 2037/200 of the European Parliament and Council of 29 June 2000 on ozone-depleting substances; EC Regulation No. 689/2008 of the European Parliament and Council of 17 June 2008 concerning the export and import of dangerous chemicals; EC Regulation No. 850/2004 of the European Parliament and Council of 29 April 2004 on persistent organic pollutants; Directive 2008/98/EC of the European Parliament and Council of 19 November 2008 on waste and repealing certain Directives			



Page 17 of 17

Trade name:	BIO-DIFF 1 REAGENT				
Product code:	BD1-OT-X**	Date of compilation:	06 June 2019	Version:	4

	National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act
15.2.	Chemical safety assessment	
	None	

SECTIO	ON 16	. Other information				
16.1.	Indi	cation of changes:	-			
16.2.		previations and onyms:	PBT Stable, bioaccumulative and toxic vPvB Strongly stable and strongly bioaccumulative. LD ₅₀ Lethal dose, 50% LC ₅₀ Lethal concentration, 50% STOT-SE Specific target organ toxicity – single exposure IMDG International Maritime Dangerous Goods IATA International Air Transport Association GHS Globally Harmonized System of Classification and Labelling of Chemicals			
16.3.	Key literature references and source of data:		-			
16.4.	16.4. Classification and procedure 1272/2008 (CLP)		used to derive the classification for mixture according to Regulation (EC)			
Classifi	icatior	1	Classification procedure			
-			-			
16.5.	Rele	evant H statements (numl	per and full text)			
	H:	225	Highly flammable liquid and vapor.			
		301+311+331	Toxic if swallowed, in contact with skin or if inhaled.			
		370	Causes damage to organs (eyes).			
16.6.	Trai	ning advice:	-			
16.7.	Further information:		** "X" in the product code marks different volumes (different packaging of the product) We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.			

ANNEX: Exposure scenario resulting to Chemical safety assessment