

Page 1 of 16

Trading name:		BIOSCHIFF REAGENT				
Product code:	BS-OT-X**	Date of compilation:	27 June 2019	Version:	3	

SECTI	ON 1: Identification of	the substance	e/mixture	and of the company/undertaking	
1.1	Product identifier				
	Trading name:	BIOSCHIFF	REAGENT		
	Chemical name:	-			
	Catalogue number:	BS-OT-X**	BS-OT-X**		
1.2	Relevant identified us	es of the subs	s of the substance or mixture and uses advised against		
	Uses:		ecting aldehydes and mucous substances.		
	Uses advised against:		Only the	e identified uses are advised.	
	Reason why uses advi	ised against:	The product is intended for use only as an <i>in vitro</i> diagnostic medical device, registered at the Agency for Medicinal Products a Medical Devices and there is no reason to use it for other purpose.		
1.3	Details of the supplier	r of the safety	data shee	t	
	Supplier:		BioGnos	t Ltd.	
	Address:		Medjug	orska 59, Zagreb	
	Telephone number:		+385 1 2409997		
	Telefax.:		+385 1 2	2404039	
	e-mail of competent	person:	msds@b	<u>piognost.hr</u>	
	National contact:		-		
1.4	Emergency telephone	number			
_	National Protection a	nd Rescue Dire	ectorate:	112	
	Medical information:			+385 1 2348 342	
	Other information:			-	

SECTIO	TION 2. Hazards identification					
2.1	Classification of the substance or mixture					
2.1.1	Classification according to R	Classification according to Regulation (EC) No 1272/2008 (CLP)				
	Hazard class and cat	Hazard class and category code: Hazard statements*:				
	-		EUH031			
2.1.2.	Additional information					
	-					
*For ful	ll text of Hazard- and EU Haza	rd-statements: see	SECTION 16			
2.2	Label elements					
	Product identification:	BIOSCHIFF REA	AGENT			
	Identification number:	-				
	Authorization number: -					
	Hazard pictograms:	-				
	Signal word:	-				



Page 2 of 16

Trading name:	BIOSCHIFF REAGENT				
Product code:	BS-OT-X**	Date of compilation:	27 June 2019	Version:	3

	Hazard statements:	EUH031 Contact with acids liberates toxic gas.
	Precautionary statements:	P281 Use personal protective equipment as required.
	Supplemetal hazard information (EU):	-
2.3	Other hazards	
	-	

SECTION 3. Co	SECTION 3. Composition/information on ingredients							
CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)				
7681-57-4/ 231-673-0/ 016-063-00-2	-	< 3	sodium metabisulfite	Acute Tox. 4; H302 Eye Dam. 1; H318 EUH031				
7647-01-0/ 231-595-7/ 017-002-01-X	-	< 3	hydrochloric acid, 36.5%	Skin Corr. 1B; H314 Acute Tox. 3; H331				

SECTIO	ON 4. First aid measures	
4.1	Description of first aid measures	
	General notes:	If the suggested first aid measures do not prove sufficient, seek medical attention.
	Following inhalation:	Carry the afflicted person out of the contaminated area into a well-ventilated area or out for fresh air. In case of difficult breathing, provide the afflicted person with oxygen.
	Following skin contact:	Remove contaminated clothing. Immediately wash with plenty of water for at least 20 minutes. Seek medical assistance if the symptoms of irritation remain.
	Following eye contact:	Rinse out with plenty of water with the eyelid held wide open for at least 20 minutes. If the symptoms remain, immediately call in ophthalmologist.
	Following ingestion:	Rinse the oral cavity, drink 1-2 glasses of water. Immediately consult a physician and show the container or label. In case of swallowing large quantities, transport the afflicted person to the hospital.
	Self-protection of the first aider:	-
4.2	Most important symptoms and eff	ects, both acute and delayed
	Following inhalation:	Depending on concentration and exposure time, it may lead to mucosa irritation, cough, and dyspnea.
	Following skin contact:	Depending on concentration and exposure time, it may lead to irritation, rash, skin drying and skin cracking.



Page 3 of 16

Trading name:		BIOSCHIFF REAGENT				
Product code:	BS-OT-X**	Date of compilation:	27 June 2019	Version:	3	

	Following eye contact:	Depending on concentration and exposure time, it may lead to irritation, tearing, redness and pain.
	Following ingestion:	Depending on concentration and exposure time, it may lead to stinging and digestive mucus damage, abdominal pain, nausea, vomiting.
4.3	Indication of any immediate medical attention and special treatment needed	
	-	

SECTI	SECTION 5. Firefighting measures				
5.1	Extinguishing media	Extinguishing media			
	Suitable extinguishing media:	Small fire - water spray, dry powder, CO ₂ Large fire - water spray or alcohol-resistant foam			
	Unsuitable extinguishing media:	Water jet			
5.2	Special hazards arising from the su	Special hazards arising from the substance or mixture			
	Hazardous combustion products: Sulfur oxides.				
5.3	Advice for firefighters				
	Use a self-contained open-circuit	Use a self-contained open-circuit compressed air breathing apparatus and fireproof clothing.			
5.4	Additional information	Additional information			
	Do not contaminate the environm	ent with extinguishing media.			

SECTIO	CTION 6. Accidental release measures				
6.1	Personal precautions, protective equipment and emergency procedures				
6.1.1.	For non-emergency personnel				
	Protective equipment:	Use personal protective equipment (see Section 8).			
	Accident prevention methods: Evacuate members of all non-essential personnel and those members without protective equipment. Avoid breathing vapors and avoid contact with skin and eyes. Do not smoke.				
	Emergency procedures: Mark the area using proper signs.				
6.1.2.	For emergency responders:				
	Use protective equipment; in case of inadequate ventilation use adequate airways protective equipment (see Section 8).				
6.2	Environmental precautions:				
	Do not dispose of in sewage, drainage system and waterways. In case of large spillage contact National Protection and Rescue Directorate (NPRD) on 112.				
6.3	Methods and material for containment and cleaning up				
6.3.1.	Bunding, covering of drains; capping procedures:	Bunding, covering of drains; Sand or clay harriers			



Page 4 of 16

Т	rading name:		BIOSCHIFF REAGENT				
P	Product code:	BS-OT-X**	Date of compilation:	27 June 2019	Version:	3	

6.3.2.	Cleaning up:	Where possible, the substance can be absorbed by using absorbing material. Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and and involved materials with water.
6.3.3.	Other information:	Do not use incompatible materials (see Section 10).
6.4	Reference to other sections	
	-	

SECTIO	ON 7. Handling and storage						
7.1	Precautions for safe handling						
7.1.1.	Protection measures						
	Measures to prevent fire:		Use in well ventilated storage rooms.				
	Measures to prevent aerosol and dust generation	on:	Secure proper ventilation.				
	Measures to protect the environment:		Prevent spilling into the sewage system and waterways.				
	Other measures:		-				
7.1.2.	Advice on general occupational hygiene:						
	Do not eat, drink or smoke in the workspace. Thoroughly wash hands after work and before eating.						
7.2	Conditions for safe storage, including any incon	npatibilities					
	Technical measures and storage conditions:		phtly closed and upright set containers in a ated storage roomsat temperatures ranging 25 °C.				
	Packaging materials:	Manufactu containers	ırer's original packaging. Avoid metal				
	Requirements for storage rooms and vessels:	Keep away tightly clos	r from food and drink. Keep the containers sed.				
	Advices for storage equipment:	must be re	ge must be made of hard material; floors esistant to chemicals. There must be no drain ly leads into sewage system. Secure proper i.				
	Further information on storage conditions:	and do no	t use empty containers for storing other Do not store with incompatible materials on 10).				
7.3	Specific end use(s)						
	Recommendations:	-					
	Industrial sector specific solutions:	-					



Page 5 of 16

Trading name:	BIOSCHIFF REAGENT						
Product code: BS-OT-X**		Date of compilation:	27 June 2019	Version:	3		

SECTION 8. Exposure controls/personal protection									
8.1 Control parameters									
Substance		CA				exposure limit term values	Biological limit values		
			р	pm	mg/m ³				
sodium metabisulfi	te	7681-57	7-4		-/-	5/-	No information available		
Substance name:	-	1				T			
EC No:	-	CAS No	: -						
DNEL	DNEL								
			<u> </u>	Ind	ustrial				
Route of	Acı		_	ute		Chronic	Chronic		
exposure:	effect	local	effect s	ystemi	С	effect local	effect systemic		
Oral	-		-		-		-		
Inhalation	-		-		-		-		
Dermal	-		-		-	;	-		
Critical physical par	rameters: s	olubility,	flammabilit	ty, corr	osivity:	-			
				Con	onsumer				
Route of	Acı	ute	Ac	ute	Chronic		Chronic		
exposure:	effect	local	effect s	systemi	nic effect local		effect systemic		
Oral	-		-		-		-		
Inhalation	-		-		-		-		
Dermal	-		-		-		-		
PNEC									
Environmental prot	ection tar	get		ı	PNEC				
Fresh water				١	No information available				
Freshwater sedime	nts			I	No inforr	nation available			
Marine water				I	No information available				
Marine sediments				ı	No inforr	nation available			
Food chain				ı	No information available				
Microorganisms in	sewage tr	eatment		ı	No inforr	nation available			
Soil (agricultural) No information a					nation available				
Air				ı	No inforr	nation available			
8.2 Exposi	ure contro	ls							
8.2.1. Appro	8.2.1. Appropriate engineering controls								



Page 6 of 16

Trading name:		GENT			
Product code:	BS-OT-X**	Date of compilation:	27 June 2019	Version:	3

	Substance/mixture related measu prevent exposure during identified		Use the product in well ventilated rooms. Use personal protective equipment. Do not eat, drink or smoke in the workspace.				
	Structural measures to prevent exposure:		In accordance with Section 7.				
	Organisational measures to preve exposure:	nt	Organization of work in order to reduce other worker's influence during work process.				
	Technical measures to prevent ex	posure:	Secure proper workspace ventilation in order to keep concentration levels in air below permitted levels. Secure stations for rinsing eyes and showering.				
8.2.2.	Personal protection equipment						
8.2.2.1.	Eye and face protection:	levels o	glasses that stick to face (EN 166) or visor in case of lower of concentration in air; protective gas mask that covers the face in case of higher levels of concentration in air.				
8.2.2.2.	Skin protection						
	Hand protection:	Protec	tive nitrile gloves, 0.11 mm thick (EN 374).				
	Other skin protection:		antistatic clothing made of natural fibers (such as cotton) ang sleeves (EN 340) and shoes that cover the entire foot.				
8.2.2.3.	Respiratory protection:	combii	le mask (EN 136) or half mask (EN 140) equipped with a ned "A1 + Form" filter (EN 143) used when concentration exceed GVI.				
8.2.2.4.	Thermal hazards:	No info	ormation available				
8.2.3.	Environmental exposure controls						
	Substance/mixture related measures to prevent exposure:	See Se	ction 6				
	Structural measures to prevent exposure:	Use mo	odern equipment.				
	Organisational measures to prevent exposure:	Adapt workpl	the work process to the required working conditions of the place.				
	Technical measures to prevent exposure:	See Se	ction 6				

SECT	SECTION 9. Physical and chemical properties						
9.1	Information on basic physical and chemical properties						
		Value	Method				
	Physical state:	liquid	No information available				
	Colour:	colourless	No information available				
	Odour:	sharp	No information available				
	Odor threshold:	No information available	No information available				
	pH:	<2	No information available				



Page 7 of 16

Trading name:		-			
Product code: BS-OT-X**		Date of compilation:	27 June 2019	Version:	3

	Melting point / freezing point;	No information available	No information available
	Initial boiling point and boiling range:	No information available	No information available
	Flash point:	No information available	No information available
	Evaporation rate:	No information available	No information available
	Flammability (solid, gas):	No information available	No information available
	Upper/lower flammability or explosive limits:	No information available	No information available
	Vapour pressure:	No information available	No information available
	Vapour density:	No information available	No information available
	Relative density:	No information available	No information available
	Bulk density:	No information available	No information available
	Solubility(ies):	No information available	No information available
	Partition coefficient: n-octanol/water (log Kow):	No information available	No information available
	Auto-ignition temperature:	No information available	No information available
	Decomposition temperature:	No information available	No information available
	Viscosity:	No information available	No information available
	Explosive properties:	No information available	No information available
	Oxidising properties:	No information available	No information available
9.2	Other information		
	-		

SECTIO	SECTION 10. Stability and reactivity					
10.1	Reactivity:	No information available				
10.2	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using.				
10.3	Possibility of hazardous reactions:	No information available				
10.4	Conditions to avoid:	No information available				
10.5	Incompatible materials:	Strong oxidants (acids).				
10.6	Hazardous decomposition products:	Sulfur dioxide, sodium oxide.				

SECTION	SECTION 11. Toxicological information							
11.1	Information on toxicological effects							
	Acute toxicity:							
Route of exposure:		Method	Species	Dose LD ₅₀ /LC ₅₀ or ATE _{mix}	Exposure time	Results		



Page 8 of 16

Trading name:	BIOSCHIFF REAGENT									
Product code:	BS-OT-X**	te of c	ompilati	on: 2	27 Jun	e 2019	Ve	rsion:	3	
Oral:				informati lable	nation -			-		
Dermal:	-	_		informati lable	on	-			_	
Inhalation:	-	-		informati lable	on	-			-	
Specific tar	get organ toxici	ty – single expo	sure (S	TOT SE):						
		ific effects		, , , , , , , , , , , , , , , , , , ,	Target c	rgan			Note	
Oral:	No information			No info	rmation a		e -			
Dermal:	No information	available		No info	rmation a	availabl	e -			
Inhalation:	No information	ı available		No info	rmation a	availabl	e -			
Aspiration hazard: No information available.										
; '		<u> </u>								
Irritation ar	nd corrosion									
	Exposu	e time	Speci	es	Evaluation	on	Method		Note	
Skin corrosion/irritation:	-	-	-		-	-				
Serious eye damage/irritation	-	-			-	-	-			
	i .	i		:		:				
Sensitizatio	on									
Skin sensitization:	No in	formation availa	able							
Respiratory sensitiza	ation: No in	formation availa	able							
Symptoms	related to the pl	nysical, chemica	al and t	oxicolog	ical chara	cteristi	cs			
Oral exposure:	, ,	astrointestinal centration may				•	minal pain	s and o	cramps; hig	her
Dermal exposure:	May cause s	kin irritation.								
Inhalation exposure	: exposure an	espiratory syste d when used by astrointestinal i	/ sensit	ive persc	_			•	_	nma
Eye exposure:	May cause e	ye irritation.								
Repeated o	lose toxicity (sub	acute, subchro	nic, chr	onic)						
	Dose	Exposure time	Specie	es	Method		Evaluation	on	Note	



Page 9 of 16

Trading name:		BIOSCHIFF REA	GENT		
Product code:	BS-OT-X**	Date of compilation:	27 June 2019	Version:	3

Subacute oral	No information available	No information available	No information available	No information available	No information available	-
Subacute dermal	No information available	No information available	No information available	No information available	No information available	-
Subacute inhalation	No information available	No information available	No information available	No information available	No information available	-
Subchronic oral	No information available	No information available	No information available	No information available	No information available	-
Subchronic dermal	No information available	No information available	No information available	No information available	No information available	-
Subchronic inhalation	No information available	No information available	No information available	No information available	No information available	_
Chronic oral	No information available	No information available	No information available	No information available	No information available	-
Chronic dermal	No information available	No information available	No information available	No information available	No information available	-
Chronic inhalation	No information available	No information available	No information available	No information available	No information available	-

Specific target	organ toxicity – rei	neated exposu	re (STOT RF)·

	Specific effects	Target organ	Note
Subacute oral	No information available	No information available	-
Subacute dermal	No information available	No information available	-
Subacute inhalation	No information available	No information available	-
Subchronic oral	No information available	No information available	-
Subchronic dermal	No information available	No information available	-
Subchronic inhalation	No information available	No information available	-
Chronic oral	No information available	No information available	-
Chronic dermal	No information available	No information available	-
Chronic inhalation	No information available	No information available	-

CMR effects (carcinogenicity; mutagenicity; reproductive toxicity)



Page 10 of 16

Trading name:		BIOSCHIFF REA	GENT		
Product code:	BS-OT-X**	Date of compilation:	27 June 2019	Version:	3

	Carcinogenicity:	No information available
	Mutagenicity in vitro:	No information available
	Genotoxicity:	No information available
	Mutagenicity in vivo:	No information available
	Germ cell mutagenicity:	No information available
	Reproductive toxicity:	No information available
	Summary of evaluation of the CMR properties:	No information available
11.2	Practical experiences:	
	Classification observations:	No information available
	Other observations:	No information available
11.3	General notes:	
	-	

SECTION 12. Ecologi	cal informat	tion				
12.1 Toxicity						
Acute (short-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	No information available	No information available	No information available	-
Crustacea:	EC ₅₀	48 hours	No information available	No information available	No information available	-
Algae/aquatic plants	IC ₅₀	4 days	No information available	No information available	No information available	-
Other organisms	-	-	-	-	-	-
Chronic (long-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	No information available	No information available	No information available	-
Crustacea:	EC ₅₀	48 hours	No information available	No information available	No information available	-



Page 11 of 16

Trading	g name:					BIOSCHII	F REA	GENT				
Produc	t code:	В	S-OT-X**			Date of compilat	ion:	27 Jun	e 2019	Ver	rsion:	3
Algae/a	quatic p	lants	IC ₅₀	72 hours		No information available	No inform availal		No informatic available	on	_	
Other o	rganism	S	-	-		-	-		_		-	
			;	:				:			:	
12.2	Persist	ence a	nd degradab	ility								
	Abiotic	degra	dation									
		De	gradation ha	lf-lives		Method	E	Evaluation	1		Note	
Marine	water	No ir	nformation av	/ailable		o information ailable	No inf availal	ormation ole	-			
Fresh w	ater	No ir	nformation av	/ailable		o information ailable	No inf availal	ormation ole	-			
Air		No ir	nformation av	/ailable		o information ailable	No inf availal	ormation ole	-			
Soil		No ir	nformation av	/ailable		o information ailable	No inf availal	ormation ole	_			
	Biodeg	radatio	on		,				,			
% De	gradatio	n .	Time (d	ays)		Method	E	valuation	1		Note	
No info			No inf available	ormation		o information ailable	No inf availal	ormation ole		inforr ailable	nation	
12.3			tive potential									
			er partition co									
Value	e	Conce	entration	рН	°C			Evalua			Note	
-	-				-		-			-		
	Riocon	centra	tion factor (B	(F)								
\/	alue	centra	Specie			Method		Evaluatio	n e		Note	
No info	rmation	N av		ormation		information ailable	No i	nformatio			TVOTE	



13.1

Waste treatment methods

SAFETY DATA SHEET BIOGNOST® According to Regulation (EC) No. 1907/2006

Page 12 of 16

Trading n	ame:		BIOSCHIFF REA	GENT		
Product c	ode: B	S-OT-X**	Date of compilation:	27 June 2019	Version:	3

	Value	Dose	Exposure time	Species	Metho	od E	Evaluation	Note
Chronic	c toxicity on fis	sh LC ₅₀	information	No information available	No informa	1	o Formation ailable	-
	c toxicity on ea (<i>Daphnia</i>)	EC ₅₀	information	No information available	No informa available		o Formation ailable	-
12.4	Mobility in s	oil						
	Known or pr	edicted distribut	ion in environme	ntal compart	ments:			
	No informat	ion available						
	Surface tens	ion:						
	Value	°C	Concentrati	on	Method	k k		Note
	No information available	No information available	No information	on No inf availal	formation ble		-	
	Adsorption /	· · · · · · · · · · · · · · · · · · ·						
Transpo	ort :	O coefficient ry's constant	log Kow	Evaporati	on rate	Met	hod	Note
Soil-wa	iter No availab	information le	No information available	n No inform available		No infor		-
Water-	air No availab	information le	No informatior available	No inform available		No infor		-
	No availab	information le	No information available	No inform available		No infori available	_	-
Soil-air								
	Results of PE	BT and vPvB asse	ssment					
Soil-air	Results of PE		ssment					
			ssment					
		ion available	ssment					



Page 13 of 16

Trading name:		BIOSCHIFF REA	GENT		
Product code:	BS-OT-X**	Date of compilation:	27 June 2019	Version:	3

	Product/Packaging dispo	osal:
	Submit for disposal to the Protection.	ne legal person authorized by the Ministry of Environmental and Nature
13.1.2.	Waste codes/waste design	gnations according to Law:
	Packaging that contains	residual hazardous substances or is contaminated with hazardous substances
13.1.3.	Waste treatment – releva	ant information:
	No information available	
13.1.4.	Sewage disposal – releva	ant information:
	Waste must not be dispo	osed of into the sewage system.
13.1.5.	Other disposal recomme	andations:
	Do not dispose of the prauthorized by the minist	roduct's remains into the sewage system. Submit the remains to the collectors ry in charge. Do not dispose of the packaging into the sewage system. Submit lectors authorized by the ministry in charge.
13.1.6.	Relevant Community pro	ovisions:
	-	
SECTION	N 14 TRANSPORT INFORM	MATION
SECTIO	N 14 TRANSPORT INFORM	
	Transporting/shipment by	
UN num	Transporting/shipment by	road (ADR)
UN num UN prop	Transporting/shipment by ber:	road (ADR)
UN num UN prop Transpoi	Transporting/shipment by ber: per shipping name: rt hazard class(es):	road (ADR)
UN num UN prop Transpor Packing	Transporting/shipment by ber: per shipping name: rt hazard class(es):	road (ADR) Not subject to transport regulations
UN num UN prop Transpoi Packing Environn	Transporting/shipment by ber: per shipping name: rt hazard class(es): group:	road (ADR) Not subject to transport regulations
UN num UN prop Transpoi Packing Environn	Transporting/shipment by ber: per shipping name: rt hazard class(es): group: mentally hazardous:	road (ADR) Not subject to transport regulations
UN num UN prop Transpor Packing Environr Special p	Transporting/shipment by ber: per shipping name: rt hazard class(es): group: mentally hazardous: precautions for user: Transporting/shipment by	road (ADR) Not subject to transport regulations
UN num UN prop Transpor Packing Environn Special p	Transporting/shipment by ber: per shipping name: rt hazard class(es): group: mentally hazardous: precautions for user: Transporting/shipment by	road (ADR) Not subject to transport regulations rail (RID)
UN num UN prop Transpor Packing Environn Special p UN num UN prop	Transporting/shipment by ber: per shipping name: rt hazard class(es): group: mentally hazardous: precautions for user: Transporting/shipment by ber:	road (ADR) Not subject to transport regulations rail (RID) Not subject to transport regulations
UN num UN prop Transpor Packing Environn Special p UN num UN prop Transpor	Transporting/shipment by ber: per shipping name: rt hazard class(es): group: mentally hazardous: precautions for user: Transporting/shipment by ber: per shipping name: rt hazard class(es):	road (ADR) Not subject to transport regulations rail (RID) Not subject to transport regulations -
UN num UN prop Transpor Packing Environn Special p UN num UN prop Transpor Packing	Transporting/shipment by ber: per shipping name: rt hazard class(es): group: mentally hazardous: precautions for user: Transporting/shipment by ber: per shipping name: rt hazard class(es):	road (ADR) Not subject to transport regulations rail (RID) Not subject to transport regulations



Page 14 of 16

Trading name:	BIOSCHIFF REAGENT				
Product code:	BS-OT-X**	Date of compilation:	27 June 2019	Version:	3

UN number:	Not subject to transport regulations
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-
Transporting/shipment by sea (IN	MDG)
UN number:	Not subject to transport regulations
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:	-
Transporting/shipment by air (ICA	AO-TI/IATA-DGR)
UN number:	Not subject to transport regulations
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-
Further information: -	

SECTIO	SECTION 15. Regulatory information				
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture				
	EU regulations				
	Authorization and/or restrictions of use				
	Authorizations:	-			
	Restrictions:	-			



Page 15 of 16

Trading name:	BIOSCHIFF REAGENT				
Product code:	BS-OT-X**	Date of compilation:	27 June 2019	Version:	3

	None	
15.2	Chemical safety assessment	
	National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act
	Information according 1999 guideline)	/13/EC about limitation of emissions of volatile organic compounds (VOC-
	Other EU regulations:	EC Regulation No. 1906/2007 and EC Regulation No. 1272/2008 of the European Parliament and the European Council; The European Commission Regulation No. 453/2006 of 2010 on changes and amendments to the Regulation (EC) No. 1907/2006 of the European Parliament and Council on registration, evaluation, authorization and restriction of chemical substances (REACH); EC Regulation No. 2037/200 of the European Parliament and Council from 29 June 2000 on substances that damage the ozone layer; EC Regulation No. 689/2008 of the European Parliament and Council from 17 June 2008 concerning the export and import of dangerous chemicals; EC Regulation No. 850/2004 of the European Parliament and Council from 29 April 2004 about persistent organic pollutants; Directive 2008/98/EC of the European Parliament and Council of 19 November 2008 on waste and repealing certain Directives

SECTIO	N 16. Other information		
16.1	Indication of changes:	-	
		PBT	Stable, bioaccumulative and toxic
		vPvB	Strongly stable and strongly bioaccumulative.
16.2	Abbreviations and acronyms:	LD ₅₀	Lethal dose, 50%
		LC ₅₀	Lethal concentration, 50%
		TCOJ	Specific target organ toxicity - single exposure
16.3.	Key literature references and source of data:	-	
16.4.	Classification and procedure us 1272/2008 (CLP)	sed to derive the	classification for mixture according to Regulation (EC)
Classification		Classification procedure	
_	-	•	
16.5. Relevant H statements (number		er and full text)	



Page 16 of 16

Trading name:	BIOSCHIFF REAGENT				
Product code:	BS-OT-X**	Date of compilation:	27 June 2019	Version:	3

	H:	H302	Harmful if swallowed.
		H314	Causes severe skin burns and eye damage
		H318	Causes serious eye damage.
		H335	May cause respiratory irritation.
		H350	May cause cancer.
		(EUH031)	Contact with acids liberates toxic gas.
16.6.	Training advice:		-
			** "X" in the product code marks different volumes (different packagings of the product)
16.7.	16.7. Further information:		We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.

ANNEX: Exposure scenario resulting to chemical safety assessment
-