

Page 1 of 17

Trading name:	GRAM DECOLORIZER SOLUTION 3			
Product code:	GD3-OT-X**	Revision date:	11 June 2019	Version: 3

SECTI	ON 1: Identification of t	he substance	e/mixture	and of the company/undertaking	
1.1	Product identifier				
	Trading name:	GRAM DEC	OLORIZER	SOLUTION 3	
	Chemical name:	-			
	Catalogue number:	GD3-OT-X*	T-X**		
1.2	Relevant identified use	es of the subs	tance or m	nixture and uses advised against	
	Uses:		Solution	for use in Gram bacterial staining.	
	Uses advised against:		Only the	identified uses are advised.	
	Reason why uses advised against:		The product is intended for use only as an <i>in vitro</i> diagnostic medical device, registered at the Agency for Medicinal Products and Medical Devices and there is no reason to use it for other purposes.		
1.3	Details of the supplier of the safety data sheet				
	Supplier:		BioGnost Ltd.		
	Address:		Medjugorska 59, Zagreb		
	Telephone number:		+385 1 2409997		
	Telefax.:		+385 1 2404039		
	e-mail of competent p	erson:	msds@biognost.hr		
	National contact:		-		
1.4	Emergency telephone number				
	National Protection an	d Rescue Dire	ectorate:	112	
	Medical information:			+385 1 2348 342	
	Other information:			-	

SECTION 2. Hazards identification				
2.1	Classification of the substance or mixture			
2.1.1	Classification according to	o 1272/2008 (CLP)		
	Hazard class and ca	tegory code:	Hazard statements*:	
	Flam. Liq. 2		H225	
	Eye Irrit. 2 STOT SE 3		H319	
			H336	
			EUH066	
2.1.2.	Additional information			
	-			
*For fu	ıll text of Hazard- and EU Haz	ard-statements: se	ee SECTION 16	
2.2	Label elements			
	Product identification:	GRAM DECC	DLORIZER SOLUTION 3	
	Identification number:			



Page 2 of 17

Trading name:	GRAM DECOLORIZER SOLUTION 3			
Product code:	GD3-OT-X**	Revision date:	11 June 2019	Version: 3

	Authorization number:	-
	Hazard pictograms:	GHS02 GHS07
	Signal word:	Danger
	Hazard statements:	 H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. EUH066 Repeated exposure may cause skin dryness or cracking.
	Precautionary statements:	P210 Keep away from heat/sparks/open flames/hot surfaces. Do not smoke. P280 Wear protective gloves/protective clothing/eye/protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	Supplemetal hazard information (EU):	-
.3	Other hazards	

SECTION 3. Composition/information on ingredients					
CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)	
64-17-5/ 200-578-6/ 603-002-00-5	01-2119457610-43- xxxx	≤ 25 %	ethanol	Flam. Liq. 2; H225	
67-64-1/ 200-662-2/ 606-001-00-8	-	≥ 50 %	acetone	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	

SECTIO	SECTION 4. First aid measures				
4.1	Description of first aid measures				
	General notes:	If the suggested first aid measures do not prove sufficient, seek medical attention.			
	Following inhalation:	Carry the afflicted person out of the contaminated area into a well-ventilated area or out for fresh air. In case of difficult breathing, provide the afflicted person with oxygen.			



Page 3 of 17

Trading name:	GRAM DECOLORIZER SOLUTION 3			
Product code:	GD3-OT-X**	Revision date:	11 June 2019	Version: 3

	Following skin contact:	Remove contaminated clothing. Immediately wash with plenty of water for at least 20 minutes. Seek medical assistance if the symptoms of irritation remain.	
	Following eye contact:	Rinse out with plenty of water with the eyelid held wide open for at least 20 minutes. If the symptoms remain, immediately call in ophthalmologist.	
Following ingestion:		Do not induce vomiting. Do not insert any object into the unconscious person's mouth. Immediately consult a physician and show the container or label. In case of swallowing large quantities, transport the afflicted person to the hospital.	
	Self-protection of the first aider:	-	
4.2	Most important symptoms and eff	ects, both acute and delayed	
	Following inhalation:	Depending on concentration and exposure time, it may lead to mucosa irritation, cough, and dyspnea.	
	Following skin contact:	Defatting, dry skin.	
	Following eye contact:	Depending on concentration and exposure time, it may lead to irritation, tearing, redness and pain.	
	Following ingestion:	Depending on concentration and exposure time, it may lead to stinging and digestive mucus damage, abdominal pain, nausea, vomiting.	
4.3	4.3 Indication of any immediate medical attention and special treatment needed		
	-		

SECTIO	SECTION 5. Firefighting measures				
5.1	Extinguishing media				
	Suitable extinguishing media:	Small fire - water spray, dry powder, CO ₂ Large fire - water spray or alcohol resistant foam			
	Unsuitable extinguishing media: No information available.				
5.2	Special hazards arising from the su	ıbstance or mixture			
	Hazardous combustion products: No information available.				
5.3	Advice for firefighters				
	Use a self-contained open-circuit o	compressed air breathing apparatus and fireproof clothing.			
5.4	Additional information				
	Collect contaminated fire fighting water separately. Do not contaminate the environment with extinguishing media.				

SECT	SECTION 6. Accidental release measures		
6.1 Personal precautions, protective equipment and emergency procedures			
6.1.1.	For non-emergency personnel		



Page 4 of 17

Trading name:		•		
Product code:	GD3-OT-X**	Revision date:	11 June 2019	Version: 3

	Protective equipment:	Use personal protective equipment (see Section 8).		
	Accident prevention methods	Evacuate members of all non-essential personnel and those members without protective equipment. Avoid breathing vapors and avoid contact with skin and eyes. Do not smoke. Keep away from ignition sources.		
	Emergency procedures:	Mark the area using proper signs.		
6.1.2.	For emergency responders:			
	Use protective equipment; in (see Section 8).	case of inadequate ventilation use adequate airways protective equipment		
6.2	Environmental precautions:			
	Do not dispose of in sewage, Protection and Rescue Directo	drainage system and waterways. In case of large spillage contact National orate (NPRD) on 112.		
6.3	Methods and material for con	tainment and cleaning up		
6.3.1.	Bunding, covering of drains; capping procedures:	Sand protective barrier or barriers made of similar materials.		
6.3.2.	Cleaning up:	Where possible, the substance can be absorbed by using absorbing material. Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and and involved materials with water.		
6.3.3.	Other information:	Secure proper ventilation. Do not use incompatible materials (see Section 10).		
6.4	Reference to other sections			
	See Section 7 for information	on safe handling.		
	See Section 8 for information	on personal protection equipment.		
	See Section 13 for disposal in	See Section 13 for disposal information.		

SECTIO	SECTION 7. Handling and storage			
7.1	Precautions for safe handling			
7.1.1.	Protection measures			
	Measures to prevent fire:	Use in well ventilated storage rooms. Keep away from sources of ignition and heat. Do not use tools that cause sparks. Do not smoke.		
	Measures to prevent aerosol and dust generation:	Secure proper ventilation.		
	Measures to protect the environment:	Prevent spilling into the sewage system and waterways.		
	Other measures:	Protect against electrostatic charges.		
7.1.2.	Advice on general occupational hygiene:			
	Do not eat, drink or smoke in the workspace. Thoroughly	wash hands after work and before eating.		



Page 5 of 17

Trading name:		GRAM DECOLORIZ	ZER SOLUTION 3	
Product code:	GD3-OT-X**	Revision date:	11 June 2019	Version: 3

7.2	Conditions for safe storage, including any incompatibilities				
	Technical measures and storage conditions:	Keep in tightly closed and upright set containers in a well ventilated storage rooms at temperatures ranging from 15 to 25 °C. Protect from heat and direct sunlight.			
	Packaging materials:	Manufacturer's original packaging. Unsuitable material for receptacle: aluminium.			
	Requirements for storage rooms and vessels:	Keep away from food and drink. Keep the containers tightly closed.			
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.			
	Further information on storage conditions:	Do not place the unused material in the storage room and do not use empty containers for storing other chemicals. Do not store with incompatible materials (see Section 10).			
7.3	Specific end use(s)				
	Recommendations:	-			
	Industrial sector specific solutions:	-			

SECTION 8. Expos	SECTION 8. Exposure controls/personal protection							
8.1 Control p	arameters							
Substance	Substance		CAS No		es/short	exposure limit term values	-	Biological limit values
				pp		mg/m³		
Ethanol		64-	-17-5	100	0/-	1900/-		-
) mg/L (0.34 mmol/L), blood, of shift
Acetone	Acetone		67-64-1		500/-	1210/-	mm) mg/g of creatinine (39.0 ool/mol of creatinine), urine, of shift
Substance name:	-							
EC No:	-	CAS No	: -					
DNEL								
	Industrial							
Route of Ac		ite	Acu	te		Chronic		Chronic
exposure:	effect	local	effect sy	stemic		effect local		effect systemic
Oral	-		-		-			-



	CITO		riccording to	regulatio.	n (EC) NO. 1907/	Page 6 of 17
Trading n	name:		GRAM	DECOLOR	IZER SOLUTION	3
Product c	ode:	GD3-OT-X**	Revisi	on date:	11 June 2019	Version: 3
Inhalation		-	-	-		950 mg/m³ (ethanol) 1210 mg/m³ (acetone)
Dermal	-	-	-	-		343 mg/kg (ethanol) 186 mg/kg (acetone)
Critical ph	ysical para	meters: solubility,	flammability, co	rrosivity:	-	<u> </u>
		,	·	nsumer	i	
Route of		Acute	Acute		Chronic	Chronic
exposure:		effect local	effect systemi	c e	effect local	effect systemic
Oral		-	-	-		-
Inhalation		-	-	-		114 mg/m³ (ethanol) 200 mg/m³ (acetone)
Dermal		_	_	_		206 mg/kg (ethanol)
						62 mg/kg (acetone)
PNEC						
Environme	ental prote	ction target		PNEC		
Fresh wate	er			0.96 mg/l (ethanol) 10.6 mg/l (acetone)		
Freshwate	r sediment	S		3.6 mg/kg (ethanol) 30.4 mg/kg (acetone)		
Marina				0.79 mg/l (
Marine wa	iter			1.06 mg/kg	(acetone)	
Marine sed	diments			3.04 mg/kg	(acetone)	
Food chair	า			no informa	tion available	
Microorga	nisms in se	ewage treatment		100 mg/l (a	acetone)	
Soil (agric	ultural)			0.63 mg/kg (ethanol)		
				29.5 mg/kg (acetone)		
Air				no information available		
8.2	Exposur	e controls				
8.2.1.	Appropi	riate engineering o	controls			
		Substance/mixture related measures to prevent exposure during identified uses:		Use the product in well ventilated rooms. Use personal protective equipment. Do not eat, drink or smoke in the workspace.		
	Structur exposur	al measures to pre e:	event	In accordar	nce with Section 7.	
	Organis exposur	ational measures t e:	to prevent	Organization of work in order to reduce other worker's influence during work process.		



Page 7 of 17

Trading name:		GRAM DECOLOR	IZER SOLUTION 3	<u> </u>
Product code:	GD3-OT-X**	Revision date:	11 June 2019	Version: 3

	Technical measures to prevent ex	(posure:	Secure proper workspace ventilation in order to keep concentration levels in air below permitted levels. Secure stations for rinsing eyes and showering.	
8.2.2.	Personal protection equipment			
8.2.2.1.	Eye and face protection:	levels	glasses that stick to face (EN 166) or visor in case of lower of concentration in air; protective gas mask that covers the face in case of higher levels of concentration in air.	
8.2.2.2.	Skin protection	Skin protection		
	Hand protection:	Regula Full co	otective gloves have to satisfy the specification of ation (EU) 2016/425 and the related standard EN 374. Intact: Glove material: butyl rubber Glove thickness: ≥ 0.50 mm Time until perforation: > 480 min contact: Glove material: nitrile rubber Glove thickness: 0.4 mm Break through time: 35 min	
	Other skin protection:	suitabl cover t of imp	e everyday work use antistatic clothing (EN 13688) and e footwear, such as rubber boots (EN 20345) or shoes that the entire foot. In case of spilling hazard, use clothing made ermeable material suitable for protection from liquid cals (Viton, PVC, himex) and footwear made from the same al.	
8.2.2.3.	Respiratory protection:	inadeq	concentration level exceeds the GVI values (or because of quate ventilation), use a filter for organic vapors, type "A" g point >65°C) according to EN 14387.	
8.2.2.4.	Thermal hazards:	No info	ormation available	
8.2.3.	Environmental exposure controls			
	Substance/mixture related measures to prevent exposure:	See Se	ction 6	
	Structural measures to prevent exposure:	Use modern equipment.		
	Organisational measures to prevent exposure:	Adapt workpl	the work process to the required working conditions of the ace.	
	Technical measures to prevent exposure:	See Se	ction 6	

SECTION 9. Physical and chemical properties				
9.1	Information on basic physical and chemical properties			
		Value	Method	



Page 8 of 17

Trading name:		GRAM DECOLOR	ZIZER SOLUTION 3	<u> </u>
Product code:	GD3-OT-X**	Revision date:	11 June 2019	Version: 3

Physical state:	liquid	No information available
Colour:	colourless	No information available
Odour:	aceton like	No information available
Odor threshold:	No information available	No information available
pH:	No information available	No information available
Melting point / freezing point;	No information available	No information available
Initial boiling point and boiling range:	No information available	No information available
Flash point:	12°C	No information available
Evaporation rate:	No information available	No information available
Flammability (solid, gas):	No information available	No information available
Upper/lower flammability or explosive limits:	No information available	No information available
Vapour pressure:	No information available	No information available
Vapour density:	No information available	No information available
Relative density:	No information available	No information available
Bulk density:	No information available	No information available
Solubility(ies):	Soluble (20°C)	No information available
Partition coefficient: n-octanol/water (log Kow):	No information available	No information available
Auto-ignition temperature:	No information available	No information available
Decomposition temperature:	No information available	No information available
Viscosity:	No information available	No information available
Explosive properties:	No information available	No information available
Oxidising properties:	No information available	No information available
Other information		

SECTIO	SECTION 10. Stability and reactivity		
10.1	Reactivity:	See subsections 10.3 through 10.5.	
10.2	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using (room temperature).	
10.3	Possibility of hazardous reactions:	No dangerous reactions known.	
10.4	Conditions to avoid:	Avoid heat, sparks, open flames and other ignition sources.	
10.5	Incompatible materials:	No further relevant information available.	
10.6	Hazardous decomposition products:	Carbon monoxide.	



Page 9 of 17

Trading name:		GRAM DECOLORIZ	ER SOLUTION 3	
Product code:	GD3-OT-X**	Revision date:	11 June 2019	Version: 3

11.1	Information	on toxicolog	ical effects					
	Acute toxici	ty:						
Route of exposure:		Method	Species		Dose LD ₅₀ /LC ₅₀ or ATE _{mix}		re	Results
Oral:	l: - rat						060 mg/kg (ethanol) .000 mg/kg (acetone)	
Dermal:		-	rat		LD ₅₀	-	>2,	.000 mg/kg (acetone)
Inhalation:		_	rat		LC ₅₀	4 h		0.000 mg/l (ethanol) 20 mg/l (acetone)
	Specific targ	get organ toxi	city – single e	xposure (S	STOT SE):			
		Sp	ecific effects		Tar	get orgar	1	Note
Oral:	al: No information available				No informa	tion availa	able	-
Dermal:	rmal: No information available			No informa	tion availa	able	-	
Inhalatio	n.	No informati	on available		No informa	tion availa	able	may cause drowsiness or dizziness
Innaiatio	711.							Of GIZZINESS
	Aspiration h			No infor	mation availa	ble.		OT GIZZING33
	Aspiration h	azard:		No infor	mation availa	ble.		OT GIZZING3
		nazard: d corrosion	sure time	No information of the second o		ble.	Method	Note
Skin	Aspiration h	nazard: d corrosion	sure time				Method -	
Skin corrosior Serious e	Aspiration h Irritation and	nazard: d corrosion	sure time	Spec	ies Eva			Note
Skin corrosior Serious e damage/	Aspiration h Irritation and n/irritation: eye	d corrosion Expos	sure time	Spec	ies Eva			Note - causes serious eye
Skin corrosion Serious e damage/	Aspiration h Irritation and n/irritation: eye /irritation	d corrosion Expos	sure time	Spec	ies Eva			Note - causes serious eye
Skin corrosion Serious e damage/	Aspiration h Irritation and n/irritation: eye /irritation Sensitization	d corrosion Expos - - No		Spec - - vailable.	ies Eva			Note - causes serious eye
Skin corrosion Serious e damage/ Skin sens Respirato	Aspiration had Irritation and noirritation: eye /irritation Sensitization: sitization: ory sensitization:	d corrosion Expos - No tion: No	information av	Spec - - vailable.	ies Eva	lluation	-	Note - causes serious eye
Skin corrosion Serious e damage/ Skin sens Respirato	Aspiration has Irritation and noirritation: eye /irritation Sensitization: sitization: ory sensitization: Symptoms r	d corrosion Expos - No tion: No	information av	Spec vailable. vailable.	ies Eva	lluation	-	Note - causes serious eye
Skin corrosion Serious e damage/ Skin sens Respirato	Aspiration has Irritation and noirritation: eye /irritation Sensitization: sitization: ory sensitization: Symptoms r	d corrosion Expos - No tion: No	information av information av physical, cher	Spec vailable. vailable. mical and t	ies Eva	lluation	-	Note - causes serious eye
Skin corrosion Serious e damage/ Skin sens Respirato Oral expo	Aspiration has Irritation and noirritation: eye /irritation Sensitization: ory sensitization: ory sensitization: Symptoms recourse:	d corrosion Expos - No tion: No related to the No inform	information av information av physical, cher ation available	Spec vailable. vailable. mical and t	ies Eva	lluation	-	Note - causes serious eye



Page 10 of 17

Trading name:		GRAM DECOLOR	RIZER SOLUTION 3	
Product code:	GD3-OT-X**	Revision date:	11 June 2019	Version: 3

	Dose	Exposure time	Species	Method	Evaluation	Note
Subacute oral	No information available	No information available	No information available	No information available	No information available	-
Subacute dermal	No information available	No information available	No information available	No information available	No information available	-
Subacute inhalation	No information available	No information available	No information available	No information available	No information available	-
Subchronic oral	No information available	No information available	No information available	No information available	No information available	-
Subchronic dermal	No information available	No information available	No information available	No information available	No information available	-
Subchronic inhalation	No information available	No information available	No information available	No information available	No information available	-
Chronic oral	No information available	No information available	No information available	No information available	No information available	-
Chronic dermal	No information available	No information available	No information available	No information available	No information available	-
Chronic inhalation	No information available	No information available	No information available	No information available	No information available	-

Specific target of	organ toxicity – repeated exposure (STOT RE):
	Specific effects

	Specific effects	Target organ	Note
Subacute oral	No information available	No information available	-
Subacute dermal	No information available	No information available	-
Subacute inhalation	No information available	No information available	-
Subchronic oral	No information available	No information available	-
Subchronic dermal	No information available	No information available	-
Subchronic inhalation	No information available	No information available	-
Chronic oral	No information available	No information available	-
Chronic dermal	No information available	No information available	-
Chronic inhalation	No information available	No information available	-



Page 11 of 17

Trading name:		GRAM DECOLORIZ	ZER SOLUTION 3	
Product code:	GD3-OT-X**	Revision date:	11 June 2019	Version: 3

	CMP offects (carcinogonicity; mutagonici	tv. ro	aproductive toxicity)				
	CMR effects (carcinogenicity; mutagenicity	<u> </u>	sed on available data, the classification criteria are not met.				
	Carcinogenicity:		,				
	Mutagenicity in vitro:		sed on available data, the classification criteria are not met.				
	Genotoxicity:	<u> </u>	sed on available data, the classification criteria are not met.				
	Mutagenicity in vivo:	Bas	sed on available data, the classification criteria are not met.				
	Germ cell mutagenicity:	Based on available data, the classification criteria are not met.					
	Reproductive toxicity:	Based on available data, the classification criteria are not met.					
	Summary of evaluation of the C properties:	MR	Based on available data, the classification criteria are not met.				
11.2	Practical experiences:						
	Classification observations:		No information available				
	Other observations:		No information available				
11.3	General notes:						

SECTION 12. Ecologic	SECTION 12. Ecological information										
12.1 Toxicity											
Acute (short-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note					
Fish	LC ₅₀	96 hours	No information available	No information available	-	-					
Crustacea:	EC ₅₀	48 hours	Daphnia magna	No information available	>1,000 mg/l (acetone)	-					
Algae/aquatic plants	IC ₅₀	4 days	algae	No information available	>1,000 mg/l (acetone)	-					
Other organisms	-	-	-	-	_	-					
Chronic (long-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note					
Fish	LC ₅₀	96 hours	No information available	No information available	No information available						



				_	Page 12 of 17										
Trading name:				GF	RAM DECOLO	RIZER SOLUT	ION 3								
Product code:	G	D3-OT-X*	*	Re	evision date:	11 June 20	019	Vers	sion: 3						
Crustacea:	rustacea: EC_{50} 48 hours IG_{50} 72 hours		EC ₅₀ 48 hc		EC ₅₀ 48 hours		EC ₅₀ 48 hours		EC ₅₀ 48 hours		lo information vailable	No information available	No info	ormation le	-
Algae/aquatic p				lo information vailable	No information available	No information available		-							
Other organisms	her organisms		-		-	-		-							
		nd degrada	bility												
Abiotic			16.11		N 4 1 1										
Degradation half- Marine water No information avai				Method Information lable	Evaluatio No informatio available	n	-	Note							
Fresh water	sh water No information available			nformation lable	No information available		-								
Air	No information available		avai	No information available No information available			-								
Soil	No ir	nformation	available		No information available available		n	-							
Biodeg	radatio	on													
% Degradatio	n	Time ((days)	Method		Evaluation		Note							
No information available		No ir available	nformation	No information available		No information available		No inform available	ation						
12.3 Bioaccu	ımulat	ive potenti	al												
		•	coefficient (l	log K	ow)										
Value	Conce	ntration	рН	°C	Method	Evalu	ation		Note						
				-	-	-		-							
	centra	tion factor													
Value No information available	N	Spec o ir vailable	ies Iformation		Method nformation lable	Evaluati No informati available		-	Note						



Page 13 of 17

Trading name:		GRAM DECOLOR	ZIZER SOLUTION 3	
Product code:	GD3-OT-X**	Revision date:	11 June 2019	Version: 3

	Claus	:	it ata.								
	Chronic ecotoxicity Value Dose		Dose	Exposure time	Sp	ecies	Method		Evaluation		Note
Chroni	hronic toxicity on fish LC ₅₀		No No information available available		No informa availab		No inforn availa	nation ble	-		
	aronic toxicity on ustacea (<i>Daphnia</i>)		No information available	No infor availa	mation able	No informa availab		No inforn availa	nation ble	-	
12.4	Mobi	ility in soi									
	Knov	vn or pred	licted distributi	on in environm	ental	compart	ments:				
	No ir	nformatio	n available								
	Surfa	ice tensio	n:								
	V	'alue	°C	Concentration			Metho	d			Note
	No No information available available		No information No info available availab		ormation -						
	Adso	protion / o	lesorption								
		•	coefficient								
Transp	ort	Henry	's constant	log Kow	E	vaporati	on rate		Method		Note
Soil-wa	ater :	No available	information	No information		o inform vailable	nation	No ir avail	nformat able	ion	-
Water-	air	No available	information	No information		o inform vailable	nation	No ir avail	nformat able	ion	_
Soil-air	•	No available	information	No information		o inform vailable	nation	No ir avail	nformat able	ion	-
	D	Its of PBT	and vPvB asses	ssment							
12.5											
12.5		applicable	!.								
12.5	Not a	applicable er adverse									



Page 14 of 17

Trading name:	GRAM DECOLORIZER SOLUTION 3			
Product code:	GD3-OT-X**	Revision date:	11 June 2019	Version: 3

	N 13. Disposal consideratio Waste treatment methods		
13.1	waste treatment methods		
13.1.1.	Product/Packaging disposal:		
	Submit for disposal to the Protection.	legal person authorized by the Ministry of Environmental and Nature	
13.1.2.	Waste codes/waste design	nations according to Law.	
13.1.2.		esidual hazardous substances or is contaminated with hazardous substances	
	<u> </u>		
13.1.3.	Waste treatment – relevan	t information:	
	No information available		
	1		
13.1.4.	Sewage disposal – relevan		
	Waste must not be dispos	ed of into the sewage system.	
13.1.5.	Other disposal recommendations:		
	Do not dispose of the product's remains into the sewage system. Submit the remains to the collect authorized by the ministry in charge. Do not dispose of the packaging into the sewage system. Suther packaging to the collectors authorized by the ministry in charge.		
13.1.6.			
	Disposal must be made ac	cording to official regulations.	
SECTIO	N 14 TRANSPORT INFORM	ATION	
	Transporting/shipment by ro	pad (ADR)	
UN num	nber:	1993	
UN prop	per shipping name:	Flammable liquid, n.o.s. (acetone, ethanol)	
Transpo	rt hazard class(es):	3	
Packing group:		П	
Environi	mentally hazardous:	-	
Special	precautions for user:	-	
	Transporting/shipment by ra	ail (RID)	
UN number:		1993	
UN prop	per shipping name:	Flammable liquid, n.o.s. (acetone, ethanol)	
Transpo	rt hazard class(es):	3	
Packing	group:	П	
Environmentally hazardous:		-	



Page 15 of 17

				- 3
Trading name:	GRAM DECOLORIZER SOLUTION 3			
Product code:	GD3-OT-X**	Revision date:	11 June 2019	Version: 3

Inland waterway transport (ADN)	
UN number:	1993
UN proper shipping name:	Flammable liquid, n.o.s. (acetone, ethanol)
Transport hazard class(es):	3
Packing group:	П
Environmentally hazardous:	-
Special precautions for user:	-
Transporting/shipment by sea (IN	MDG)
UN number:	1993
UN proper shipping name:	Flammable liquid, n.o.s. (acetone, ethanol)
Transport hazard class(es):	3
Packing group:	П
Environmentally hazardous:	-
Special precautions for user:	-
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:	-
Transporting/shipment by air (IC	AO-TI/IATA-DGR)
UN number:	1993
UN proper shipping name:	Flammable liquid, n.o.s. (acetone, ethanol)
Transport hazard class(es):	3
Packing group:	П
Environmentally hazardous:	-
Special precautions for user:	-

SECTI	ON 15. Regulatory information			
15.1	Safety, health and env	Safety, health and environmental regulations/legislation specific for the substance or mixture		
	EU regulations			
	Authorization and/or	restrictions of use		
	Authorizations:	-		
2	Restrictions:	-		



Page 16 of 17

Trading name:	GRAM DECOLORIZER SOLUTION 3			
Product code:	GD3-OT-X**	Revision date:	11 June 2019	Version: 3

	Other EU regulations:	EC Regulation No. 1906/2007 and EC Regulation No. 1272/2008 of the European Parliament and the European Council; Regulation (EC) No. 1907/2006 of the European Parliament and Council on registration, evaluation, authorization and restriction of chemical substances (REACH); EC Regulation No. 2037/200 of the European Parliament and Council from 29 June 2000 on substances that damage the ozone layer; EC Regulation No. 689/2008 of the European Parliament and Council from 17 June 2008 concerning the export and import of dangerous chemicals; EC Regulation No. 850/2004 of the European Parliament and Council from 29 April 2004 about persistent organic pollutants; Directive 2008/98/EC of the European Parliament and Council of 19 November 2008 on waste and repealing certain Directives
	Information according 1999 guideline)	0/13/EC about limitation of emissions of volatile organic compounds (VOC-
	National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act
15.2	Chemical safety assessment	
	None	

SECTIO	TION 16. Other information				
16.1	Indi	cation of changes:	-		
			PBT	Stable, bioaccumulative and toxic	
			vPvB	Strongly stable and strongly bioaccumulative.	
16.2	Abb	reviations and acronyms:	LD ₅₀	Lethal dose, 50%	
			LC ₅₀	Lethal concentration, 50%	
			TCOJ	Specific target organ toxicity - single exposure	
16.3.		literature references and rce of data:	ences and _		
16.4.	6.4. Classification and procedure us 1272/2008 (CLP)		used to deriv	re the classification for mixture according to Regulation (EC)	
Classification		Classification	n procedure		
-	-		-		
16.5.	Relevant H statements (number and full text)			ext)	
		H225	Highly flammable liquid and vapor.		
	H:	H319	Causes serious eye irritation.		
		H336	May cause drowsiness or dizziness.		
		(EUH066)	Repeated exposure may cause skin dryness or cracking.		



Page 17 of 17

Trading name:	GRAM DECOLORIZER SOLUTION 3			
Product code:	GD3-OT-X**	Revision date:	11 June 2019	Version: 3

16.6.	Training advice:	-
		** "X" in the product code marks different volumes (different packagings of the product)
16.7.	Further information:	We are not responsible for consequences in case of failure to comply with
		instructions for use or improper use of the product described in this
		material safety data sheet.

ANNEX: Exposure scenario resulting to chemical safety assessment
-