

Trading name:	LITHIUM CARBONATE, LUXOL			
Product code:	LKL-OT-X**	Date of compilation:	03 July 2019	Version: 2

SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING		
1.1.	Product identifier	
	Trading name:	LITHIUM CARBONATE, LUXOL
	Chemical name:	-
	Catalogue number:	LKL-OT-X**
1.2.	Relevant identified uses of the substance or mixture and uses advised against	
	Uses:	For use with Luxol Fast Blue kit.
	Uses advised against:	Only the identified uses are advised.
	Reason why uses advised against:	The product is intended for use only as an <i>in vitro</i> diagnostic medical device, registered at the Agency for Medicinal Products and Medical Devices and there is no reason to use it for other purposes.
1.3.	Details of the supplier of the safety data sheet	
	Supplier:	BioGnost Ltd.
	Address:	Medjugorska 59, Zagreb
	Telephone number:	+385 1 2409997
	Fax no.:	+385 1 2404039
	e-mail of competent person:	msds@biognost.hr
	National contact:	-
1.4.	Emergency telephone number	
	National Protection and Rescue Directorate:	112
	Medical information:	+385 1 2348 342
	Other information:	-

SECTION 2 HAZARDS INFORMATION		
2.1.	Classification of the substance or mixture	
2.1.1.	Classification (REGULATION (EC) No. 1272/2008 (CLP)	
	Hazard class and category code:	Hazard statements*:
	Not identified as hazardous substance.	-
2.1.2.	Additional information	
	-	
*For full text of Hazard- and EU Hazard-statements: see Section 16		
2.2.	Classification according to EC Directive Nr. 1272/2008 CLP)	
	Product identification:	LITHIUM CARBONATE, LUXOL
	Identification number:	-
	Authorization no.:	-
	Hazard pictograms:	-
	Signal word:	-

Trading name:	LITHIUM CARBONATE, LUXOL			
Product code:	LKL-OT-X**	Date of compilation:	03 July 2019	Version: 2

	Hazard statements:	-
	Precautionary statements:	-
	Further information:	-
2.3.	Other hazards	
	-	

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS				
CAS/ EC/ Index no.	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)
554-13-2/ 209-062-5/ -	-	< 1 %	lithium carbonate	Acute Tox. 4; H302 Eye Irr. 2; H319

SECTION 4 FIRST AID MEASURES		
4.1.	Description of first aid measures	
	General notes:	-
	Following inhalation:	Carry the afflicted person out of the contaminated area into a well-ventilated area or out for fresh air. If breathing becomes erratic or it stops, immediately apply artificial respiration (other than mouth-to-mouth) and contact a physician.
	Following skin contact:	Remove contaminated clothing. Immediately wash with plenty of water and soap. Seek medical assistance if the symptoms of irritation remain.
	Following eye contact:	Rinse out with plenty of water with the eyelid held wide open using clean fingers. If the symptoms remain, immediately call a physician.
	Following ingestion:	Do not induce vomiting. Make the afflicted person drink a glass of water. If spontaneous vomiting occurs, wash the mouth with water, then make the person drink 100-200 ml of water and seek medical attention.
	Self-protection of the first aider:	Treat symptomatically.
4.2.	Most important symptoms and effects, both acute and delayed	
	Following inhalation:	No information available
	Following skin contact:	No information available
	Following eye contact:	No information available
	Following ingestion:	No information available
4.3.	Indication of any immediate medical attention and special treatment needed	
	-	

SECTION 5 FIREFIGHTING MEASURES	
5.1.	Extinguishing media

Trading name:	LITHIUM CARBONATE, LUXOL			
Product code:	LKL-OT-X**	Date of compilation:	03 July 2019	Version: 2

	Suitable extinguishing media:	Water spray, dry powder, CO ₂ or alcohol-resistant foam
	Unsuitable extinguishing media:	No information available
5.2.	Special hazards arising from the substance or mixture	
	Hazardous combustion products:	No information available
5.3.	Advice for firefighters	
	Use a self-contained open-circuit compressed air breathing apparatus and fireproof clothing. Cool closed containers exposed to fire with water spray or vapor.	
5.4.	Additional information	
	Remove sources of heat and ignition. Do not contaminate the environment with extinguishing media.	

SECTION 6 ACCIDENTAL RELEASE MEASURES		
6.1.	Personal precautions, protective equipment and emergency procedures	
6.1.1.	For non-emergency personnel	
	Protective equipment:	Use personal protective equipment (see Section 8).
	Accident prevention methods:	Evacuate members of all non-essential personnel and those members without protective equipment. Remove all sources of sparks and ignition. Do not smoke.
	Emergency procedures:	Mark the area using proper signs.
6.1.2.	For emergency responders:	
	Wear protective equipment (see Section 8).	
6.2.	Environmental precautions:	
	Do not dispose of in sewage, drainage system and waterways. In case of large spillage contact National Protection and Rescue Directorate (NPRD) on 112.	
6.3.	Methods and material for containment and cleaning up	
6.3.1.	Bunding, covering of drains; capping procedures:	Sand or clay barriers.
6.3.2.	Cleaning up:	Sawdust, sand, mineral adsorbents.
6.3.3.	Other information:	-
6.4.	Reference to other sections	
	See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	

SECTION 7 HANDLING AND STORAGE	
7.1.	Precautions for safe handling
7.1.1.	Protection measures

Trading name:	LITHIUM CARBONATE, LUXOL				
Product code:	LKL-OT-X**	Date of compilation:	03 July 2019	Version:	2

	Measures to prevent fire:	Keep away from sources of heat and ignition. Do not smoke.
	Measures to prevent aerosol and dust generation:	Secure proper ventilation.
	Measures to protect the environment:	Prevent spilling into the sewage system and waterways.
	Other measures:	-
7.1.2.	Advice on general occupational hygiene:	
	Do not eat, drink or smoke in the workspace. Thoroughly wash hands after work and before eating.	
7.2.	Conditions for safe storage, including any incompatibilities	
	Technical measures and storage conditions:	Keep in tightly closed and upright set containers in a well ventilated storage rooms, and away from sources of heat, sunlight, and other incompatible substances.
	Packaging materials:	Manufacturer's original packaging.
	Requirements for storage rooms and vessels:	Keep away from food and drink. Keep the containers tightly closed.
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.
	Further information on storage conditions:	Do not place the unused material in the storage room and do not use empty containers for storing other chemicals. Do not store with incompatible materials (see Section 9).
7.3.	Specific end use(s)	
	Recommendations:	-
	Industrial sector specific solutions:	-

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION				
8.1.	Control parameters			
Substance	CAS No	Occupational exposure limit values/short term values		Biological limit values
		ppm	mg/m ³	
-	-	-	-	No information available
Substance name:	-			
EC No:	-	CAS No:	-	
DNEL				
Industrial				

Trading name:	LITHIUM CARBONATE, LUXOL			
Product code:	LKL-OT-X**	Date of compilation:	03 July 2019	Version: 2

Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	-
Inhalation	-	-	-	-
Dermal	-	-	-	-

Critical physical parameters: solubility, flammability, corrosivity:

-

Consumer

Route of exposure:	Acute effect local	Acute effect systemic	Chronic effect local	Chronic effect systemic
Oral	-	-	-	-
Inhalation	-	-	-	-
Dermal	-	-	-	-

PNEC

Environmental protection target	PNEC
Fresh water	No information available
Freshwater sediments	No information available
Marine water	No information available
Marine sediments	No information available
Food chain	No information available
Microorganisms in sewage treatment	No information available
Soil (agricultural)	No information available
Air	No information available

8.2. Exposure controls

8.2.1. Engineering measures

Substance/mixture related measures to prevent exposure during identified uses:	Use the product in well ventilated rooms. Use personal protective equipment. Do not eat, drink or smoke in the workspace.
Structural measures to prevent exposure:	No information available
Organisational measures to prevent exposure:	Organization of work in order to reduce other worker's influence during work process.
Technical measures to prevent exposure:	Secure proper workspace ventilation in order to keep concentration levels in air below permitted levels.

8.2.2. Personal protection equipment

8.2.2.1. Eye and face protection:	Safety glasses that stick to face (preventing splashing) (EN 166) or visor.
8.2.2.2. Skin protection	

Trading name:	LITHIUM CARBONATE, LUXOL		
Product code:	LKL-OT-X**	Date of compilation:	03 July 2019
		Version:	2

	Hand protection:	Protective gloves must be according to the EU Directive 2016/425/EEC and standard EN 374. Glove material: nitrile rubber Glove thickness: ≥ 0.50 mm Break through time: >480 min
	Other skin protection:	Wear antistatic clothing made of natural fibers (such as cotton) with long sleeves (EN 13034), and shoes that cover the entire foot (EN 10335).
8.2.2.3.	Respiratory protection:	Protective full face mask (EN 136) or half mask (EN 140) equipped with a filter for organic vapors, type "A" (boiling point >65°C) according to EN 14387) used when concentration levels exceed GVI.
8.2.2.4.	Thermal hazards:	No information available
8.2.3.	Environmental exposure controls	
	Substance/mixture related measures to prevent exposure:	See Section 6
	Structural measures to prevent exposure:	Use modern equipment.
	Organisational measures to prevent exposure:	Adapt the work process to the required working conditions of the workplace.
	Technical measures to prevent exposure:	See Section 6

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

	Value	Method
Physical state:	liquid	No information available
Color:	colourless	No information available
Odor:	No information available	No information available
Odor threshold:	No information available	No information available
pH:	No information available	No information available
Melting point / freezing point:	No information available	No information available
Initial boiling point and boiling range:	No information available	No information available
Flash point:	No information available	No information available
Evaporation rate:	No information available	No information available
Flammability (solid, gas):	No information available	No information available
Upper/lower flammability or explosive limits:	No information available	No information available
Vapor pressure:	No information available	No information available
Vapor density:	No information available	No information available
Relative density:	No information available	No information available

Trading name:	LITHIUM CARBONATE, LUXOL			
Product code:	LKL-OT-X**	Date of compilation:	03 July 2019	Version: 2

	Bulk density:	No information available	No information available
	Solubility(ies):	Soluble in water (20 °C)	No information available
	Partition coefficient: n-octanol/water (log Kow):	No information available	No information available
	Auto-ignition temperature:	No information available	No information available
	Decomposition temperature:	No information available	No information available
	Viscosity:	No information available	No information available
	Explosive properties:	No information available	No information available
	Oxidising properties:	No information available	No information available
9.2.	Other information		
	-		

SECTION 10 STABILITY AND REACTIVITY		
10.1.	Reactivity:	See subsections 10.3 through 10.5.
10.2.	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using.
10.3.	Possibility of hazardous reactions:	No information available
10.4.	Conditions to avoid:	No information available
10.5.	Incompatible materials:	No information available
10.6.	Hazardous decomposition products:	No information available

SECTION 11 TOXICOLOGICAL INFORMATION					
11.1.	Information on toxicological effects				
	Acute toxicity:				
Route of exposure:	Method	Species	Effective dose LD ₅₀ /LC ₅₀ or ATE _{mixture}	Exposure time	Results
Oral exposure:	No information available	rat	LD ₅₀	-	525 mg/kg (lithium carbonate)
Dermal exposure:	No information available	rat	LD ₅₀	-	2.000 mg/kg (lithium carbonate)
Inhalation exposure:	No information available	rat	LC ₅₀	4h	>2.17 mg/l (lithium carbonate)
Specific target organ toxicity – single exposure (STOT SE):					
	Specific effects		Target organ		Note
Oral exposure:	No information available		No information available		-
Dermal exposure:	No information available		No information available		-

Trading name:	LITHIUM CARBONATE, LUXOL				
Product code:	LKL-OT-X**	Date of compilation:	03 July 2019	Version:	2

Inhalation exposure:	No information available		No information available		-	
	Respiratory irritation:		No information available			
	Irritation and corrosion					
	Exposure time		Species	Evaluation	Method	Note
Skin irritation:	-	-	-	-	-	
Eye irritation:	-	-	-	-	-	
	Sensitization					
Dermal exposure:	No information available					
Inhalation exposure:	No information available					
	Symptoms related to the physical, chemical and toxicological characteristics					
Oral exposure:	No information available					
Dermal exposure:	No information available					
Inhalation exposure:	No information available					
Eye exposure:	No information available					
	Repeated dose toxicity (subacute, subchronic, chronic)					
	Dose	Exposure time	Species	Method	Evaluation	Note
Subacute oral	No information available	No information available	No information available	No information available	No information available	-
Subacute dermal	No information available	No information available	No information available	No information available	No information available	-
Subacute inhalation	No information available	No information available	No information available	No information available	No information available	-
Subchronic oral	No information available	No information available	No information available	No information available	No information available	-
Subchronic dermal	No information available	No information available	No information available	No information available	No information available	-

Trading name:	LITHIUM CARBONATE, LUXOL					
Product code:	LKL-OT-X**	Date of compilation:	03 July 2019	Version:	2	

Subchronic inhalation	No information available	No information available	No information available	No information available	No information available	-
Chronic oral	No information available	No information available	No information available	No information available	No information available	-
Chronic dermal	No information available	No information available	No information available	No information available	No information available	-
Chronic inhalation	No information available	No information available	No information available	No information available	No information available	-

Specific target organ toxicity – repeated exposure (STOT RE):			
	Specific effects	Target organ	Note
Subacute oral	No information available	No information available	-
Subacute dermal	No information available	No information available	-
Subacute inhalation	No information available	No information available	-
Subchronic oral	No information available	No information available	-
Subchronic dermal	No information available	No information available	-
Subchronic inhalation	No information available	No information available	-
Chronic oral	No information available	No information available	-
Chronic dermal	No information available	No information available	-
Chronic inhalation	No information available	No information available	-

CMR effects (carcinogenicity, mutagenicity, reproductive toxicity)	
Carcinogenicity:	No information available
Mutagenicity <i>in-vitro</i> :	No information available
Genotoxicity:	No information available
Mutagenicity <i>in-vivo</i> :	No information available
Germ cell mutagenicity:	No information available
Reproductive toxicity:	No information available

Summary of evaluation of the CMR properties:	-
--	---

11.2. Practical experiences:	
Remarks relevant for classification:	No information available
Other remarks:	No information available

Trading name:	LITHIUM CARBONATE, LUXOL				
Product code:	LKL-OT-X**	Date of compilation:	03 July 2019	Version:	2

11.3.	General notes:
	-

SECTION 12 ECOLOGICAL INFORMATION:

12.1. Toxicity

Acute toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	No information available	No information available	No information available	-
Crustacea:	EC ₅₀	48 hours	No information available	No information available	No information available	-
Algae/aquatic plants	IC ₅₀	8 days	No information available	No information available	No information available	-
Microorganisms	LC ₅₀	72 hours	-	-	-	-
Chronic toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC ₅₀	96 hours	No information available	No information available	No information available	-
Crustacea:	EC ₅₀	48 hours	No information available	No information available	No information available	-
Algae/aquatic plants	IC ₅₀	72 hours	No information available	No information available	No information available	-
Other organisms	-	-	-	-	-	-

12.2. Persistence and degradability

	Abiotic degradation			
	Degradation half-lives	Method	Evaluation	Note
Marine water	No information available	No information available	No information available	-
Fresh water	No information available	No information available	No information available	-
Air	No information available	No information available	No information available	-
Soil	No information available	No information available	No information available	-

Trading name:	LITHIUM CARBONATE, LUXOL				
Product code:	LKL-OT-X**	Date of compilation:	03 July 2019	Version:	2

Biodegradation				
% Degradation	Time (days)	Method	Evaluation	Note
No information available	No information available	No information available	No information available	No information available

12.3.	Bioaccumulative potential					
	Partition coefficient: n-octanol/water (log Kow):					
Value	Concentration	pH	°C	Method	Evaluation	Note
-	No information available	-	-	No information available	No information available	-

Bioconcentration factor (BCF)					
Value	Species	Method	Evaluation	Note	
No information available	No information available	No information available	No information available	No information available	

Chronic ecotoxicity						
Value	Dose	Exposure time	Species	Method	Evaluation	Note
Chronic toxicity on fish	LC ₅₀	No information available	No information available	No information available	No information available	-
Chronic toxicity on crustacea (<i>Daphnia</i>)	EC ₅₀	No information available	No information available	No information available	No information available	-

12.4. Mobility in soil						
	Known or predicted distribution in environmental compartments:					
	No information available					
	Surface tension:					
	Value	°C	Concentration	Method	Note	

Trading name:	LITHIUM CARBONATE, LUXOL				
Product code:	LKL-OT-X**	Date of compilation:	03 July 2019	Version:	2

	No information available	No information available	No information available	No information available	-

	Adsorption / desorption
--	-------------------------

Transport	A/D coefficient Henry's constant	log Kow	Evaporation rate	Method	Note
Soil-water	No information available	No information available	No information available	No information available	-
Water-air	No information available	No information available	No information available	No information available	-
Soil-air	No information available	No information available	No information available	No information available	-

12.5.	Results of PBT and vPvB assessment
	No information available

12.6.	Other adverse effects
	No information available

SECTION 13 DISPOSAL CONSIDERATIONS

13.1.	Waste treatment methods
-------	-------------------------

13.1.1.	Product/Packaging disposal:
	Submit for disposal to the legal person authorized by the Ministry of Environmental and Nature Protection.

13.1.2.	Waste codes/waste designations according to Law:
	No information available

13.1.3.	Waste treatment – relevant information:
	No information available

13.1.4.	Sewage disposal – relevant information:
	Waste must not be disposed of into the sewage system.

Trading name:	LITHIUM CARBONATE, LUXOL			
Product code:	LKL-OT-X**	Date of compilation:	03 July 2019	Version: 2

13.1.5.	Other disposal recommendations:
	Do not dispose of the product's remains into the sewage system. Submit the remains to the collectors authorized by the ministry in charge. Do not dispose of the packaging into the sewage system. Submit the packaging to the collectors authorized by the ministry in charge. Do not dispose of in places where ignition may occur.

13.1.6.	Relevant Community provisions:
	-

SECTION 14 TRANSPORT INFORMATION

	Transporting/shipment by road (ADR)
UN number:	Not subject to transport regulations.
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-

	Transporting/shipment by rail (RID)
UN number:	Not subject to transport regulations.
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-

	Inland waterway transport (ADN)
UN number:	Not subject to transport regulations.
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-

	Transporting/shipment by sea (IMDG)
UN number:	Not subject to transport regulations.
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-

Trading name:	LITHIUM CARBONATE, LUXOL			
Product code:	LKL-OT-X**	Date of compilation:	03 July 2019	Version: 2

Transporting/shipment by air (ICAO-TI/IATA-DGR)	
UN number:	Not subject to transport regulations.
UN proper shipping name:	-
Transport hazard class(es):	-
Packing group:	-
Environmentally hazardous:	-
Special precautions for user:	-
Further information: The product is not subject to classification.	

SECTION 15 REGULATORY INFORMATION	
15.1.	Safety, health and environmental regulations/legislation specific for the substance or mixture
	EU regulations
	Authorization and/or restrictions of use
	Authorizations: -
	Restrictions: -
	Other EU regulations: EC Regulation No. 1906/2007 and EC Regulation No. 1272/2008 of the European Parliament and the European Council; The European Commission Regulation No. 453/2006 of 2010 on changes and amendments to the Regulation (EC) No. 1907/2006 of the European Parliament and Council on registration, evaluation, authorization and restriction of chemical substances (REACH); EC Regulation No. 2037/2000 of the European Parliament and Council from 29 June 2000 on substances that damage the ozone layer; EC Regulation No. 689/2008 of the European Parliament and Council from 17 June 2008 concerning the export and import of dangerous chemicals; EC Regulation No. 850/2004 of the European Parliament and Council from 29 April 2004 about persistent organic pollutants; Directive 2008/98/EC of the European Parliament and Council of 19 November 2008 on waste and repealing certain Directives
	Information according 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline)
	National legislation: Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act
15.2.	Chemical safety assessment
	None

Trading name:	LITHIUM CARBONATE, LUXOL			
Product code:	LKL-OT-X**	Date of compilation:	03 July 2019	Version: 2

SECTION 16 Other information			
16.1.	Indication of changes:		-
16.2.	Abbreviations and acronyms:		PBT Stable, bioaccumulative and toxic vPvB Strongly stable and strongly bioaccumulative. LD ₅₀ Lethal dose, 50% LC ₅₀ Lethal concentration, 50% STOT-SE Specific target organ toxicity - single exposure
16.3.	Key literature references and source of data:		-
16.4.	Classification and procedure used to derive the classification for mixture according to Regulation (EC) 1272/2008 (CLP)		
Classification		Classification procedure	
-		-	
16.5.	Relevant H statements (number and full text)		
	H:	H302 H319	Harmful if swallowed. Causes serious eye irritation
16.6.	Training advice:		-
16.7.	Further information:		** "X" in the product code marks different volumes (different packagings of the product) We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.

ANNEX: EXPOSURE SCENARIO RESULTING TO CHEMICAL SAFETY ASSESSMENT	
-	