

Page 1 of 16

Trading name:		LUXOL FAST B	LUE, SOLUTION		
Product code:	LFB-OT-X**	Revision date:	03 July 2019	Version:	3

SECTI	ON 1: Identification of	the substance	e/mixture	and of the company/undertaking		
1.1	Product identifier					
	Trading name:	LUXOL FAS	T BLUE, SC	DLUTION		
	Chemical name:	-				
	Catalogue number:	LFB-OT-X**				
1.2	Relevant identified use	es of the subs	of the substance or mixture and uses advised against			
	Uses:		For use with Luxol Fast Blue kit.			
	Uses advised against:		Only the identified uses are advised. The product is intended for use only as an <i>in vitro</i> diagnormed against: medical device, registered at the Agency for Medicinal Products of Medical Devices and there is no reason to use it for other purpose.			
	Reason why uses advi	sed against:				
1.3	Details of the supplier	of the safety	data shee	t		
	Supplier:		BioGnos	t Ltd.		
	Address:		Medjugo	orska 59, Zagreb		
	Telephone number:		+385 1 2	2409997		
	Telefax.:		+385 1 2	2404039		
	e-mail of competent p	erson:	msds@b	<u>piognost.hr</u>		
	National contact:		-			
1.4	Emergency telephone	number				
	National Protection ar	nd Rescue Dire	ectorate:	112		
	Medical information:			+385 1 2348 342		
	Other information:			-		

SECTIO	ON 2. Hazards identification				
2.1	Classification of the substance or mixture				
2.1.1	Classification according to Regu	ulation (EC) No 12	272/2008 (CLP)		
	Hazard class and catego	ory code:		Hazard statements*:	
	Flam. Liq. 2		H225		
2.1.2.	Additional information				
	-				
*For ful	I text of Hazard- and EU Hazard-	statements: see S	ECTION 16		
2.2	Label elements				
	Product identification: LUXOL FAST BLUE, SOLUTION				
	Identification number: -				
	Authorization number:	-			



Page 2 of 16

Trading name:		LUXOL FAST B	LUE, SOLUTION		
Product code:	LFB-OT-X**	Revision date:	03 July 2019	Version:	3

	Hazard pictograms:	GHS02
	Signal word:	Danger
	Hazard statements:	H225 Highly flammable liquid and vapor.
	Precautionary statements:	 P210 Keep away from heat/sparks/open flames/hot surfaces Do not smoke. P233 Keep container tightly closed. P280 Wear protective gloves/protective clothing/eye/protection/face protection.
	Supplemetal hazard information (EU):	-
2.3	Other hazards	
	-	

SECTION 3. Co	SECTION 3. Composition/information on ingredients						
CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)			
64-17-5/ 200-578-6/ 603-002-00-5	01-2119457610-43- xxxx	≥ 70 %	ethanol	Flam. Liq. 2; H225			
64-19-7/ 200-580-7/ 607-002-00-6	-	< 1%	acetic acid, glacial 99%	Flam. Liq. 3; H226 Skin Corr. 1A; H314			

SECTI	ON 4. First aid measures	
4.1	Description of first aid measures	
	General notes:	If the suggested first aid measures do not prove sufficient, seek medical attention.
	Following inhalation:	Carry the afflicted person out of the contaminated area into a well-ventilated area or out for fresh air. In case of difficult breathing, provide the afflicted person with oxygen.
	Following skin contact:	Remove contaminated clothing. Immediately wash with plenty of water for at least 20 minutes. Seek medical assistance if the symptoms of irritation remain.
	Following eye contact:	Rinse out with plenty of water with the eyelid held wide open for at least 20 minutes. If the symptoms remain, immediately call in ophthalmologist.



Page 3 of 16

Trading name:		LUXOL FAST B	LUE, SOLUTION		
Product code:	LFB-OT-X**	Revision date:	03 July 2019	Version:	3

	Following ingestion:	Rinse the mouth thoroughly with 1-2 glasses of water. Immediately consult a physician and show the container or label. In case of swallowing large quantities, transport the afflicted person to the hospital.
	Self-protection of the first aider:	-
4.2	Most important symptoms and ef	fects, both acute and delayed
	Following inhalation:	Depending on concentration and exposure time, it may lead to mucosa irritation, cough, and dyspnea.
	Following skin contact:	Depending on concentration and exposure time, it may lead to irritation, rash, skin drying and skin cracking.
	Following eye contact:	Depending on concentration and exposure time, it may lead to irritation, tearing, redness and pain.
	Following ingestion:	Depending on concentration and exposure time, it may lead to stinging and digestive mucus damage, abdominal pain, nausea, vomiting.
4.3	Indication of any immediate medical attention and special treatment needed	
	-	

SECTIO	TION 5. Firefighting measures				
5.1	Extinguishing media	Extinguishing media			
	Suitable extinguishing media:	Small fire - water spray, dry powder, CO ₂			
	3 3	Large fire - water spray or alcohol resistant foam			
	Unsuitable extinguishing media:	Water with full jet			
5.2	Special hazards arising from the substance or mixture				
	Hazardous combustion products:	Formation of toxic gases is possible during heating or in case of fire.			
5.3	Advice for firefighters	Advice for firefighters			
	Use a self-contained open-circuit o	ompressed air breathing apparatus and fireproof clothing.			
5.4	Additional information				
		Cool endangered receptacles with water spray. Collect contaminated fire fighting water separately. Do not contaminate the environment with extinguishing media.			

SECTIO	ON 6. Accidental release measures			
6.1	Personal precautions, protective	Personal precautions, protective equipment and emergency procedures		
6.1.1.	For non-emergency personnel			
	Protective equipment:	Use personal protective equipment (see Section 8).		
	Accident prevention methods:	Evacuate members of all non-essential personnel and those members without protective equipment. Avoid breathing vapors and avoid contact with skin and eyes. Do not smoke. Keep away from ignition sources.		



Page 4 of 16

Trading name:		LUXOL FAST B	LUE, SOLUTION		
Product code:	LFB-OT-X**	Revision date:	03 July 2019	Version:	3

	Emorgon sy procedures:	Mark the area using proper signs	
	Emergency procedures:	Mark the area using proper signs.	
6.1.2.	For emergency responders:		
	Use protective equipment; in (see Section 8).	case of inadequate ventilation use adequate airways protective equipment	
6.2	Environmental precautions:		
	Do not dispose of in sewage, Protection and Rescue Directo	drainage system and waterways. In case of large spillage contact National orate (NPRD) on 112.	
6.3	Methods and material for con	tainment and cleaning up	
6.3.1.	Bunding, covering of drains; capping procedures:	Sand protective barrier or barriers made of similar materials.	
6.3.2.	Cleaning up:	Where possible, the substance can be absorbed by using absorbing material. Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and and involved materials with water.	
6.3.3.	Other information:	Secure proper ventilation. Do not use incompatible materials (see Section 10).	
6.4	Reference to other sections		
	See Section 7 for information on safe handling.		
	See Section 8 for information	on personal protection equipment.	
	See Section 13 for disposal in		

SECTIO	SECTION 7. Handling and storage				
7.1	Precautions for safe handling				
7.1.1.	Protection measures				
	Measures to prevent fire:		Use in well ventilated storage rooms. Keep away from sources of ignition and heat. Do not use tools that cause sparks. Do not smoke.		
	Measures to prevent aerosol and dust generation	ı :	Secure proper ventilation.		
	Measures to protect the environment:		Prevent spilling into the sewage system and waterways.		
	Other measures:		Protect against electrostatic charges.		
7.1.2.	Advice on general occupational hygiene:				
	Do not eat, drink or smoke in the workspace. Thoroughly wash hands after work and before eating.				
7.2	Conditions for safe storage, including any incompatibilities				
	Technical measures and storage conditions:	well ventila	htly closed and upright set containers in a ated storage rooms at temperatures ranging 25 °C. Protect from heat and direct sunlight.		



Page 5 of 16

Trading name:		LUXOL FAST B	LUE, SOLUTION		
Product code:	LFB-OT-X**	Revision date:	03 July 2019	Version:	3

	Packaging materials:	Manufacturer's original packaging.
	Requirements for storage rooms and vessels:	Keep away from food and drink. Keep the containers tightly closed.
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.
	Further information on storage conditions:	Do not place the unused material in the storage room and do not use empty containers for storing other chemicals. Do not store with incompatible materials (see Section 10).
7.3	Specific end use(s)	
	Recommendations:	-
	Industrial sector specific solutions:	-

SECTION 8. Exposure controls/personal protection								
8.1 Control pa	rameters							
Substance		CAS No		C	Occupational exposure limit values/short term values		•	Biological limit values
					ppı	m	mg/m³	
Ethanol		64-	-17-5		1000	0/-	1900/-	-
Acetic acid		64-	-19-7		10/	20	25/50	-
				•				
Substance name:	-							
EC No:	-	CAS No	:	-				
DNEL								
					Indus	trial		
Route of	Acı	ıte		Acute			Chronic	Chronic
exposure:	effect	local	effe	ct syste	emic		effect local	effect systemic
Oral	-		-			-		-
Inhalation	-		-			-		950 mg/m³ (ethanol)
Dermal	-		-			-		343 mg/kg (ethanol)
Critical physical par	ameters: s	olubility,	flamm	ability,	corros	ivity:	-	
Consumer								
Route of	A	cute		Acute	te Chronic		Chronic	Chronic
exposure:	effe	t local	effe	ct syste	emic		effect local	effect systemic
Oral	-		-			-		-
Inhalation	-		-			-		114 mg/m³ (ethanol)
Dermal	-		-			-		206 mg/kg (ethanol)



Page 6 of 16

-	Trading name:		LUXOL FAST B	LUE, SOLUTION		
	Product code:	LFB-OT-X**	Revision date:	03 July 2019	Version:	3

PNEC			
Environm	nental protection target		PNEC
Fresh wat	ter		0.96 mg/l (ethanol)
Freshwate	er sediments		3.6 mg/kg (ethanol)
Marine w	rater		0.79 mg/l (ethanol)
Marine se	ediments		no information available
Food cha	in		no information available
Microorg	anisms in sewage treatment		no information available
Soil (agric	cultural)		0.63 mg/kg (ethanol)
Air			no information available
8.2	Exposure controls		
8.2.1.	Appropriate engineering controls		
	Substance/mixture related measu prevent exposure during identifie		Use the product in well ventilated rooms. Use personal protective equipment. Do not eat, drink or smoke in the workspace.
	Structural measures to prevent exposure:		In accordance with Section 7.
	Organisational measures to preve exposure:	ent	Organization of work in order to reduce other worker's influence during work process.
	Technical measures to prevent ex	posure:	Secure proper workspace ventilation in order to keep concentration levels in air below permitted levels. Secure stations for rinsing eyes and showering.
8.2.2.	Personal protection equipment		
8.2.2.1.	Eye and face protection:	levels o	glasses that stick to face (EN 166) or visor in case of lower of concentration in air; protective gas mask that covers the face in case of higher levels of concentration in air.
8.2.2.2.	Skin protection		
	Hand protection:	The protective gloves have to satisfy the specification of Regulation (EU) 2016/425 and the related standard EN 374. Glove material: nitrile rubber Glove thickness: 0.40 mm Time until perforation: > 480 min	
	Other skin protection:	During everyday work use cotton clothing (EN 340) and suitable footwear, such as rubber boots (EN 20345) or shoes that cover t entire foot. In case of spilling hazard, use clothing made of impermeable material suitable for protection from liquid chemic (Viton, PVC, himex) and footwear made from the same material.	



Page 7 of 16

Trading name:		LUXOL FAST B	LUE, SOLUTION		
Product code:	LFB-OT-X**	Revision date:	03 July 2019	Version:	3

8.2.2.3.	Respiratory protection:	Protective full face mask (EN 136) or half mask (EN 140) equipped with a filter for organic vapors, type "A" (boiling point >65°C) according to EN 14387) used when concentration levels exceed GVI.
8.2.2.4.	Thermal hazards:	No information available
8.2.3.	Environmental exposure controls	
	Substance/mixture related measures to prevent exposure:	See Section 6
	Structural measures to prevent exposure:	Use modern equipment.
	Organisational measures to prevent exposure:	Adapt the work process to the required working conditions of the workplace.
	Technical measures to prevent exposure:	See Section 6

Information on basic physical and	chemical properties	
	Value	Method
Physical state:	liquid	No information available
Colour:	blue	No information available
Odour:	characteristic	No information available
Odor threshold:	No information available	No information available
pH:	5.0 – 6.0	No information available
Melting point / freezing point;	No information available	No information available
Initial boiling point and boiling range:	No information available	No information available
Flash point:	17 °C	No information available
Evaporation rate:	No information available	No information available
Flammability (solid, gas):	No information available	No information available
Upper/lower flammability or explosive limits:	No information available	No information available
Vapour pressure:	No information available	No information available
Vapour density:	No information available	No information available
Relative density:	No information available	No information available
Bulk density:	No information available	No information available
Solubility(ies):	1 g/l (20°C)	No information available
Partition coefficient: n- octanol/water (log Kow):	No information available	No information available
Auto-ignition temperature:	No information available	No information available



Page 8 of 16

Trading name:		LUXOL FAST BLU	JE, SOLUTION		
Product code:	LFB-OT-X**	Revision date:	03 July 2019	Version:	3

	Decomposition temperature:	No information available	No information available
	Viscosity:	No information available	No information available
	Explosive properties:	No information available	No information available
	Oxidising properties:	No information available	No information available
9.2	Other information		
	-		

SECTIO	SECTION 10. Stability and reactivity						
10.1	Reactivity:	See subsections 10.3 through 10.5.					
10.2	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using (room temperature).					
10.3	Possibility of hazardous reactions:	No dangerous reactions known.					
10.4	Conditions to avoid:	Avoid heat, sparks, open flames and other ignition sources.					
10.5	Incompatible materials:	No further relevant information available.					
10.6	Hazardous decomposition products:	No dangerous decompostion products known.					

SECTIO	N 11. Toxicol	ogical infor	mation						
11.1	Information (on toxicolog	ical effects						
	Acute toxicity	y:							
Route o		Method	Species	Do	ose LD ₅₀ ATE,	/LC ₅₀ or	Exposure ti	me	Results
Oral:		-	rat (ethanc	ol)	LD ₅	60	-		7.060 mg/kg
Dermal:		_	-		_		-		-
Inhalati	on:	-	rat (ethanc	ol)	LC ₅	0	4 h		20.000 mg/l
	Specific targe		city – single e	xposure (S	TOT SE):			
		Sp	ecific effects	Target organ				Note	
Oral:	1	No informati	on available		No inf	ormation avai	lable	_	
Dermal:	1	No informati	on available		No information available		-		
Inhalati	on: ſ	No informati	on available		No inf	ormation avai	lable	-	
	Aspiration ha	azard:		No infor	mation	available.			
	Irritation and	corrosion							
		Expos	ure time	Spec	ies	Evaluation	Method		Note
Skin corrosic	on/irritation:	-		-		-	-	-	



available

available

available

available

SAFETY DATA SHEET According to Regulation (EC) No. 1907/2006

Page 9 of 16

Trading name:		LUXOL FAST B	LUE, SOLUTION		
Product code:	LFB-OT-X**	Revision date:	03 July 2019	Version:	3

Product code:	LFB-OT-X** Revision date: 03 July 2019		Version: 3					
Serious eye damage/irritation	n -		-		_	_		
Sensitiz	ation							
Skin sensitization		No inform	nation avail	ahle				
Respiratory sens			nation avail					
Respiratory seris	itization.	INO IIIIOIIII	iation avail	abie.				
Sympto	ms related t	o the physic	cal, chemica	al and toxicolog	gical characterist	tics		
Oral exposure:		nformation a						
Dermal exposure	exposure: No information availa							
Inhalation expos			available.					
Eye exposure:	No ir	nformation a	available.					
Repeate	ed dose toxi	city (subacu	te, subchro	nic, chronic)				
	Dose	e Ex	posure ne	Species	Method	Evaluation	Note	
Subacute oral	No infor		o formation ailable	No information available	No information available	No information available	۱ -	
Subacute dermal	No infor		o formation ailable	No information available	No information available	No informatior available	۱ -	
Subacute inhalation	No infor		o formation ailable	No information available	No information available	No information available	۱ -	
Subchronic oral	No infor	int	o formation ailable	No information available	No information available	No information available	1 -	
Subchronic dermal	No infor	int	o formation ailable	No information available	No information available	No information available	ı -	
Subchronic inhalation	No infor available	int	o formation ailable	No information available	No information available	No information available	ı -	
Chronic oral	No infor	int	o formation ailable	No information available	No information available	No information available	1 -	
Chronic dermal	No infor	mation No	formation	No information	No information	No information	1 -	



Page 10 of 16

Trading name:		LUXOL FAST B	LUE, SOLUTION		
Product code:	LFB-OT-X**	Revision date:	03 July 2019	Version:	3

Chronic inhalati		No availa	information able	No information available	No information available	No information available	No information available	on -
	Specific	c target	organ toxicit	v – repeated e	exposure (STOT	RF)·		
	эросии	e tai get	gan comerc	Specific effection		Target o	organ	Note
Subacu	ıte oral		No informa	tion available		No information		-
Subacu	ite derma	al		tion available		No informatio		_
	ıte inhala		No informa	tion available		No informatio		
Subchr	Subchronic oral No informa		tion available		No informatio	n available	_	
Subchr	Subchronic dermal No informa		tion available		No information	n available	_	
Subchr	ubchronic inhalation No information		tion available		No information	n available	-	
Chronic	c oral		No informa	tion available		No information	n available	-
Chronic	c dermal		No informa	tion available		No informatio	n available	-
Chronic	c inhalati	on	No informa	tion available		No information	n available	-
	Carcino	ogenicity enicity <i>ii</i>	y:	y; mutagenicit	Based on avail	able data, the cla	ssification c	riteria are not met. riteria are not met. riteria are not met.
	Mutag	enicity <i>ii</i>	n vivo:		Based on avail	able data, the cla	ssification c	riteria are not met.
	Germ o	ell muta	agenicity:		Based on avail	able data, the cla	ssification c	riteria are not met.
	Reproc	luctive t	oxicity:		Based on avail	able data, the cla	ssification c	riteria are not met.
	Summa	,	evaluation	of the CN	MR Based on met.	available data, 1	the classifica	ation criteria are not
11.2	Practic	al exper	iences:					
	Classifi	cation c	bservations:		No inform	nation available		
	Other	observat	tions:		No inform	nation available		
11.3	Genera	ıl notes:						
	_							

SECTIO	ON 12. Ecological information
12.1	Toxicity



Page 11 of 16

Trading name:		LUXOL FAST B	SLUE, SOLUTION		
Product code:	LFB-OT-X**	Revision date:	03 July 2019	Version:	3

Acute (short-te toxicity	rm)	Dose	Exposur time	e Species	Method	Evaluation	Note
Fish		LC ₅₀	96 hours	No information available	No information available	No information available	-
Crustacea:		EC ₅₀	48 hours	No information available	No information available	No information available	-
Algae/aquatic p	olants	IC ₅₀	4 days	No information available	No information available	No information available	-
Other organism	าร	-	-	-	-	-	-
Chronic (long-t toxicity	erm)	Dose	Exposur time	e Species	Method	Evaluation	Note
Fish		LC ₅₀	96 hours	No information available	No information available	No information available	-
Crustacea:		EC ₅₀	48 hours	No information available	No information available	No information available	-
Algae/aquatic p	olants	IC ₅₀	72 hours	No information available	No information available	No information available	-
Other organism	าร	_	-	-	-	-	-
			1-				
		nd degradal	oility				
ADIOTI	c degra		alf lives	Method	Evaluatio		Note
Marine water		gradation h		No information available	No information		Note
Fresh water	No ir	nformation a	vailable	No information available	No information	on -	
Air	No ir	nformation a	vailable	No information available	No information	on -	
Soil	No ir	nformation a	vailable	No information available	No informatio available	on -	
Diodo	arada+:						
% Degradation	gradatio	Time (dave)	Method	Evaluatio	n e	Note
No information available	1		formation	No information available	No information		ormation



Page 12 of 16

Trading	g name:	LUXOL FAST BLUE, SOLUTION							ON	\		
Produc	t code:	LFB-C	OT-X**		Revi	sion da	ate:	03 July 20:	19	V	ersion:	3
								:				

					;		:		:			
12.3	Bioaccum	ulative p	ootential									
	Octanol-w	ater pa	rtition coef	ficient (log Kow)						
Valu	e Co	ncentra	tion p	Н	°C	Me	ethod	Evalu	ation		Note	
-	_		-		_	-		-		_		
			1	<u> </u>	<u> </u>			!				
	Bioconcer	ntration	factor (BCF)								
V	alue		Species		<u> </u>	Methoc	k	Evaluati	on		Note	
No info	lo information No inform		nation	No info	ormatic	n	No informati	on				
availabl	е	availal	ole		availab	le		available		-		
	Chronic e	cotoxicit	ty								·	
	Value		Dose		osure	Sne	ecies	Method	Evalua	ation	Note	
					ime						1.000	
Chronic	tovicity on	fich	1.0	No	mation	No	mation	No information	No informa	tion		
CHIOHIC	toxicity on	11511	LC ₅₀	avail		availa		available	availab		-	
				No		No		No	No			
	toxicity on ea (<i>Daphnic</i>		EC ₅₀	infor	mation	1	mation	information	informa		-	
Clustact		')		avail	able	availa	able	available	availab	е		
12.4	Mobility in	n soil										
	Known or	predicte	ed distribut	ion in e	environm	nental c	compart	ments:				
	No inform	ation av	vailable									
	Surface te	nsion:							Ī			
	Value		°C	С	oncentra	ition		Method			Note	
	No	No		No	informa	tion	No inf	ormation				
	information available		formation ailable		ailable		availab		-			
	avaliable	av	anable									
		<u> </u>					<u> </u>					



Page 13 of 16

Trading name:		LUXOL FAST BLU	JE, SOLUTION		
Product code:	LFB-OT-X**	Revision date:	03 July 2019	Version:	3

	Adsorption / desorption				
Transpo	rt A/D coefficient Henry's constant	log Kow	Evaporation rate	Method	Note
Soil-wat	er No information available	No information available	No information available	No information available	-
Water-a	ir No information available	No information available	No information available	No information available	-
Soil-air	No information available	No information available	No information available	No information available	-
12.5	Results of PBT and vPvB asses	coment			
12.5	Not applicable.	SSITIETIL			
	тчот аррисавте.				
12.6	Other adverse effects				
	No further relevant information	on available.			
SECTION	N 13. Disposal consideration	S			
13.1	Waste treatment methods				
13.1.1.	Product/Packaging disposa	l:			
	Submit for disposal to the l Protection.	egal person autho	rized by the Ministr	y of Environmental	and Nature
	1 Totection.				
13.1.2.	Waste codes/waste designa	ations according to	Law:		
	Packaging that contains res			aminated with haza	rdous substances
	:				
13.1.3.	Waste treatment – relevant	information:			
	No information available				
	No information available				
13.1.4.	No information available Sewage disposal – relevant	information:			
13.1.4.			ge system.		
13.1.4. 13.1.5.	Sewage disposal – relevant	d of into the sewa	ge system.		
	Sewage disposal – relevant Waste must not be dispose	d of into the sewa ations: uct's remains into n charge. Do not o	the sewage system. dispose of the packa	aging into the sewa	
	Sewage disposal – relevant Waste must not be dispose Other disposal recommend Do not dispose of the prod authorized by the ministry i	d of into the sewa ations: uct's remains into n charge. Do not o tors authorized by	the sewage system. dispose of the packa	aging into the sewa	



Page 14 of 16

Trading name:	LUXOL FAST BLUE, SOLUTION				
Product code:	LFB-OT-X**	Revision date:	03 July 2019	Version:	3

SECTION 14 TRANSPORT INFORMATIO	N
Transporting/shipment by road (ADR)
UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	П
Environmentally hazardous:	-
Special precautions for user:	-
Transporting/shipment by rail (R	ID)
UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	П
Environmentally hazardous:	-
Special precautions for user:	-
Inland waterway transport (ADN)	
UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	П
Environmentally hazardous:	-
Special precautions for user:	-
Transporting/shipment by sea (IN	MDG)
UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3
Packing group:	П
Environmentally hazardous:	-
Special precautions for user:	-
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:	-
Transporting/shipment by air (IC	AO-TI/IATA-DGR)
UN number:	1170
UN proper shipping name:	Ethanol solution
Transport hazard class(es):	3



Page 15 of 16

Trading name:	LUXOL FAST BLUE, SOLUTION				
Product code:	LFB-OT-X**	Revision date:	03 July 2019	Version:	3

Packing group:		II
Environmentally hazardous	s:	-
Special precautions for use	er:	-
Further information:	-	

SECTIO	TION 15. Regulatory information				
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture				
	EU regulations				
	Authorization and/or rest	rictions of use			
	Authorizations:	-			
	Restrictions:	-			
		EC Regulation No. 1906/2007 and EC Regulation No. 1272/2008 of the European Parliament and the European Council; Regulation (EC) No. 1907/2006 of the European Parliament and Council on registration, evaluation, authorization and restriction of chemical substances (REACH);			
	Other EU regulations:	EC Regulation No. 2037/200 of the European Parliament and Council from 29 June 2000 on substances that damage the ozone layer;			
		EC Regulation No. 689/2008 of the European Parliament and Council from 17 June 2008 concerning the export and import of dangerous chemicals; EC Regulation No. 850/2004 of the European Parliament and Council from 29 April 2004 about persistent organic pollutants;			
		Directive 2008/98/EC of the European Parliament and Council of 19 November 2008 on waste and repealing certain Directives			
	Information according 1999/13/EC about limitation of emissions of volatile organic compounds (VOC quideline)				
	National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act			
15.2	Chemical safety assessme	ent			
	None				

SECTION 16. Other information		
16.1	Indication of changes:	-



Page 16 of 16

T I'			9		
Trading name:		LUXOL FAST BLU	JE, SOLUTION		
Product code:	LFB-OT-X**	Revision date:	03 July 2019	Version:	3

16.2	Abl	oreviations and acronyms:	PBT Stable, bioaccumulative and toxic vPvB Strongly stable and strongly bioaccumulative. LD ₅₀ Lethal dose, 50% LC ₅₀ Lethal concentration, 50% TCOJ Specific target organ toxicity - single exposure	
16.3.	Key literature references and source of data:		-	
16.4.	16.4. Classification and procedure us 1272/2008 (CLP)		used to derive the classification for mixture according to Regulation (EC)	
Classification		า	Classification procedure	
			-	
16.5.	6.5. Relevant H statements (number		er and full text)	
	H:	H225	Highly flammable liquid and vapour.	
		H226	Flammable liquid and vapour.	
		H314	Causes severe skin burns and eye damage.	
16.6.	. Training advice:		-	
			** "X" in the product code marks different volumes (different packagings of the product)	
16.7.	i		We are not responsible for consequences in case of failure to comply winstructions for use or improper use of the product described in this material safety data sheet.	

ANNEX: Exposure	scenario resulting to chemical safety assessment
_	