

Page 1 of 17

Trading name:		SODIUM TETRABO	ORATE, SOLUTION	<u> </u>	
Product code:	NTB-OT-X**	Revision date:	27 August 2019	Version:	4

SECTI	ON 1: Identification of	the substance	e/mixture	and of the company/undertaking
1.1	Product identifier			
	Trading name:	SODIUM TE	TRABORA	TE, SOLUTION
	Chemical name:	-		
	Catalogue number:	NTB-OT-X*	*	
1.2	Relevant identified us	es of the subs	tance or m	nixture and uses advised against
	Uses:		For use	with special staining kits.
	Uses advised against:		Only the	e identified uses are advised.
	Reason why uses advised against:		The product is intended for use only as an <i>in vitro</i> diagnostic medical device, registered at the Agency for Medicinal Products and Medical Devices and there is no reason to use it for other purposes.	
1.3	Details of the supplier of the safety data sheet			
	Supplier:		BioGnost Ltd.	
	Address:		Medjugorska 59, Zagreb	
	Telephone number:		+385 1 2409997	
	Telefax.:		+385 1 2404039	
	e-mail of competent p	person:	msds@biognost.hr	
	National contact:		-	
1.4	Emergency telephone number			
	National Protection a	nd Rescue Dire	ectorate:	112
	Medical information:			+385 1 2348 342
	Other information:			-

SECTIO	ON 2. Hazards identification			
2.1	Classification of the substance or mixture			
2.1.1	Classification according to Regulation (EC) No 1272/2008 (CLP)			
	Hazard class and catego	ory code:	Hazard statements*:	
	Flam. Liq. 2		H225	
	Eye Irrit. 2		H319	
	STOT SE 3		H336	
2.1.2.	Additional information			
	-			
*For ful	ll text of Hazard- and EU Hazard-	statements: see S	ECTION 16	
2.2	Label elements			
	Product identification:	SODIUM TETRA	BORATE, SOLUTION	
	Identification number:	-		
	Authorization number:	-		



Page 2 of 17

Trading name:		SODIUM TETRABO	ORATE, SOLUTION	<u>_</u>	
Product code:	NTB-OT-X**	Revision date:	27 August 2019	Version:	4

	Hazard pictograms:	GHS02 GHS07
	Signal word:	Danger
	Hazard statements:	<ul><li>H225 Highly flammable liquid and vapor.</li><li>H319 Causes serious eye irritation.</li><li>H336 May cause drowsiness or dizziness</li></ul>
	Precautionary statements:	P210 Keep away from heat/sparks/open flames/hot surfaces. Do not smoke. P280 Wear protective gloves/protective clothing/eye/protection/face protection. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	Supplemetal hazard information (EU):	-
2.3	Other hazards	
	-	

SECTION 3. Co	SECTION 3. Composition/information on ingredients				
CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)	
64-17-5/ 200-578-6/ 603-002-00-5	-	≤ 50 %	ethanol	Flam. Liq. 2; H225	
67-63-0/ 200-661-7/ 603-117-00-0	-	≥ 20 %	propan-2-ol	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	
1330-43-4/ 215-540-4/ 005-011-00-4	-	< 0.5 %	sodium tetraborate	Repr. 1B; H360 FD	

SECTIO	SECTION 4. First aid measures		
4.1	Description of first aid measures		
	General notes:	If the suggested first aid measures do not prove sufficient, seek medical attention.	



Page 3 of 17

Trading name:		SODIUM TETRABO	ORATE, SOLUTION	<u> </u>	
Product code:	NTB-OT-X**	Revision date:	27 August 2019	Version:	4

	Following inhalation:	Carry the afflicted person out of the contaminated area into a well-ventilated area or out for fresh air. In case of difficult breathing, provide the afflicted person with oxygen.
	Following skin contact:	Remove contaminated clothing. Immediately wash with plenty of water for at least 20 minutes. Seek medical assistance if the symptoms of irritation remain.
	Following eye contact:	Rinse out with plenty of water with the eyelid held wide open for at least 20 minutes. If the symptoms remain, immediately call in ophthalmologist.
	Following ingestion:	Do not induce vomiting. Do not insert any object into the unconscious person's mouth. Immediately consult a physician and show the container or label. In case of swallowing large quantities, transport the afflicted person to the hospital.
	Self-protection of the first aider:	-
4.2	Most important symptoms and ef	fects, both acute and delayed
	Following inhalation:	Depending on concentration and exposure time, it may lead to mucosa irritation, cough, and dyspnea.
	Following skin contact:	Defatting, dry skin.
	Following skin contact:  Following eye contact:	Defatting, dry skin.  Depending on concentration and exposure time, it may lead to irritation, tearing, redness and pain.
		Depending on concentration and exposure time, it may lead to
4.3	Following eye contact: Following ingestion:	Depending on concentration and exposure time, it may lead to irritation, tearing, redness and pain.  Depending on concentration and exposure time, it may lead to stinging and digestive mucus damage, abdominal pain, nausea,

SECTIO	ECTION 5. Firefighting measures		
5.1	Extinguishing media		
	Suitable extinguishing media:	Small fire - water spray, dry powder, CO <sub>2</sub> Large fire - water spray or alcohol resistant foam	
	Unsuitable extinguishing media:	Water with full jet	
5.2	Special hazards arising from the substance or mixture		
	Hazardous combustion products:	Formation of toxic gases is possible during heating or in case of fire.	
5.3	Advice for firefighters		
	Use a self-contained open-circuit of	compressed air breathing apparatus and fireproof clothing.	
5.4	Additional information		
	Collect contaminated fire fighting extinguishing media.	water separately. Do not contaminate the environment with	

#### **SECTION 6. Accidental release measures**



Page 4 of 17

Trading name:		SODIUM TETRABO	ORATE, SOLUTION	<u> </u>	
Product code:	NTB-OT-X**	Revision date:	27 August 2019	Version:	4

6.1	Personal precautions, protecti	ve equipment and emergency procedures	
6.1.1.	For non-emergency personne	1	
	Protective equipment:	Use personal protective equipment (see Section 8).	
	Accident prevention methods	Evacuate members of all non-essential personnel and those members without protective equipment. Avoid breathing vapors and avoid contact with skin and eyes. Do not smoke. Keep away from ignition sources.	
	Emergency procedures:	Mark the area using proper signs.	
6.1.2.	For emergency responders:		
	Use protective equipment; in (see Section 8).	case of inadequate ventilation use adequate airways protective equipment	
6.2	Environmental precautions:		
	· · · · · · · · · · · · · · · · · · ·	ot dispose of in sewage, drainage system and waterways. In case of large spillage contact National ction and Rescue Directorate (NPRD) on 112.	
6.3	Methods and material for con	tainment and cleaning up	
6.3.1.	Bunding, covering of drains; capping procedures:	Sand protective barrier or barriers made of similar materials.	
6.3.2.	Cleaning up:	Where possible, the substance can be absorbed by using absorbing material. Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and and involved materials with water.	
6.3.3.	Other information:	Secure proper ventilation. Do not use incompatible materials (see Section 10).	
6.4	Reference to other sections		
	See Section 7 for information	on safe handling.	
	See Section 8 for information on personal protection equipment.		
	See Section 13 for disposal information.		

SECTIO	SECTION 7. Handling and storage				
7.1	Precautions for safe handling				
7.1.1.	Protection measures				
	Measures to prevent fire:	Use in well ventilated storage rooms. Keep away from sources of ignition and heat. Do not use tools that cause sparks. Do not smoke.			
	Measures to prevent aerosol and dust generation:	Secure proper ventilation.			
	Measures to protect the environment:	Prevent spilling into the sewage system and waterways.			
	Other measures:	Protect against electrostatic charges.			



Page 5 of 17

Trading name:		SODIUM TETRABO	RATE, SOLUTION	1 age 3 01 17	
Product code:	NTB-OT-X**	Revision date:	27 August 2019	Version:	4

7.1.2.	Advice on general occupational hygiene:				
	Do not eat, drink or smoke in the workspace. Thoroughly wash hands after work and before eating.				
7.2	Conditions for safe storage, including any incom	patibilities			
	Technical measures and storage conditions:	Keep in tightly closed and upright set containers in a well ventilated storage rooms at temperatures ranging from 15 to 25 °C. Protect from heat and direct sunlight.			
	Packaging materials:	Manufacturer's original packaging. Unsuitable material for receptacle: aluminium.			
	Requirements for storage rooms and vessels:	Keep away from food and drink. Keep the containers tightly closed.			
	Advices for storage equipment:	The storage must be made of hard material; floors must be resistant to chemicals. There must be no drain that directly leads into sewage system. Secure proper ventilation.			
	Further information on storage conditions:	Do not place the unused material in the storage room and do not use empty containers for storing other chemicals. Do not store with incompatible materials (see Section 10).			
7.3	Specific end use(s)				
	Recommendations:	-			
	Industrial sector specific solutions:	-			

SECTION 8. Expo	osure	contro	ols/perso	nal pı	otection			
8.1 Control	parar	meters						
Substan	ce		CAS No				exposure limit t term values	Biological limit values
					pp	ppm mg/m³		J
Ethanol			64-	17-5	100	0/-	1900/-	-
Propan-2-ol			67-	63-0	400,	/500	900/1250	-
Substance name:		-						
EC No:		-	CAS No		-			
DNEL								
					Indu	strial		
Route of		Acu	te		Acute		Chronic	Chronic
exposure:		effect	local	effe	ct systemic		effect local	effect systemic
Oral	-			-		-		26 mg/kg (propan-2-ol)
Inhalation	-			-		-		500 mg/m³ (propan-2-ol) 950 mg/m³ (ethanol)



							Page 6 of 1	7
Trading	name:		SODIU	IM TETRAB	ORATE, SOLUT	ON		
Product	code:	NTB-OT-X**	Revis	ion date:	27 August 20	)19	Version:	4
Dermal		-	-	-		_	ŋ/kg (propan-2- ŋ/kg (ethanol)	-ol)
Critical pl	nysical pa	rameters: solubility,	flammability, co	orrosivity:	-			
			Co	onsumer	·			
Route of exposure		Acute effect local	Acute effect system	iic e	Chronic effect local	6	Chronic effect systemic	
Oral		-	-	-		-		
Inhalatior	า	-	-	-		114 mg	m³ (propan-2- y/m³ (ethanol)	
Dermal		-	-	-		_	g/kg (propan-2- g/kg (ethanol)	-ol)
PNEC								
Environm	ental pro	tection target		PNEC				
Fresh wat	er			0.96 mg/l (	ethanol)			
Freshwate	er sedime	ents		3.6 mg/kg (ethanol)				
Marine w	ater			0.79 mg/l (ethanol)				
Marine se	ediments			no information available				
Food cha	in			no information available				
Microorg	anisms in	sewage treatment		no information available				
Soil (agrio	cultural)			0.63 mg/kg (ethanol)				
Air				no informa	tion available			
	ŝ							
8.2	•	ure controls						
8.2.1.	Appro	priate engineering	controls	_				
		ance/mixture related nt exposure during i		Use the product in well ventilated rooms. Use personal protective equipment. Do not eat, drink or smoke in the workspace.				
	Struct expos	ural measures to pro ure:	event	In accordance with Section 7.				
		Organisational measures to prevent exposure:			Organization of work in order to reduce other worker's influence during work process.			
	Technical measures to prevent exposure:			Secure proper workspace ventilation in order to keep concentration levels in air below permitted levels. Secure stations for rinsing eyes and showering.				
8.2.2.	Perso	nal protection equip	ment					
8.2.2.1.	Eye aı	nd face protection:	levels	glasses that stick to face (EN 166) or visor in case of lower of concentration in air; protective gas mask that covers the face in case of higher levels of concentration in air.				



Page 7 of 17

Trading name:					
Product code:	NTB-OT-X**	Revision date:	27 August 2019	Version:	4

8.2.2.2.	Skin protection				
	Hand protection:	The protective gloves have to satisfy the specification of Regulation (EU) 2016/425 and the related standard EN 374.  Full contact:  Glove material: butyl rubber  Glove thickness: ≥ 0.50 mm  Time until perforation: > 480 min  Splash contact:  Glove material: nitrile rubber  Glove thickness: 0.4 mm  Break through time: 35 min			
	Other skin protection:	During everyday work use antistatic clothing (EN 13688) and suitable footwear, such as rubber boots (EN 20345) or shoes that cover the entire foot. In case of spilling hazard, use clothing made of impermeable material suitable for protection from liquid chemicals (Viton, PVC, himex) and footwear made from the same material.			
8.2.2.3.	Respiratory protection:	If the concentration level exceeds the GVI values (or because of inadequate ventilation), use a filter for organic vapors, type "A" (boiling point >65°C) according to EN 14387.			
8.2.2.4.	Thermal hazards:	No information available			
8.2.3.	Environmental exposure controls				
	Substance/mixture related measures to prevent exposure:	See Section 6			
	Structural measures to prevent exposure:	Use modern equipment.			
	Organisational measures to prevent exposure:	Adapt the work process to the required working conditions of the workplace.			
	Technical measures to prevent exposure:	See Section 6			

SECTION 9. Physical and chemical properties							
9.1	Information on basic physical and chemical properties						
	Value Method						
	Physical state:	liquid	No information available				
	Colour:	colourless	No information available				
	Odour:	alchohol like	No information available				
	Odor threshold:	No information available	No information available				
	рН:	No information available	No information available				
	Melting point / freezing point;	No information available	No information available				



Page 8 of 17

Trading name:	me: <b>SODIUM TETRABORATE, SOLUTION</b>				
Product code:	NTB-OT-X**	Revision date:	27 August 2019	Version:	4

	Initial boiling point and boiling range:	No information available	No information available
	Flash point:	25 °C	No information available
	Evaporation rate:	No information available	No information available
	Flammability (solid, gas):	No information available	No information available
	Upper/lower flammability or explosive limits:	No information available	No information available
	Vapour pressure:	No information available	No information available
	Vapour density:	No information available	No information available
	Relative density:	No information available	No information available
	Bulk density:	No information available	No information available
	Solubility(ies):	No information available	No information available
	Partition coefficient: n- octanol/water (log Kow):	No information available	No information available
	Auto-ignition temperature:	No information available	No information available
	Decomposition temperature:	No information available	No information available
	Viscosity:	No information available	No information available
	Explosive properties:	No information available	No information available
	Oxidising properties:	No information available	No information available
9.2	Other information		
	-		

SECTIO	SECTION 10. Stability and reactivity				
10.1	Reactivity: See subsections 10.3 through 10.5.				
10.2	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using (room temperature).			
10.3	Possibility of hazardous reactions:	No dangerous reactions known.			
10.4	Conditions to avoid:	Avoid heat, sparks, open flames and other ignition sources.			
10.5	Incompatible materials:	No further relevant information available.			
10.6	Hazardous decomposition products:	Carbon monoxide.			

SECTIO	SECTION 11. Toxicological information					
11.1	1 Information on toxicological effects					
	Acute toxicity:					
Route c		Method	Species	Dose LD <sub>50</sub> /LC <sub>50</sub> or ATE <sub>mix</sub>	Exposure time	Results



							Pag	ge 9 of 17	,
Trading name:			SODIUM	1 TETRA	BORATE, SO	LUTION			
Product code:	NTB-O	Γ-X**	Revisio	n date:	27 Augu	ıst 2019	Ve	rsion:	4
Oral:	-	rat	LD	50	-		>2,000 mg/kg (2-propanol) 7,060 mg/kg (ethanol)		
Dermal:	-	rabbit	LD	11)50		>2,000 n	-2,000 mg/kg (2-propanol)		
Inhalation:	-	rat	LC	50	4 h	20 mg/l (2-prop 20,000 mg/l (eth		•	
Specific to	arget orga	n toxicity – singl	e exposure	(STOT SE	i):				
<u> </u>	3 3	Specific effect	•			n		Note	
Oral:	No info	rmation available		No in	formation avail		-		
Dermal:	No info	rmation available	e	No in	formation avail	able	-		
Inhalation:	ation: No information available			No in	formation avail	on available may cause drows or dizziness			iness
Aspiration	n hazard:		No info	ormation	available.				
Irritation	and corros	ion							
1111011011		Exposure time	Spe	ecies	Evaluation	Method		Note	
Skin corrosion/irritation	_		-		-	-			
Serious eye damage/irritation	-		-		-	-	caus irrita	es serious tion	eye
Sensitizat	ion								
Skin sensitization:		No information	n available.						
Respiratory sensiti	zation:	No information	n available.						
Symptom	s related t	o the physical, c	nemical and	d toxicolo	ogical character	ristics			
Oral exposure:		nformation availa			<u> </u>				
Dermal exposure:		nformation availa							
Inhalation exposu		nformation availa							
Eye exposure:		nformation availa	ble.						
Reneated	dose toxic	city (subacute, su	ıbchronic c	hronic)					
	Dose	Fxnosu			Method	Evalua	ation	Note	



Page 10 of 17

Trading name:		SODIUM TETRABORATE, SOLUTION						
Product code:	NTB-OT-X**	Revision date:	27 August 2019	Version:	4			

Subacute oral	No information available	No information available	No information available	No information available	No information available	-
Subacute dermal	No information available	No information available	No information available	No information available	No information available	-
Subacute inhalation	No information available	No information available	No information available	No information available	No information available	-
Subchronic oral	No information available	No information available	No information available	No information available	No information available	-
Subchronic dermal	No information available	No information available	No information available	No information available	No information available	-
Subchronic inhalation	No information available	No information available	No information available	No information available	No information available	-
Chronic oral	No information available	No information available	No information available	No information available	No information available	-
Chronic dermal	No information available	No information available	No information available	No information available	No information available	-
Chronic inhalation	No information available	No information available	No information available	No information available	No information available	-

Specific target	organ toxicity	ropostod (	ovnocuro i	CTOT DEV
Specific target	ordan toxicity –	reneated (	exposure i	VIOLED.

	Specific effects	Target organ	Note
Subacute oral	No information available	No information available	-
Subacute dermal	No information available	No information available	-
Subacute inhalation	No information available	No information available	-
Subchronic oral	No information available	No information available	-
Subchronic dermal	No information available	No information available	-
Subchronic inhalation	No information available	No information available	-
Chronic oral	No information available	No information available	-
Chronic dermal	No information available	No information available	-
Chronic inhalation	No information available	No information available	-

CMR effects (carcinogenicity; mutagenicity; reproductive toxicity)



Page 11 of 17

Trading name:		SODIUM TETRABORATE, SOLUTION						
Product code:	NTB-OT-X**	Revision date:	27 August 2019	Version:	4			

	Carcinogenicity:	Based on available data, the classification criteria are not met.				
	Mutagenicity in vitro:	Bas	sed on available data, the classification criteria are not met.			
	Genotoxicity:	Bas	sed on available data, the classification criteria are not met.			
	Mutagenicity in vivo:	Bas	sed on available data, the classification criteria are not met.			
	Germ cell mutagenicity:	Bas	sed on available data, the classification criteria are not met.			
	Reproductive toxicity:	Based on available data, the classification criteria are not met.				
	Summary of evaluation of the C properties:	MR	Based on available data, the classification criteria are not met.			
	properties.		THC.			
11.2	Practical experiences:					
	Classification observations:		No information available			
	Other observations:	No information available				
11.3	General notes:					
	-					

SECTION 12. Ecologic	cal informat	ion				
12.1 Toxicity						
Acute (short-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC <sub>50</sub>	96 hours	fish	No information available	100-1,000 mg/l (2-propanol)	-
Crustacea:	EC <sub>50</sub>	48 hours	Daphnia magna	No information available	>1,000 mg/l (2-propanol)	-
Algae/aquatic plants	IC <sub>50</sub>	4 days	algae	No information available	>1,000 mg/l (2-propanol)	-
Other organisms	-	-	-	-	-	-
Chronic (long-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note
Fish	LC <sub>50</sub>	96 hours	No information available	No information available	No information available	-
Crustacea:	EC <sub>50</sub>	48 hours	No information available	No information available	No information available	_



Page 12 of 17

Trading name	•			SC	DDIUM TETRAE	BORATE, SOLU	ITION			
Product code:	Ν	ITB-OT-X**		R	Revision date:	27 August	2019	Versi	ion:	4
Algae/aquatic p	lants	IC <sub>50</sub>	72 hours		intormation		No info availabl	rmation e	_	
Other organism	ıs	-	_		-	-	-		-	
)		1					i		i	
12.2 Persist	ence a	nd degradab	ility							
Abiotic	degra	dation								
:	De	gradation ha	lf-lives		Method	Evaluation	n	N	lote	
Marine water	No ir	No information available			information ailable	No information available	1 -	_		
Fresh water	No ir	nformation av	vailable		information ailable	No information available	1	-		
Air	No information available			information ailable	No information available		_			
Soil	No ir	nformation av	ailable/		information ailable	No information available	1	-		
Biodeg	radatio	on				,				
% Degradation	on	Time (d	ays)		Method	Evaluation	ı	N	lote	
No information available		No inf available	ormation		information ailable	No information available		No informa available	ation	
12.3 Bioacc	umulat	tive potential								
Octano	ol-wate	er partition co	efficient (	log k	(ow)					
Value	Conce	entration	рН	°C	Method	Evalua	ation		Note	
-			-	-	-	-		_		
Biocor	centra	tion factor (B	CF)							
Value		Specie	s		Method	Evaluatio	on	N	Note	
No information available		o info vailable	ormation		information iilable	No information	on	-		



13.1

Waste treatment methods

### **SAFETY DATA SHEET** BIOGNOST® According to Regulation (EC) No. 1907/2006

Page 13 of 17

Trading name:		SODIUM TETRABORATE, SOLUTION						
Product code:	NTB-OT-X**	Revision date:	27 August 2019	Version:	4			

	Value	Dose	Exposure time	Species	Metho	od E	valuation	Note	
Chronic	c toxicity on fis	h LC <sub>50</sub>	information	No information available	No informa available	1	ormation ailable	-	
	toxicity on ea ( <i>Daphnia</i> )	EC <sub>50</sub>	information	No information available	No informa available		ormation ailable	-	
12.4	Mobility in s	oil							
	Known or predicted distribution in environmental compartments:								
	No informat	on available							
	Surface tens	on:							
	Value	°C	Concentrati	on	Method	b		Note	
	No information available	No information available	No information	on No inf availal	ormation ole		-		
	Adsorption /	desorption							
Transp	ort í	ocoefficient ry's constant	log Kow	Evaporation rate		Method		Note	
Soil-wa	iter No availabl	information e	No information available	No inform available	nation	No inforr available		-	
Water-	air No availabl	information e	No information available	No inform available	nation	No inforravailable	nation	-	
Soil-air	No availabl	information e	No information available	No inform available	nation	No inforr available		-	
12.5 Results of PBT and vPvB assessment									
12.5	Not applicab	le.							
12.5									
12.5 12.6	Other advers	se effects							



Page 14 of 17

Trading name:	SODIUM TETRABORATE, SOLUTION							
Product code:	NTB-OT-X**	Revision date:	27 August 2019	Version:	4			

13.1.1.	Product/Packaging dispo	sal:
	Submit for disposal to the Protection.	e legal person authorized by the Ministry of Environmental and Nature
13.1.2.	Waste codes/waste design	nations according to Law:
13.1.2.		residual hazardous substances or is contaminated with hazardous substances
	, a straightig that contains	
13.1.3.	Waste treatment – releva	nt information:
	No information available	
13.1.4.	Sewage disposal – releva	
	Waste must not be dispo	sed of into the sewage system.
13.1.5.	Other disposal recomme	ndations:
13.1.3.	Do not dispose of the pro authorized by the ministr	oduct's remains into the sewage system. Submit the remains to the collectors y in charge. Do not dispose of the packaging into the sewage system. Submit ectors authorized by the ministry in charge.
13.1.6.	Relevant Community pro	visions:
Disposal must be made acc		ccording to official regulations.
SECTIO	N 14 TRANSPORT INFORM	
<u> </u>	Transporting/shipment by	
UN num		1993
	er shipping name:	Flammable liquid, n.o.s. (ethanol, isopropanol)
······································	rt hazard class(es):	3
Packing		
Environmentally hazardous:		-
Special p	precautions for user:	-
	Transporting/shipment by	
UN number:		1993
UN proper shipping name:		Flammable liquid, n.o.s. (ethanol, isopropanol)
······	rt hazard class(es):	3
Packing group:		
······································		
Environr	nentally hazardous: precautions for user:	-



Page 15 of 17

					$\overline{}$
Trading name:	g name: SODIUM TETRABORATE, SOLUTION				
Product code:	NTB-OT-X**	Revision date:	27 August 2019	Version:	4

UN number:	1993
UN proper shipping name:	Flammable liquid, n.o.s. (ethanol, isopropanol)
Transport hazard class(es):	3
Packing group:	П
Environmentally hazardous:	-
Special precautions for user:	-
Transporting/shipment by sea (IN	MDG)
UN number:	1993
UN proper shipping name:	Flammable liquid, n.o.s. (ethanol, isopropanol)
Transport hazard class(es):	3
Packing group:	П
Environmentally hazardous:	-
Special precautions for user:	-
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:	-
Transporting/shipment by air (IC	AO-TI/IATA-DGR)
UN number:	1993
UN proper shipping name:	Flammable liquid, n.o.s. (ethanol, isopropanol)
Transport hazard class(es):	3
Packing group:	П
Environmentally hazardous:	-
Special precautions for user:	-

SECTION	CTION 15. Regulatory information			
15.1	Safety, health and envi	Safety, health and environmental regulations/legislation specific for the substance or mixture		
	EU regulations			
Authorization and/or restrictions of use		estrictions of use		
	Authorizations: -			
	Restrictions:	-		



Page 16 of 17

Trading name: SODIUM TETRABORATE, SOLU		RATE, SOLUTION	<u> </u>		
Product code:	NTB-OT-X**	Revision date:	27 August 2019	Version:	4

	Other EU regulations:	EC Regulation No. 1906/2007 and EC Regulation No. 1272/2008 of the European Parliament and the European Council; Regulation (EC) No. 1907/2006 of the European Parliament and Council on registration, evaluation, authorization and restriction of chemical substances (REACH); EC Regulation No. 2037/200 of the European Parliament and Council from 29 June 2000 on substances that damage the ozone layer; EC Regulation No. 689/2008 of the European Parliament and Council from 17 June 2008 concerning the export and import of dangerous chemicals; EC Regulation No. 850/2004 of the European Parliament and Council from 29 April 2004 about persistent organic pollutants; Directive 2008/98/EC of the European Parliament and Council of 19 November 2008 on waste and repealing certain Directives
	Information according 199 guideline)	99/13/EC about limitation of emissions of volatile organic compounds (VOC-
	National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act
15.2	Chemical safety assessmen	nt
	None	

SECTIO	ON 16. Other information					
16.1	Indi	cation of changes:	-			
16.2	Abb	previations and acronyms:	PBT vPvB LD <sub>50</sub>	Stable, bioaccumulative and toxic Strongly stable and strongly bioaccumulative. Lethal dose, 50%		
		ŕ	LC <sub>50</sub>	Lethal concentration, 50%		
			TCOJ	Specific target organ toxicity - single exposure		
16.3.		literature references and rce of data:	Manufact	Manufacturer's MSDS file.		
16.4.	Classification and procedure used to derive the classification for mixture according to Regulation (EC) 1272/2008 (CLP)					
Classification			Classificatio	n procedure		
-	-		-			
16.5.	Relevant H statements (number and full text)					
	H:	H225	Highly flam	Highly flammable liquid and vapor.		
		H319	Causes serious eye irritation.			
		H336	May cause o	May cause drowsiness or dizziness.		



Page 17 of 17

Trading name: SODIUM TETRABORATE, SOLUTION					
Product code:	NTB-OT-X**	Revision date:	27 August 2019	Version:	4

16.6.	Training advice:	-
		** "X" in the product code marks different volumes (different packagings of the product)
16.7.	Further information:	We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.

ANNEX: Exposure scenario resulting to chemical safety assessment
-