

Page 1 of 16

Trading name:		TB PERMANGANATE REAGENT			
Product code:	TBP-OT-X**	Date of compilation:	13 June 2019	Version: 5	

SECTI	ON 1: Identification of	the substance	e/mixture	and of the company/undertaking	
1.1	Product identifier				
	Trading name:	TB PERMAN	NGANATE	REAGENT	
	Chemical name:	-			
	Catalogue number:	TBP-OT-X*	*		
1.2	Relevant identified use	es of the subs	tance or n	nixture and uses advised against	
	Uses:		Counter Auramin	stain for use in TB-Stain Fluorescent kit and TB-Stain e O kits.	
	Uses advised against:		Only the	identified uses are advised.	
	Reason why uses advi	sed against:	The product is intended for use only as an <i>in vitro</i> diagnostic medical device, registered at the Agency for Medicinal Produ Medical Devices and there is no reason to use it for other pure		
1.3	Details of the supplier	of the safety	data shee	t	
	Supplier:		BioGnost Ltd.		
	Address:		Medjugo	Medjugorska 59, Zagreb	
	Telephone number:		+385 1 2409997		
	Telefax.:		+385 1 2404039		
	e-mail of competent p	erson:	msds@b	oiognost.hr	
	National contact:		-		
1.4	Emergency telephone	number			
	National Protection and Rescue Dire		ectorate:	112	
	Medical information:			+385 1 2348 342	
	Other information:			-	

SECTIO	DN 2. Hazards identification					
2.1	Classification of the substance or mixture					
2.1.1	Classification according to Regulation (EC) No 1272/2008 (CLP)					
	Hazard class and cat	tegory code:	Hazard statements*:			
	Aquatic Chronic 3		H412			
2.1.2.	Additional information					
	-					
*For fu	ll text of Hazard- and EU Haza	ırd-statements: see S	ECTION 16			
2.2	Label elements					
	Product identification:	TB PERMANGAI	NATE REAGENT			
	Identification number: -					
	Authorization number:	Authorization number: -				
	Hazard pictograms:	-				



Page 2 of 16

Trading name:		TB PERMANGANATE REAGENT			
Product code:	TBP-OT-X**	Date of compilation:	13 June 2019	Version: 5	

	Signal word:	-
	Hazard statements:	H412 Harmful to aquatic life with long lasting effects.
	Precautionary statements:	P273 Avoid release to the environment P501 Dispose of contents/container in accordance with local regulations.
	Supplemetal hazard information (EU):	-
2.3	Other hazards	
	-	

SECTION 3. Cor	SECTION 3. Composition/information on ingredients					
CAS/ EC/ Index number	REACH Registration No	Weight % content (or range)	Identification name	Classification according to Regulation (EC) No 1272/2008 (CLP)		
7722-64-7/ 231-760-3/ 025-002-00-9	_	<1%	potassium permanganate	Ox. Sol. 2; H272 Acute Tox. 4; H302 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Repr. 2; H361d		

SECTI	ON 4. First aid measures		
4.1	Description of first aid measures		
	General notes:	If the suggested first aid measures do not prove sufficient, seek medical attention.	
	Following inhalation:	Carry the afflicted person out of the contaminated area into a well-ventilated area or out for fresh air. In case of difficult breathing, provide the afflicted person with oxygen.	
	Following skin contact:	Remove contaminated clothing. Immediately wash with plenty of water for at least 20 minutes. Seek medical assistance if the symptoms of irritation remain.	
	Following eye contact:	Rinse out with plenty of water with the eyelid held wide open for at least 20 minutes. If the symptoms remain, immediately call in ophthalmologist.	
	Following ingestion:	Rinse the oral cavity, drink 1-2 glasses of water. Immediately consult a physician and show the container or label. In case of swallowing large quantities, transport the afflicted person to the hospital.	
	Self-protection of the first aider:	-	
4.2	Most important symptoms and effects, both acute and delayed		
	Following inhalation:	Depending on concentration and exposure time, it may lead to mucosa irritation, cough, and dyspnea.	



Page 3 of 16

Trading name:		TB PERMANGANATE REAGENT				
Product code:	TBP-OT-X**	Date of compilation:	13 June 2019	Version: 5		

	Following skin contact:	Depending on concentration and exposure time, it may lead to irritation, rash, skin drying and skin cracking.
	Following eye contact:	Depending on concentration and exposure time, it may lead to irritation, tearing, redness and pain.
	Following ingestion:	Depending on concentration and exposure time, it may lead to stinging and digestive mucus damage, abdominal pain, nausea, vomiting.
4.3	Indication of any immediate me	edical attention and special treatment needed
	-	

SECTIO	SECTION 5. Firefighting measures					
5.1	Extinguishing media	Extinguishing media				
	Suitable extinguishing media:	Water spray, foam, dry powder, CO ₂				
	Unsuitable extinguishing media:	No information available				
5.2	Special hazards arising from the su	Special hazards arising from the substance or mixture				
	Hazardous combustion products:	May product toxic fumes of carbon monoxide if burning.				
5.3	Advice for firefighters	Advice for firefighters				
	Use a self-contained open-circuit c	Use a self-contained open-circuit compressed air breathing apparatus and fireproof clothing.				
5.4	Additional information					
	Do not contaminate the environme	ent with extinguishing media.				

SECTIO	CTION 6. Accidental release measures				
6.1	Personal precautions, protective equipment and emergency procedures				
6.1.1.	For non-emergency personnel				
	Protective equipment:	Use personal protective equipment (see Section 8).			
	Accident prevention methods: Evacuate members of all non-essential personnel and those mem without protective equipment. Avoid breathing vapors and a contact with skin and eyes. Do not smoke.				
	Emergency procedures: Mark the area using proper signs.				
6.1.2.	For emergency responders:				
	Use protective equipment; in a (see Section 8).	case of inadequate ventilation use adequate airways protective equipment			
6.2	Environmental precautions:				
	Do not dispose of in sewage, drainage system and waterways. In case of large spillage contact National Protection and Rescue Directorate (NPRD) on 112.				
6.3	Methods and material for containment and cleaning up				
6.3.1.	Bunding, covering of drains; capping procedures:	Bunding, covering of drains;			



Page 4 of 16

Trading name:		TB PERMANGANATE REAGENT			
Product code:	TBP-OT-X**	Date of compilation:	13 June 2019	Version: 5	

6.3.2.	Cleaning up:	Where possible, the substance can be absorbed by using absorbing material. Place the waste material in tightly closed impermeable containers. Store the substance in well ventilated storage rooms until disposal. Submit for disposal to the legal persons authorized by the Ministry of Environmental and Nature Protection. After disposal of the products, wash the area and and involved materials with water.			
6.3.3.	Other information:	Do not use incompatible materials (see Section 10).			
6.4	Reference to other sections				
	See Section 7 for information on safe handling.				
	See Section 8 for information on personal protection equipment.				
	See Section 13 for disposal i	nformation.			

SECTIO	ON 7. Handling and storage				
7.1	Precautions for safe handling				
7.1.1.	Protection measures				
	Measures to prevent fire:	Measures to prevent fire:			
	Measures to prevent aerosol and dust generation	n:	Secure proper ventilation.		
	Measures to protect the environment:		Prevent spilling into the sewage system and waterways.		
	Other measures:		-		
7.1.2.	Advice on general occupational hygiene:				
	Do not eat, drink or smoke in the workspace. Thoroughly wash hands after work and before eating.				
7.2	Conditions for safe storage, including any incom	npatibilities			
	Technical measures and storage conditions:		ghtly closed and upright set containers in a ated storage rooms at temperatures ranging 25 °C.		
	Packaging materials:	Manufacturer's original packaging. Avoid meta containers.			
	Requirements for storage rooms and vessels:	Keep away	y from food and drink. Keep the containers sed.		
	Advices for storage equipment:	The storage must be made of hard material; floor must be resistant to chemicals. There must be not that directly leads into sewage system. Secure proventilation.			
	Further information on storage conditions:	and do no	ace the unused material in the storage room of use empty containers for storing other. Do not store with incompatible materials on 10).		
7.3	Specific end use(s)				
	Recommendations:	_			



Food chain

Air

Soil (agricultural)

Microorganisms in sewage treatment

SAFETY DATA SHEET BIOGNOST® According to Regulation (EC) No. 1907/2006

Page 5 of 16

Trading name:		E REAGENT			
Product code:	TBP-OT-X**	Date of compilation:	13 June 2019	Version: 5	
	•		•	<u> </u>	

Industrial	sector spe	cific solut	ions:		-			
SECTION 8. Expos	ure contr	ols/perso	nal protec	tion				
8.1 Control pa	arameters							
						exposure limit		
Substance	!	CA	S No	valu	es/short	term values	E	Biological limit values
				pp	om	mg/m ³		
Potassium perman	Potassium permanganate		2-64-7		-	0.5		-
	i							
Substance name:	-	T				1		
EC No:	-	CAS No	: -					
DNEL								
				Indu	strial			
Route of	Acı		Acut	te		Chronic		Chronic
exposure:	effect	local	effect systemic		effect local			effect systemic
Oral	-		-		-		-	2
Inhalation	-		-		-		l l	218 mg/m³ (potassium ermanganate)
Dermal	-		-		-		-	
Critical physical par	rameters: s	solubility,	flammabilit	ty, corro	sivity:	_		
				Cons	umer			
Route of exposure:	Act effect		Acut effect sys		Chronic effect local			Chronic effect systemic
Oral	-		-		-		-	
Inhalation	-		-		-		-	
Dermal	-		-		-		-	
PNEC					•		•	
Environmental prot	Environmental protection target				PNEC			
Fresh water				0).06 µg/l	(potassium perr	mangan	nate)
Freshwater sedime	nts			n	no information available			
Marine water				n	no information available			
Marine sediments					no information available			

no information available

no information available

no information available

1.64 mg/l (potassium permanganate)



Page 6 of 16

Trading name:				
Product code:	TBP-OT-X**	Date of compilation:	13 June 2019	Version: 5

8.2	Exposure controls				
8.2.1.	Appropriate engineering controls				
	Substance/mixture related measures to		Use the product in well ventilated rooms. Use personal protective equipment. Do not eat, drink or smoke in the workspace.		
	Structural measures to prevent exposure:		In accordance with Section 7.		
	·		Organization of work in order to reduce other worker's influence during work process.		
	Technical measures to prevent exp	osure:	Secure proper workspace ventilation in order to keep concentration levels in air below permitted levels. Secure stations for rinsing eyes and showering.		
8.2.2.	Personal protection equipment				
8.2.2.1.	Eye and face protection:	Safety glasses that stick to face (EN 166) or visor in case of lower levels of concentration in air; protective gas mask that covers the entire face in case of higher levels of concentration in air.			
8.2.2.2.	Skin protection				
	Hand protection:	Protect	tive nitrile gloves, >0.11 mm thick (EN 374).		
	Other skin protection:		antistatic clothing made of natural fibers (such as cotton) ang sleeves (EN 340) and shoes that cover the entire foot.		
8.2.2.3.	Respiratory protection:		quired under normal conditions of use. Use suitable tory protective device when high concentrations are t.		
8.2.2.4.	Thermal hazards:	No info	ormation available		
8.2.3.	Environmental exposure controls				
	Substance/mixture related measures to prevent exposure:	See Se	ction 6		
	Structural measures to prevent exposure:	Use mo	odern equipment.		
	Organisational measures to prevent exposure:	Adapt workpl	t the work process to the required working conditions of the blace.		
	Technical measures to prevent exposure:	See Se	ction 6		

SECTI	SECTION 9. Physical and chemical properties						
9.1	9.1 Information on basic physical and chemical properties						
		Value	Method				
	Physical state: liquid No information available						



Page 7 of 16

Trading name:		TB PERMANGANATE REAGENT				
Product code:	TBP-OT-X**	Date of compilation:	13 June 2019	Version: 5		

Colour:	dark purple	No information available
Odour:	odourless	No information available
Odor threshold:	No information available	No information available
pH:	6.1 – 6.9	No information available
Melting point / freezing point;	No information available	No information available
Initial boiling point and boiling range:	No information available	No information available
Flash point:	No information available	No information available
Evaporation rate:	No information available	No information available
Flammability (solid, gas):	No information available	No information available
Upper/lower flammability or explosive limits:	No information available	No information available
Vapour pressure:	No information available	No information available
Vapour density:	No information available	No information available
Relative density:	No information available	No information available
Bulk density:	No information available	No information available
Solubility(ies):	No information available	No information available
Partition coefficient: n-octanol/water (log Kow):	No information available	No information available
Auto-ignition temperature:	No information available	No information available
Decomposition temperature:	No information available	No information available
Viscosity:	No information available	No information available
Explosive properties:	No information available	No information available
Oxidising properties:	No information available	No information available
Other information		

SECTIO	SECTION 10. Stability and reactivity				
10.1	Reactivity:	See subsections 10.3 through 10.5.			
10.2	Chemical stability:	The product is chemically stable under standard ambient conditions of storing and using (room temperature).			
10.3	Possibility of hazardous reactions:	No dangerous reactions known.			
10.4	Conditions to avoid:	Avoid heat, sparks, open flames and other ignition sources.			
10.5	Incompatible materials:	Reducing agents, sulfuric acid, flammables, metals and reactive organic materials.			
10.6	Hazardous decomposition products:	Carbon oxides (CO, CO ₂). Oxygen, oxides of potassium and manganese.			



Page 8 of 16

Trading name:		TB PERMANGANATE	REAGENT	<u> </u>	
Product code:	TBP-OT-X**	Date of compilation:	13 June 2019	Version: 5	

SECTION 11. Toxicological information								
11.1	Information	on toxicolog	ical effects					
	Acute toxicit	ty:						
Route of exposure:		Method	Method Species		ose LD ₅₀ /LC ₅₀ or ATE _{mix}	Exposure ti	me	Results
Oral:	Oral: -		rat		LD ₅₀	-		750 mg/kg (potassium permanganate)
Dermal:		-	-	-		-		-
Inhalatio	on:	-	-	-		-		-
	Specific targ	et organ tox	icity – single e	xposure (S	TOT SE):			
		Sp	ecific effects		Target	organ		Note
Oral:		No informat	ion available		No information	available	-	
Dermal:		No informat	ion available		No information	available	_	
Inhalatio	on:	No informat	ion available		No information	available	-	
	Aspiration h	azard:		No inform	nation available.			
	Irritation and	d corrosion						
		Ехро	sure time	Spec	ies Evaluat	ion Method		Note
Skin corrosio	on/irritation:	-		_	-	-	_	
Serious damage	eye e/irritation	-		–	-	-	_	
	Sensitization	1						
	sitization:	-						
Respirat	ory sensitizat	ion: -						
Symptoms related to the physical, chemical and toxicological characteristics								
Oral exposure: No information available.								
Dermal exposure: No information available.								
	Inhalation exposure: No information available.							
Eye exp	osure:	No inform	nation available	e				
1								
Repeated dose toxicity (subacute, subchronic, chronic)								



Page 9 of 16

Trading name:	TB PERMANGANATE REAGENT					
Product code:	TBP-OT-X**	Date of compilation:	13 June 2019	Version: 5		

	Dose	Exposure time	Species	Method	Evaluation	Note
Subacute oral	No information available	No information available	No information available	No information available	No information available	-
Subacute dermal	No information available	No information available	No information available	No information available	No information available	-
Subacute inhalation	No information available	No information available	No information available	No information available	No information available	-
Subchronic oral	No information available	No information available	No information available	No information available	No information available	-
Subchronic dermal	No information available	No information available	No information available	No information available	No information available	-
Subchronic inhalation	No information available	No information available	No information available	No information available	No information available	-
Chronic oral	No information available	No information available	No information available	No information available	No information available	-
Chronic dermal	No information available	No information available	No information available	No information available	No information available	-
Chronic inhalation	No information available	No information available	No information available	No information available	No information available	-

Specific target	Specific target organ toxicity – repeated exposure (STOT RE):					
	Specific effects	Target organ	Note			
Subacute oral	No information available	No information available	-			
Subacute dermal	No information available	No information available	-			
Subacute inhalation	No information available	No information available	-			
Subchronic oral	No information available	No information available	-			
Subchronic dermal	No information available	No information available	-			
Subchronic inhalation	No information available	No information available	-			
Chronic oral	No information available	No information available	-			
Chronic dermal	No information available	No information available	-			
Chronic inhalation	No information available	No information available	-			



Page 10 of 16

Trading name:	TB PERMANGANATE REAGENT				
Product code:	TBP-OT-X**	Date of compilation:	13 June 2019	Version: 5	

	CMR effects (carcinogenicity; mutagenicity; re	eproductive toxicity)
	Carcinogenicity:	No information available.
	Mutagenicity in vitro:	No information available.
	Genotoxicity:	No information available.
	Mutagenicity in vivo:	No information available.
	Germ cell mutagenicity:	No information available.
	Reproductive toxicity:	No information available.
	Summary of evaluation of the CMR properties:	No information available.
11.2	Practical experiences:	
	Classification observations:	-
	Other observations:	-
11.3	General notes:	
	-	

SECTION 12. Ecological information							
12.1 Toxicity							
Acute (short-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note	
Fish	LC ₅₀	96 hours	Oncorhynchus mykiss (rainbow trout)	-	_	0.3 – 0.6 mg/l (potassium permanganate)	
Crustacea:	EC ₅₀	48 hours	Daphnia magna (Water flea)	-	-	0.084 mg/l (potassium permanganate)	
Algae/aquatic plants	IC ₅₀	4 days	-	-	-	-	
Other organisms	-	-	-	-	-	-	
Chronic (long-term) toxicity	Dose	Exposure time	Species	Method	Evaluation	Note	
Fish	LC ₅₀	96 hours	No information available	No information available	No information available	-	
Crustacea:	EC ₅₀	48 hours	No information available	No information available	No information available	_	



Page 11 of 16

Product code:		TB PERMANGANATE REAGENT								
	Т	BP-OT-X**		Date	Date of compilation: 13 June 2019				Version: 5	
Algae/aquatic plants		IC ₅₀	72 hours	available		information information infor		No information available	-	
Other organism	S	-	-	-		-		-	-	
		nd degradal	oility							
Abiotic								1		
_	De	egradation h	alf-lives	1	1ethod		valuatio		Note	
Marine water	No ir	nformation a	vailable	No info	ormation le	No infavailat	ormation ole	า -		
Fresh water	No ir	nformation a	vailable	No info	ormation le	No infa	ormation ole	1 -		
Air	No ir	No information available		No info	ormation le	No information available		า -		
Soil	No information available		vailable			No information - available				
·										
Biodeg	radati	on		1		1				
% Degradation	n	Time (d	days)		1ethod	E	valuatio		Note	
No information available		No in available	information le		No information available		No information available		No information available	
		tive potentia								
		er partition c	pH	°C	Method		Evalu	ation	Note	
- value	Conce	entration	- PH -		- Wethou	_	Evalu	-	Note	
								_		
	centra	tion factor (BCF)							
Biocon		•			4 .1 1		F l	on		
Biocon Value	Value No information No available av		es	ľ	∕Iethod		Evaluation	011	Note	



13.1

Waste treatment methods

SAFETY DATA SHEET BIOGNOST® According to Regulation (EC) No. 1907/2006

Page 12 of 16

Trading name:		TB PERMANGANATE	REAGENT	•
Product code:	TBP-OT-X**	Date of compilation:	13 June 2019	Version: 5

	Chronic ecoto	xicity	F					
	Value	Dose	Exposure time	Species	Method	l E\	/aluation	Note
Chronic	c toxicity on fish	LC ₅₀	LC_{50} No No No No Information information available available available		-			
	c toxicity on ea (<i>Daphnia</i>)	EC ₅₀	information i	No nformation available	No information available	i	ormation ilable	-
12.4	Mobility in soi							
	-		on in environme	ntal compart	ments:			
	No informatio							
	Surface tensio	n:						
	Value	°C	Concentration	on	Method			Note
	No information available	No information available	No information		No information - available		-	
Transpo	ort	coefficient	log Kow	Evaporati	on rate	Meth	od	Note
Soil-wa	No	's constant information	No information available	No inform		lo inform	nation	-
3011-wa		information	No information	No inform	nation N	No information available		_
Water-	air No available		available	available	а	vanabic		
	arr available	information	available No information available		nation N	lo inform vailable	nation	-
Water-a	arr available No available		No information available	No inform	nation N	lo inform	nation	-
Water-a	arr available No available	information and vPvB asses	No information available	No inform	nation N	lo inform	nation	-
Water-a	available No available Results of PBT	information and vPvB asses	No information available	No inform	nation N	lo inform	nation	-



Page 13 of 16

Trading name:	TB PERMANGANATE REAGENT					
Product code:	TBP-OT-X**	Date of compilation:	13 June 2019	Version: 5		

13.1.1.	Product/Packaging dispo	osal:					
	Submit for disposal to the Protection.	ne legal person authorized by the Ministry of Environmental and Nature					
13.1.2.	Waste codes/waste design	gnations according to Law:					
	Packaging that contains	residual hazardous substances or is contaminated with hazardous substances					
13.1.3.	Waste treatment – releva	ant information:					
	No information available						
13.1.4.	Sewage disposal – releva	ant information:					
	Waste must not be disposed of into the sewage system.						
13.1.5.	Other disposal recomme	endations:					
	Do not dispose of the product's remains into the sewage system. Submit the remains to the collector authorized by the ministry in charge. Do not dispose of the packaging into the sewage system. Sub the packaging to the collectors authorized by the ministry in charge.						
	the packaging to the col	lectors authorized by the ministry in charge.					
13.1.6.	the packaging to the col Relevant Community pro						
13.1.6.							
13.1.6.							
		ovisions:					
	Relevant Community pro	ovisions: MATION					
	Relevant Community pro - N 14 TRANSPORT INFORM Transporting/shipment by	ovisions: MATION					
SECTIO UN num	Relevant Community pro - N 14 TRANSPORT INFORM Transporting/shipment by	MATION road (ADR)					
SECTIOI UN num UN prop	Relevant Community pro - N 14 TRANSPORT INFORM Transporting/shipment by other:	MATION road (ADR) 3082 Environmentally hazardous substance, liquid, n.o.s. (potassium					
SECTION UN num UN prop	Relevant Community pro - N 14 TRANSPORT INFORM Transporting/shipment by ober: Der shipping name: rt hazard class(es):	MATION road (ADR) 3082 Environmentally hazardous substance, liquid, n.o.s. (potassium permanganate)					
SECTION UN num UN prop Transpo	Relevant Community pro - N 14 TRANSPORT INFORM Transporting/shipment by ober: Der shipping name: rt hazard class(es):	mation road (ADR) 3082 Environmentally hazardous substance, liquid, n.o.s. (potassium permanganate) 9					
UN num UN prop Transpo Packing Environr	Relevant Community pro - N 14 TRANSPORT INFORM Transporting/shipment by ober: Der shipping name: rt hazard class(es): group:	mation road (ADR) 3082 Environmentally hazardous substance, liquid, n.o.s. (potassium permanganate) 9 III					
SECTION UN num UN prop Transpo Packing Environr	Relevant Community pro - N 14 TRANSPORT INFORM Transporting/shipment by ober: per shipping name: rt hazard class(es): group: mentally hazardous:	MATION road (ADR) 3082 Environmentally hazardous substance, liquid, n.o.s. (potassium permanganate) 9 III					
SECTION UN num UN prop Transpo Packing Environr Special p	Relevant Community pro - N 14 TRANSPORT INFORM Transporting/shipment by ober: Der shipping name: rt hazard class(es): group: mentally hazardous: precautions for user: Transporting/shipment by	MATION road (ADR) 3082 Environmentally hazardous substance, liquid, n.o.s. (potassium permanganate) 9 III					
SECTION UN num UN prop Transpo Packing Environr Special p	Relevant Community pro - N 14 TRANSPORT INFORM Transporting/shipment by ober: Der shipping name: rt hazard class(es): group: mentally hazardous: precautions for user: Transporting/shipment by	MATION road (ADR) 3082 Environmentally hazardous substance, liquid, n.o.s. (potassium permanganate) 9 III rail (RID)					
UN num UN prop Transpor Packing Environr Special p UN num UN prop	Relevant Community pro - N 14 TRANSPORT INFORM Transporting/shipment by ober: per shipping name: rt hazard class(es): group: mentally hazardous: precautions for user: Transporting/shipment by ober:	MATION road (ADR) 3082 Environmentally hazardous substance, liquid, n.o.s. (potassium permanganate) 9 III - rail (RID) 3082 Environmentally hazardous substance, liquid, n.o.s. (potassium permanganate)					
UN num UN prop Transpor Packing Environr Special p UN num UN prop	Relevant Community pro - N 14 TRANSPORT INFORM Transporting/shipment by ober: Der shipping name: rt hazard class(es): group: mentally hazardous: precautions for user: Transporting/shipment by ober: Der shipping name: rt hazard class(es): rt hazard class(es):	MATION road (ADR) 3082 Environmentally hazardous substance, liquid, n.o.s. (potassium permanganate) 9 III rail (RID) 3082 Environmentally hazardous substance, liquid, n.o.s. (potassium permanganate)					
UN num UN prop Transpo Packing Environr Special p UN num UN prop Transpo Packing	Relevant Community pro - N 14 TRANSPORT INFORM Transporting/shipment by ober: Der shipping name: rt hazard class(es): group: mentally hazardous: precautions for user: Transporting/shipment by ober: Der shipping name: rt hazard class(es): rt hazard class(es):	MATION road (ADR) 3082 Environmentally hazardous substance, liquid, n.o.s. (potassium permanganate) 9 III rail (RID) 3082 Environmentally hazardous substance, liquid, n.o.s. (potassium permanganate) 9 9 9 10 10 10 10 10 10 10 1					



Page 14 of 16

Trading name:	TB PERMANGANATE REAGENT				
Product code:	TBP-OT-X**	Date of compilation:	13 June 2019	Version: 5	

Inland waterway transport (ADN))
UN number:	3082
UN proper shipping name:	Environmentally hazardous substance, liquid, n.o.s. (potassium permanganate)
Transport hazard class(es):	9
Packing group:	Ш
Environmentally hazardous:	-
Special precautions for user:	-
Transporting/shipment by sea (II	MDG)
UN number:	3082
UN proper shipping name:	Environmentally hazardous substance, liquid, n.o.s. (potassium permanganate)
Transport hazard class(es):	9
Packing group:	Ш
Environmentally hazardous:	-
Special precautions for user:	-
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:	-
Transporting/shipment by air (IC	AO-TI/IATA-DGR)
UN number:	3082
UN proper shipping name:	Environmentally hazardous substance, liquid, n.o.s. (potassium permanganate)
Transport hazard class(es):	9
Packing group:	Ш
Environmentally hazardous:	-
Special precautions for user:	-

SECTION	ECTION 15. Regulatory information				
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture				
	EU regulations				
	Authorization and/or restric	ctions of use			
	Authorizations:	-			
	Restrictions:	-			



Page 15 of 16

Trading name:		TB PERMANGANATE REAGENT			
Product code:	TBP-OT-X**	Date of compilation:	13 June 2019	Version: 5	

	None	
15.2	Chemical safety assessment	
	National legislation:	Chemicals Act, Regulation on classification, packaging and labeling of dangerous substances, Ordinance on occupational exposure limit values and on biological limit values, Regulation on categories, types and classification of waste with a waste catalog and list of hazardous waste, Ordinance on writing Material safety data sheet, Transport of Hazardous Substances Act
	Information according 1999/13/EC about limitation of emissions of volatile organic compounds (VC guideline)	
	Other EU regulations:	EC Regulation No. 1906/2007 and EC Regulation No. 1272/2008 of the European Parliament and the European Council; The European Commission Regulation No. 453/2006 of 2010 on changes and amendments to the Regulation (EC) No. 1907/2006 of the European Parliament and Council on registration, evaluation, authorization and restriction of chemical substances (REACH); EC Regulation No. 2037/200 of the European Parliament and Council from 29 June 2000 on substances that damage the ozone layer; EC Regulation No. 689/2008 of the European Parliament and Council from 17 June 2008 concerning the export and import of dangerous chemicals; EC Regulation No. 850/2004 of the European Parliament and Council from 29 April 2004 about persistent organic pollutants; Directive 2008/98/EC of the European Parliament and Council of 19 November 2008 on waste and repealing certain Directives

SECTIO	SECTION 16. Other information				
16.1	Indication of changes:	-			
	Abbreviations and acronyms:	PBT	Stable, bioaccumulative and toxic		
		vPvB	Strongly stable and strongly bioaccumulative.		
16.2		LD ₅₀	Lethal dose, 50%		
		LC ₅₀	Lethal concentration, 50%		
		TCOJ	Specific target organ toxicity - single exposure		
16.3.	Key literature references and source of data:	-			
16.4.	.4. Classification and procedure used to derive the classification for mixture according to Regulation (EC) 1272/2008 (CLP)		e classification for mixture according to Regulation (EC)		
Classification		Classification pro	ocedure		
-	-	-			
16.5.	S.5. Relevant H statements (number and full text)				



Page 16 of 16

Trading name:		TB PERMANGANATE REAGENT			
Product code:	TBP-OT-X**	Date of compilation:	13 June 2019	Version: 5	

	272 302 H: 361d		May intensify fire; oxidiser. Harmful if swallowed. Suspected of damaging the unborn child.
		400	Very toxic to aquatic life.
		410	Very toxic to aquatic life with long lasting effects.
		412	Harmful to aquatic life with long lasting effects
16.6.	Training advice:		-
	16.7. Further information:		** "X" in the product code marks different volumes (different packagings of the product)
16.7.			We are not responsible for consequences in case of failure to comply with instructions for use or improper use of the product described in this material safety data sheet.

ANNEX: Exposure scenario resulting to chemical safety assessment
-